

Persoane juridice autorizate conform PT CR4/2009 pentru efectuarea de lucrari la Cazane de abur, Cazane apa fierbinte, Supraincalzitoare si Economizoare independente reglementate de PT C1/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat						Parametrii	Autorizatii
							Instalare	Montare	Reparare	Verificari tehnice in utilizare pt. investigatii/examinari cu caracter tehnic	Intretinere prin spalare chimica	Intretineri regim chimic		
1	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0744/572075 ; 0251/543105	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} ≤1035t/h, p _{max} ≤192bar, T _{max} ≤192 °C; D _{max} ≤100Gcal/h, p _{max} ≤25bar, T _{max} ≤175 °C	DISPR/CR4/A,B,C/4,5/2133/0/07.10.2011
2	Bucuresti	AB TERMOCHIM SRL	BUCURESTI, Str. Serg. Constantin Musat, nr. 1, bl. 16, sc. 2, et. 3, ap. 26, sector 5	J40/11973/2017	CUI 37937604	0729429870; e-mail abtermochim@gmail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =30t/h, p _{max} =40bar, T _{max} =350 °C; Q _{max} =100Gcal/h, p _{max} =25bar	B/CR4/A,B,C/4,5/3382/2/03.09.2020
3	Bucuresti	AB TERMOCHIM SRL	BUCURESTI, Str. Serg. Constantin Musat, nr. 1, bl. 16, sc. 2, et. 3, ap. 26, sector 5	J40/11973/2017	CUI 37937604	0729429870; e-mail abtermochim@gmail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =30t/h, p _{max} =40bar, T _{max} =350 °C; Q _{max} =100Gcal/h, p _{max} =25bar	B/CR4/A,B,C/4,5/3382/1/23.03.2020

4	Bucuresti	AB TERMOCHIM SRL	BUCURESTI, Str. Serg. Constantin Musat, nr. 1, bl. 16, sc. 2, et. 3, ap. 26, sector 5	J40/119/73/2017	CUI 37937604	0729429870; e-mail abtermochim@gmail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=8t/h, pmax<=16bar, Tmax<=200°C; Dmax<=100Gcal/h, pmax<=16bar	B/CR4/A,B,C/4,5/3382/0/05.03.2019
5	Craiova	ABC SYSTEMS SRL	DR. Tn. SEVERIN, Calea Timisoarei, nr.175B, Jud. Mehedinti	J25/1584/1994	RO 6667578	0252/329362/329363	Cazane abur, apa fierbinte	-	Cazane abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, tmax=200°C; Dmax=5Gcal/h, pmax=16bar	CR/CR4/A,C/4,5/0002/0/31.03.2010
6	Sibiu	ACI BISTRITA SA	BISTRITA, Str. Zefirului, nr.1, Jud. Bistrita Nasaud	J06/15/1991	RO 566515	0263/234229/234230	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, Pmax=20bar, Tmax<=350°C; D<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B,C/4,5/0174/0/18.02.2011
7	Bucuresti	ACIRAM MEDICAL SRL	BUCURESTI, Str. Margeanului, nr. 26, bl.M23A, et.1, ap.32, sector 5	J40/10600/2007	RO 21849379	0722531761; 0214201026	Cazane abur	-	-	-	-	-	Qmax=1t/h, pmax=8bar, tmax=175°C	B/CR4/A/4/1763/0/20.08.2013
8	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/6629/1991	CUI 13906	021/2520860 / 2520934; contact@acvatot.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C/4,5/1385/2/22.11.2017

9	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/662 9/1991	CUI 13906	021/2520860 / 2520934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C/4,5/1385/2/25.02.2015
10	Bucuresti	ACVATOT SRL	BUCURESTI, Str. Popa Lazar, nr.5-25, et. 1+2, corp C14, sector 2	J40/662 9/1991	CUI 13906	021/2520934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C/4,5/0277/0/04.09.2010
11	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj	J40/662 9/1991	CUI 13906	021/3160828 / 3160825	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C/4,5/1385/1/27.05.2013
12	Central	AFA PROD IMPEX SRL	CLUJ NAPOCA, Str. Timisului, nr.1, Jud. Cluj	J12/954 /1995	CUI 7359266	0264/416365 /416758	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/1344/0/15.06.2011
13	Central	AG PROIECT INTERNATIONAL SRL	BUCURESTI, Al. Cettuia, nr.10, bl.25/I, sc.A, et.3, ap. 15, sector 6	J40/180 48/204	CUI 16920944	021/7715802	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=20bar, Tmax=250°C	DISPR/CR4/A/4/2489/0/05.12.2011

14	Brasov	AG SERV CONSTRUCT SRL- Punct de lucru BRASOV	NEGRESTI OAS, Str. Victoriei, Bl.C9/20, et.2, ap.12, Jud. Satu Mare; BRASOV, Str. Timis- Triaj, nr.6, Jud. Brasov	J30/412 /1995	CUI 7520051	0261/853322 ; 0268/331142 /331752	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=100t/h, p<=40bar, T<=440° C; D<=50Gcal/h, p<=40bar, T<=440° C	BV/CR4/A,C/4,5/0011/0 /14.06.2010
15	Sibiu	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Campului, nr. 215-219, ap. 3, Jud. Cluj	J12/484 9/1992	RO 2894470	0264/561973	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax<=16bar, Qmax<=10t/h, Tmax<=250° C; pmax<=16bar, Dmax<=5Gcal/h	SB/CR4/A,B,C/4,5/1353 /1/24.07.2014
16	Central	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Grigore Alexandrescu, nr.49, ap.2, Jud. Cluj	J12/484 9/1992	CUI 2894470	0264/561973	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=250° C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/25 82/0/14.11.2011

17	Bacau	AIPIFS SRL	BACAU, Str. Prieteniei, nr.7, bl.7, sc.A, ap.2, Jud. Bacau	J04/184 9/1992	CUI 976728	0234/577165 ; 0744543625	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	BC/CR4/G/4,5/0051/0/3 0.06.2010
18	Bucuresti	ALA INSTAL COMCONSTRU CT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/192 08/1992	CUI 3316947	021/3174424 /3174399	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400° C; Dmax=5Gcal/h, pmax=16bar, Tmax=160° C	B/CR4/A/4,5/0206/0/10 .08.2010
19	Bucuresti	ALA INSTAL COMCONSTRU CT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/192 08/1992	CUI 3316947	021/3174424 /3174399; e- mail: ala_instal@y ahoo.com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400° C; Dmax=5Gcal/h, pmax=16bar, Tmax=160° C	B/CR4/A/4,5/0206/1/23 .12.2013
20	Iasi	ALCOR PRO CONSULT SRL	IASI, Str. Sf. Lazar, nr.51, Jud. Iasi	J22/191 /1995	RO 7048090	0232/233390	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=420t/h, pmax=120bar, Tmax=550° C; Dmax=20Gcal/h, pmax=25bar,	IS/CR4/E/4,5/0073/0/03 .08.2010
21	Bacau	ALPADO SRL	Com. STEFAN cel Mare, Sat. NEGOIESTI, nr.292, Jud. Bacau	J04/153 5/1992	RO 977278	0234/339008	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax<=40bar, Tmax=440° C; Dmax<=50Gcal/h , Pmax=16bar, Tmax=200° C	BC/CR4/A,C/4,5/0074/0 /26.08.2010

22	București	AMEX IMPORT EXPORT SRL	BUCURESTI, Intrarea Titan, nr 10, sector 3	J40/463 9/1994	CUI 5394950	0213400029, email petre@amex- lab.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Vmax=200l, pmax=2,2bar, Tmax=136°C	B/CR4/A,B,C/4/3658/0/ 11.05.2020
23	Central	AMICI SA	BACAU, Str. Ionita Sandu Sturza, nr.25, Jud. Bacau	J04/37/ 1991	CUI 945144	0334/405384 ; 0234/514336	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=200°C; Dmax<=5Gcal/h, pmax<=8bar, Tmax<=170°C	DISPR/CR4/A,B,C/4,5/12 05/0/30.06.2011
24	Bucuresti	AMS 2000 TRADING IMPEX SRL	BUCURESTI, Str.Turturelelor, nr. 62, camere 1-16 din imobil Decebal Tower, et. 2, sector 3	J40/552 7/1997	RO 9603757	021/3247050 / 3247679; e-mail office.ams@ ams.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Pmax=72kW, pmax=5bar, Tmax=138°C	B/CR4/A,B,C/4/2868/0/ 26.08.2016
25	Central	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770 /2005	CUI 17488233	0234/575440 /575413	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=196bar, Tmax<=565°C	DISPR/CR4/A,B,C/4,5/12 25/0/24.06.2011- retragere incepand cu 30.08.2016
26	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770 /2005	RO 17488233	0234/575440 /575413; e- mail: secretariat@ amurco.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=105bar, Tmax=540°C; Dmax=25Gcal/h, pmax=20bar	BC/CR4/A,B,C/4,5/1298 /1/03.09.2013- retragere incepand cu 30.08.2016
27	Pitesti	ANA CARPATI 2007 SRL	PITESTI, Str. Fagaras, bl.E2, sc.c, ap.10, Jud. Arges	J03/199 3/2007	RO 22523698	0729022428; 0248/290025	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=50t/h, pmax<=50bar, T<=450°C; D<=50Gcal/h, pmax<=25bar	PT/CR4/A,C/4,5/0102/0 /30.09.2010

28	Central	ANUBIS SRL	CLUJ NAPOCA, Str. Fericii, nr.17, ap.2, Jud. Cluj	J12/269 /2000	CUI 12760654	0264/484116	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	DISPR/CR4/G/4,5/1472/ 0/07.07.2011; DISPR/CR4/H/4,5/1471/ 0/07.07.2011
29	Iasi	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961 /1993	RO 5386728	0232/212269 /252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	IS/CR4/A,B,C/4,5/0061/ 0/19.07.2010
30	Bacau	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961 /1993	RO 5386728	0232/212269 /252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/1366 /1/12.02.2014
31	Bacau	AQUATERM SRL	BOTOSANI, Str. I.C. Bratianu, nr.35, Jud. Botosani	J07/226 /1999	CUI 12135214	0231/511585 / 511518	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=200°C	BC/CR4/A,B,C/4/1495/0 /03.10.2014
32	Central	ARCELORMITT AL GALATI SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/21/ 1991	CUI 1639739	0236/801331 /803883	-	-	Cazane abur	-	-	-	pmax=54bar, Qmax=255t/h, Tmax=450°C	DISPR/CR4/C/4/1250/0/ 10.06.2011
33	Central	ARDENT SRL	BRASOV, Str. Arinului, nr. 3, bl. 36, ap. 12, ap.9, Jud. Brasov	J08/103 5/1991	CUI 1110281	0368/459201	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540°C; Dmax<=100Gcal/ h, pmax=40bar	DISPR/CR4/E/4,5/0786/ 1/27.01.2017

34	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/103 5/1991	CUI 1110281	0722275726; 0268/541682	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540° C; Dmax<=100Gcal/ h	DISPR/CR4/E/4,5/0786/ 0/12.05.2011
35	Brasov	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/103 5/1991	CUI 1110281	0722275726; 0268/541682	Cazane de abur	-	Cazane de abur	-	-	-	pmax=40bar, Qmax=120t/h, Tmax=350° C	BV/CR4/A,C/4/1125/0/0 1.04.2013
36	Central	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/239 6/1993	CUI 3959705	0241/517171 /766876	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=1100t/h, pmax<=250bar, Tmax<=650° C	DISPR/CR4/A,B,C/4/203 5/0/26.09.2011
37	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/239 6/1993	CUI 3959705	0241/517171 / 638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=250bar, Qmax<=1100t/h, Tmax<=650° C	B/CR4/A,B,C/4/1020/1/ 29.06.2012
38	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/239 6/1993	CUI 3959705	0241/517171 / 638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=250bar, Qmax=1100t/h, Tmax=650° C	B/CR4/A,B,C/4/1020/2/ 19.05.2014
39	București	ARGENTA SA	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/239 6/1993	CUI 3959705	0241/517171 / 638438, email office@arge nta.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=250bar, Qmax<=1100t/h, Tmax<=650° C	B/CR4/A,B,C/4/1020/3/ 11.03.2020
40	Central	ARGOS SA	CERNAVODA, Str. Canalului, nr.11, Jud. Constanta	J13/156 2/1991	CUI 2421812	0241/238440 /238197	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=25bar, Tmax<=225° C; Dmax<=20Gcal/h , pmax<=25bar	DISPR/CR4/A,B,C/4,5/17 45/0/16.08.2011

41	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=350° C; Dmax=1.4Gcal/h, pmax=40bar	B/CR4/A,C/4,5/2510/1/12.03.2015
42	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444/226045	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Pmax<=1164kW	DISPR/CR4/A,B,C/4,5/0472/0/23.03.2011
43	Bucuresti	ARTOPROD SRL	RM. VALCEA, Al. Parteneriatului, nr. 12, Jud. Valcea	J38/227/1997	CUI 9430532	0250/736528, 0740254909; e-mail artoprodsrl@yahoo.com	-	-	-	-	-	Cazane abur; cazane apa fierbinte	cazane abur pmax.0.5bar; cazane apa fierbinte T>110° C	B/CR4/H/4,5/3101/0/30.08.2017
44	Tg. Mures	AZOMURES SA	TG. MURES, Str. Gh. Doja, nr.30, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=500° C; Dmax=50Gcal/h, pmax=22bar	MS/CR4/E/4,5/0044/0/12.10.2010
45	Tg. Mures	AZOMURES SA	TG. MURES SA, Str. Gh. Doja, nr.300, Jud. Mures	J26/01/1991	CUI 1200490	0265/253700/252627	-	-	Cazane de abur	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440° C	MS/CR4/C/4/0071/0/29.11.2010
46	Sibiu	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand, nr.2, Jud. Sibiu	J32/297/1998	CUI 10565398	0269/215398/215376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=150bar, Tmax<=540° C; Dmax<=100Gcal/h, pmax<=26bar	SB/CR4/A,B,C/4,5/1707/1/16.05.2017

47	Central	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand , nr.2, Jud. Sibiu	J32/297 /1998	CUI 10565398	0269/215398 /215376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=150bar, Tmax<=540° C; Dmax<=100Gcal/h, pmax<=26bar	DISPR/CR4/A,B,C/4,5/1475/0/20.07.2011
48	Oradea	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/258 1/1991	CUI 1819357	0256/424868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=300° C; Dmax=5Gcal/h, pmax=16bar	OR/CR4/A,C/4,5/1256/1/18.02.2014
49	Central	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/258 1/1991	CUI 1819357	0256/424868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300° C; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150° C	DISPR/CR4/A,C/4,5/1267/0/17.06.2011
50	Central	BIS NIMB SA	CERNAVODA, Platforma SNN CNE INVEST , Jud. Constanta	J13/132 8/1999	CUI 9275005	0241/238488 /238890	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax<=16bar, Qmax<=10t/h, Dmax<=5Gcal/h;	DISPR/CR4/B,C/4,5/0978/0/09.06.2011
51	Bucuresti	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/245 6/1996	CUI 8877045	0241/697700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325° C	B/CR4/A/4/2094/1/15.01.2016
52	Central	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/245 6/1996	CUI 8877045	0241/697700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325° C	DISPR/CR4/A/4/2094/0/05.10.2011

53	Bucuresti	BLUE NEON SA	CRAIOVA, Str. Nicolae Titulescu, nr.46, bl.E4, sc.1, ap.9, Jud. Dolj	J16/868 /2006	CUI 18652333	0744763559; 0251/592858	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar, T>=110°C	B/CR4/H/4,5/1382/0/27 .05.2013
54	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Aleksandr Sergheevici Puskin, nr. 10, camera C15, et. 3, sector 1;	J40/911 5/2014	CUI 33446663	0737977799; e-mail filippo.scurti@bonatti.it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=65bar, Tmax=440°C; Dmax=30Gcal/h, pmax=70bar	B/CR4/A,B,C/4,5/2361/4/27.05.2020
55	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Aleksandr Sergheevici Puskin, nr. 10, camera C15, et. 3, sector 1; POENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman; MORENI, Str. Al. I. Cuza, nr. 9, Jud. Dambovita	J40/911 5/2014	CUI 33446663	0737977799; e-mail filippo.scurti@bonatti.it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/2361/3/23.05.2019

56	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Amiral Constantin Balanescu, nr. 31A, et. 1, ap. 4, sector 1; POENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman; MORENI, Str. Al. I. Cuza, nr. 9, Jud. Dambovita	J40/911 5/2014	CUI 33446663	0725594051; e-mail filippo.scurti @bonatti.it; 0723562119; e-mail cristian.chiri toiu@bonatti .it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/2361/ 2/10.07.2017
57	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5	J40/911 5/2014	CUI 33446663	021/4024100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/2361/ 1/06.04.2016
58	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5;	J40/911 5/2014	CUI 33446663	021/4024100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/2361/ 0/28.11.2014
59	Bucuresti	BOSCH SERVICII TERMOTEHNIC A SRL	BUCURESTI, Str. Amiral Horia Macelariu, nr. 30- 34, et. 2, Birou service TT, sector 1	J40/100 04/2019	RO 41462082	0722647979, E-mail dan.alexand roaie@ro.bos ch.com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=60t/h, pmax=30bar, Tmax=300° C; Dmax=31Gcal/h, pmax=30bar	B/CR4/A/4,5/3551/1/11 .03.2020
60	Bucuresti	BOSCH SERVICII TERMOTEHNIC A SRL	BUCURESTI, Str. Amiral Horia Macelariu, nr. 30- 34, et. 2, Birou service TT, sector 1	J40/100 04/2019	RO 41462082	0722647979, E-mail dan.alexand roaie@ro.bos ch.com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=60t/h, pmax=30bar, Tmax=300° C; Dmax=31Gcal/h, pmax=30bar	B/CR4/A/4,5/3551/0/29 .11.2019

61	Bucuresti	BPM TEHNOLOGICA SRL	BUCURESTI, Al. Botorani, nr. 2, bl. V80, sc. B, et. 7, ap. 49, sector 5	J40/681 1/2015	RO 34613689	0723144250, 031/4379349 ; e-mail bogdan@bp mtehnologic a.ro	Cazane abur	-	Cazane abur	-	Cazane abur	-	Qmax=2t/h, pmax=16bar, Tmax=440° C	B/CR4/G/4/3497/0/06.0 9.2019; B/CR4/A,C/4/3496/0/06 .09.2019
62	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/152 9/1994	CUI 6993898	0239/652604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250° C	BC/CR4/A,C/4/1488/2/0 7.05.2015
63	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/152 9/1994	CUI 6993898	0239/652604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250° C	BC/CR4/A,C/4/1488/1/2 2.09.2014
64	Central	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Str. Principala, nr.41, Jud. Braila	J09/152 9/1994	CUI 6993898	0239/652604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250° C	DISPR/CR4/A,C/4/3026/ 0/16.02.2012
65	Bacau	BURNER SERVICE SRL	IASI, Aleea Tudor Neculai, nr. 99, camera 1, bl. 989A, sc. B, et. 4, ap. 18, Jud. Iasi	J22/317 /2014	CUI 32851307	0744707150; e-mail office@burn er-service.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350° C	BC/CR4/A,B,C/4/1850/0 /26.06.2018
66	Cluj	CALORA PROD SRL	CLUJ NAPOCA, Str. Parang, nr.6, bl.H3, ap.42, Jud. Cluj	J12/332 0/1993	RO 4723388	0264/432429	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, pmax=16bar	CJ/CR4/E/4,5/0014/0/1 8.05.2010
67	Bucuresti	CALOREX INTERNATIONA L TRADE SRL	BUCURESTI, Bd. Iuliu Maniu, nr. 224, sector 6	J40/272 20/1994	RO 6646117	021/4303002 / 4305760; e-mail calorex@cal orex.ro	Cazane abur, cazane apa fierbinte	Cazane abur, cazane apa fierbinte	Cazane abur, cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250° C; Dmax=5Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/3120/ 0/01.09.2017

68	Bucuresti	CASA DE COMENZI COMMODUS SRL	TULCEA, Str. Dobrogeanu Gherea, nr. 2, bl. C2, sc. B, ap. 1, Jud. Tulcea; TULCEA, Str. Isaccai, nr. 117, Jud. Tulcea	J36/152 /2008	RO 23526358	0721254445; e-mail office@commodus.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570° C	B/CR4/A,B,C/4/3327/0/18.09.2018
69	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021.334.55.17	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/17/2 2.06.2020
70	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021.334.55.17	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/16/3 0.03.2020

71	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	213345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/15/3 1.01.2020
72	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/14/1 4.11.2019

73	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/13/1 4.08.2019
74	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/12/1 4.06.2019

75	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/11/1 5.03.2019
76	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/10/2 5.09.2018
77	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/9/17 .07.2018

78	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/8/28 .03.2018
79	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/7/20 .12.2017
80	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/6/28 .02.2017

81	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/5/09 .08.2016
82	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/4/19 .02.2016
83	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/3/03 .12.2015

84	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/2/23 .06.2015
85	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/1/24 .04.2015
86	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/188 98/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/0/04 .12.2014
87	Oradea	CENTRALA ELECTRICA DE TERMIFICARE ARAD SA	ARAD, Calea 6 Vanatori , Jud. Arad	J02/336 /2002	CUI 14593668	0257/307455 / 213160	-	-	Cazane abur	-	-	-	Qmax=420t/h, Pmax=150bar, Tmax=540°C	OR/CR4/C/4/1072/0/06. 11.2012

88	Iasi	CENTRUL JUDETEAN DE APARATURA MEDICALA	IASI, Str. Vasile Conta, nr.2-4, Jud. Iasi	-	RO 12665636	0232/314271 / 263977	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	-	-	-	Qmax=0.3t/h, Pmax=6bar, Tmax=185°C	IS/CR4/A,B,C/4/0055/0/23.06.2010
89	Bucuresti	CEPROAT SRL	BUCURESTI, Str. Petre Lintes, nr.22, sector 5	J40/529 /5/2002	CUI 14715455	0723193194; 021/7813415	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=25bar, Tmax=150°C	B/CR4/E/4,5/0177/0/02.08.2010
90	Central	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, Jud. Braila	J09/525 /2010	CUI 27471760	0239/683324 ; interventie 0741569330	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/1/05.08.2015
91	Central	CERVES SRL	BRAILA, Str. Poet Gr. Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525 /2010	CUI 27471760	0239/683324	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/0/10.05.2011
92	Bucuresti	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683 /1997	CUI 10102377	0250/733601 /733603	-	-	Cazane abur	-	-	-	Qmax<=420t/h, pmax<=225bar, Tmax<=570°C	B/CR4/C/4/3196/1/11.01.2018
93	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683 /1997	CUI 10102377	0250/733601 /733603	-	-	Cazane abur	-	-	-	Qmax<=420t/h, pmax<=225bar, Tmax<=570°C	DISPR/CR4/C/4/2522/0/07.12.2011

94	Sibiu	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/145 3/1998	CUI 11086555	0264/424665 /462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=250t/h, pmax<=40bar, Tmax<=400° C; Dmax<=100Gcal/ h, pmax<=30bar	SB/CR4/A,B,C/4,5/1244 /1/14.10.2013
95	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/145 3/1998	CUI 11086555	0264/424665 /462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400° C; Dmax<=25Gcal/h , pmax<=30bar	DISPR/CR4/A,B,C/4,5/16 39/0/20.07.2011
96	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/145 3/1998	CUI 11086555	0264/424665 /462385	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar; Tmin>110° C	DISPR/CR4/G/4,5/1637/ 0/21.07.2011
97	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj	J12/145 3/1998	CUI 11086555	0264/424665 /462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350° C; pmax=16bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/1840/ 0/07.09.2011

98	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj	J12/145 3/1998	CUI 11086555	0264424665/ 462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h , pmax=30bar	DISPR/CR4/E/4,5/1840/ 1/20.06.2012
99	Brasov	CHIMP SRL	PLOIESTI, Str. Mierlei, nr. 25, Jud. Prahova	J29/122 9/1993	RO 4000437	0244/551949	-	-	-	-	Cazane abur	-	p>0.5bar	BV/CR4/H/4/1362/1/27. 01.2015
100	Ploiesti	CHIMP SRL	PLOIESTI, Str. Mierlei, nr.25, Jud. Prahova	J29/122 9/1993	RO 4000437	0244/551949	-	-	-	-	Cazane abur	-	p>0.5bar	PL/CR4/H/4/0289/0/23. 12.2010
101	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/103 8/1994	RO 6566670	0231/539028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B,C/4/1330/1 /19.01.2016- retragere voluntara (radiere) incepand cu 26.08.2019
102	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/103 8/1994	RO 6566670	0231/531536 / 539028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B,C/4/1330/0 /05.11.2013
103	Cluj	CLASIC ASOCIATIA PENTRU INDUSTRIE SI COMERT DIN CLUJ SRL	CLUJ NAPOCA, Al. Scarisoara, nr.3, ap. 11, Jud. Cluj	J12/291 5/1991	RO 222147	0264/540465	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4,5/0137/0/0 2.12.2010
104	Bacau	CLIMA THERM CENTE SRL	IASI, Sos. Pacurari, nr. 139, Jud. Iasi	J22/916 /2000	RO 13572870	0232/261833 /272700	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=350°C	BC/CR4/A,B,C/4/1919/1 /28.08.2019
105	Iasi	CLIMA THERM CENTE SRL	IASI, Sos. Pacurari, nr. 139, Jud. Iasi	J22/916 /2000	RO 13572870	0232/261833 /272700	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B,C/4/0134/0/ 25.10.2010

106	Oradea	CLIMAROL PREST SRL	ORADEA, Str. Grigore Ureche, nr. 15, ap. 48, Jud. Bihor; ORADEA, Str. Matei Corvin, nr. 144A, Jud. Bihor	J05/317 2/1993	RO 4738249	0744234396; e-mail office@clima rol.ro	Cazane de abur	Cazane de abur	-	-	-	-	Q<=50t/h, p<=40bar, T=400° C	OR/CR4/A,B/4/1723/0/2 6.11.2019
-----	--------	-----------------------	--	-------------------	---------------	---	-------------------	-------------------	---	---	---	---	------------------------------------	------------------------------------

107	Central	CNCIR SA	BUCURESTI, str. Ocna Sibiului, nr.46-48, sector 1	J40/119 76/2010	CUI 27787860	0213167921, 0214119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=570°C; Dmax=100Gcal/h , pmax=40bar	DISPR/CR4/E/4,5/0165/ 9/10.11.2020
-----	---------	----------	---	--------------------	-----------------	---------------------------	---	---	---	--	---	---	--	---------------------------------------

108	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/119 76/2010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=570°C; Dmax=100Gcal/h , pmax=40bar	DISPR/CR4/E/4,5/0165/ 8/22.03.2019
-----	---------	----------	--	--------------------	-----------------	--------------------------	---	---	---	--	---	---	--	---------------------------------------

109	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/119 76/2010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=570°C; Dmax=100Gcal/h , pmax=40bar	DISPR/CR4/E/4,5/0165/ 7/18.02.2019
-----	---------	----------	--	--------------------	-----------------	--------------------------	---	---	---	--	---	---	--	---------------------------------------

110	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/119 76/2010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/ 6/09.10.2017
-----	---------	----------	--	--------------------	-----------------	--------------------------	---	---	---	--	---	---	--	---------------------------------------

111	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/119 76/2010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/ 5/11.10.2016
-----	---------	----------	--	--------------------	-----------------	--------------------------	---	---	---	--	---	---	--	---------------------------------------

112	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/119 76/2010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/ 4/19.12.2014
-----	---------	----------	--	--------------------	-----------------	--------------------------	---	---	---	--	---	---	--	---------------------------------------

113	Central	CNCIR S.A.	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/119 76/2010	CUI 27787860	021/3167921 /3166027	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/ 2/27.07.2012
-----	---------	------------	--	--------------------	-----------------	-------------------------	---	---	--	---	---	--	---------------------------------------

114	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/119 76/2010	CUI 27787860	021/3167921 /3167922/31 67923/31660 27	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, Pmax=16bar,	DISPR/CR4/E/4,5/0038/ 0/01.03.2011
-----	---------	----------	--	--------------------	-----------------	---	---	---	---	--	---	---	---	---------------------------------------

115	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/119 76/2010	CUI 27787860	021/3167921 /3166027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/ 1/23.04.2012
-----	---------	----------	--	--------------------	-----------------	-------------------------	---	---	---	--	---	---	--	---------------------------------------

116	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/119 76/2010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/ 3/22.03.2013
117	Tg. Mures	COM TUR SRL	MIERCUREA CIUC, Str. Muller Laszlo, nr.31, Jud. Harghita	J19/414 /1992	CUI 512680	0266/371174 / 323776	Cazane de abur	-	-	-	-	-	pmax=16 bar, Qmax=10t/h, Tmax=350°C	MS/CR4/A/4/0011/0/12. 05.2010

118	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/27/1991	CUI 2662292	0233280601/ 0233280585, email office@comes.ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h, pmax≤200bar, Tmax≤600°C; Qmax≤100Gcal/h, pmax≤30bar	BC/CR4/B,C/4,5/1280/5 /26.03.2020
119	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568 /281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h, pmax≤40bar, Tmax≤600°C; Dmax≤100Gcal/h, pmax≤30bar, Tmax≤180°C	BC/CR4/B,C/4,5/1280/4 /20.04.2018
120	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568 /281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h, pmax≤40bar, Tmax≤600°C; Dmax≤100Gcal/h, pmax≤30bar, Tmax≤180°C	BC/CR4/B,C/4,5/1280/3 /08.01.2016
121	Bacau	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568 /281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h, pmax≤40bar, Tmax≤600°C; Dmax≤100Gcal/h, pmax≤30bar, Tmax≤180°C	BC/CR4/B,C/4,5/1280/2 /08.08.2013
122	Central	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568 /281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h, pmax≤40bar, Tmax≤600°C; Dmax≤100Gcal/h, pmax≤30bar, Tmax≤180°C	DISPR/CR4/B,C/4,5/069 5/1/06.10.2011

123	Central	COMES SA	SAVINESTI, Str. Urziceni, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568/281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	DISPR/CR4/B,C/4,5/06951/0/11.05.2011
124	Sibiu	COMOSERV SRL	TG. MURES, Str. Alexandru Papiu Ilarian, nr. 28, Jud. Mures; TG. MURES, Str. Gh. Doja, nr. 300, Jud. Mures	J26/1087/2018	CUI 19033173	0365/424892/424866	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=215bar, Qmax=1000t/h, Tmax=650°C; pmax=100bar, Qmax=100Gcal/h	SB/CR4/A,B,C/4,5/2069/0/15.06.2020
125	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Splaiul Unirii, nr. 76, Clădirea River Plaza, Corp A, et. 1, sector 4	J40/9172/2017	CUI 37752029	0372400780/400781; e-mail office@cmeb.com.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤8t/h, pmax≤16bar, Tmax≤250°C; Dmax=100Gcal/h, pmax=16ba	B/CR4/A,B,C/4,5/3230/2/16.01.2020
126	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Splaiul Unirii, nr. 76, Corp A, et. 1 si 2, sector 4	J40/9172/2017	RO 37752029	0372400780/400781; e-mail office@cmeb.com.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=8t/h, pmax<=16bar, Tmax<=250°C; Dmax=100Gcal/h, pmax=16ba	B/CR4/A,B,C/4,5/3230/1/15.10.2018
127	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Bd. Octavian Goga, nr. 2, Tronson 1, et. 1 si 2, sector 3	J40/9172/2017	RO 37752029	0372400780/400781; e-mail office@cmeb.com.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=8t/h, pmax<=16bar, Tmax<=250°C; Dmax=100Gcal/h, pmax=16ba	B/CR4/A,B,C/4,5/3230/0/10.04.2018

128	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Splaiul Unirii, nr. 76, Corp A, et. 1 si 2, sector 4	J40/917/2/2017	RO 37752029	0372400780/400781; e-mail office@cmeb.com.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4,5/3227/1/16 .10.2018
129	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Bd. Octavian Goga, nr. 2, Tronson 1, et. 1 si 2, sector 3	J40/917/2/2017	RO 37752029	0372400780/400781; e-mail office@cmeb.com.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4,5/3227/0/13 .04.2018
130	Central	COMPLEXUL ENERGETIC CRAIOVA SA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/656/2004	CUI 16299139	0351/403310 / 403344/ 449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=250bar, Tmin=105°C; Tmax=600°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C;	DISPR/CR4/C/4,5/2538/0/02.12.2011
131	Oradea	COMPLEXUL ENERGETIC HUNEDOARA SA- Sucursala ELECTROCENTRALE PAROENI	VULCAN, Str. Paroseni, nr. 20, Jud. Hunedoara	J20/733/2013	CUI 32110567	0254/570790 / 570481	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h, pmax=140bar, Tmax=545°C; Dmax<=103.2Gcal/h, pmax=20bar	OR/CR4/C/4,5/1571/0/1 4.11.2017

132	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE CRAIOVA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/904 /2012	CUI 30292810	0351/403310 / 303311/ 449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=525t/h, 0.5bar<=pmax<=250bar, 105°C<=Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar, 110°C<=Tmax<=150°C	DISPR/CR4/C/4,5/1196/0/05.11.2012
133	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ISALNITA	ISALNITA, Str. Mihai Viteazul, nr.101, Jud. Dolj	J16/587 /2013	CUI 31454295	0251/407633 / 407602	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, Tmin=105°C, tmax=600°C, pmax=250bar; Dmax=100Gcal/h, pmax=250bar, Tmin=110°C, Tmax=150°C	B/CR4/C/4,5/1844/0/01.10.2013
134	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337 /2012	CUI 30310461	0253/372556 / 371590	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, P<=196bar, T<=540°C; Dmax=100Gcal/h, P<=25bar, T<=150°C	B/CR4/A,C/4,5/1220/1/05.07.2018
135	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337 /2012	CUI 30310461	0253/372556 / 371590	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, 0.5bar<=pmax<=196bar, 105°C<=Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar, 110°C<=Tmax<=150°C	B/CR4/A,C/4,5/1220/0/14.12.2012

136	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338 /2012	CUI 30310453	0253/335111 / 335015	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, Tmax=540° C	B/CR4/C/4/1611/2/03.0 9.2018
137	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338 /2012	CUI 30310453	0253/335045 / 335015	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, Tmax=540° C	B/CR4/C/4/1611/1/30.0 9.2016
138	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338 /2012	CUI 30310453	0253/335045 / 335081	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, 105° C<=Tmax<= 540° C	B/CR4/C/4/1611/0/17.0 5.2013
139	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE CRAIOVA II	CRAIOVA, Str. Bariera Valcii, nr.195, Jud. Dolj	J16/588 /2013	CUI 31454260	0251/599480 / 596555; 0251/599495	-	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=525t/h, pmax=250bar, 105° C<=Tmax<= 600° C	B/CR4/C/4,5/1911/0/03 .12.2013
140	Central	COMPLEXUL ENERGETIC TURCENI SA	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/257 /2004	CUI 16302447	0253/335045 /335081	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=15bar; Dmax=1035t/h, pmax<=195bar,	DISPR/CR4/C/4,5/0482/ 0/11.03.2011

141	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127 /1991	RO 1345008	0244/525321 / 515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=100bar; Dmax=50Gcal/h, Tmax=440°C	BV/CR4/B,C/4,5/1266/2 /07.05.2019
142	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127 /1991	RO 1345008	0244/525321 / 515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=100bar; Dmax=50Gcal/h, Tmax=440°C	BV/CR4/B,C/4,5/1266/1 /26.05.2014
143	Ploiesti	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127 /1991	RO 1345008	0244/513145 /515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=120bar; Dmax=50Gcal/h, Tmax=440°C	PL/CR4/B,C/4,5/0160/0 /06.09.2010
144	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr. 60, Jud. Mures	J26/677 /1999	RO 12361289	0265/253250 ; e-mail office@comterminvest.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Qmax=100Gcal/h , pmax=40bar	SB/CR4/A,B,C/4,5/2075 /6/31.07.2020
145	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr. 60, Jud. Mures	J26/677 /1999	RO 12361289	0265/253250 ; e-mail office@comterminvest.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Dmax=100Gcal/h , pmax=40bar	SB/CR4/A,B,C/4,5/1951 /5/13.06.2019
146	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr. 60, Jud. Mures	J26/677 /1999	RO 12361289	0265/253250 ; e-mail office@comterminvest.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=100Gcal/h , pmax=40bar	SB/CR4/A,B,C/4,5/1867 /4/21.09.2018
147	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr.60 , corp C1, camera 3, et.1, Jud. Mures	J26/677 /1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=100Gcal/h , pmax=40bar	SB/CR4/A,B,C/4,5/1595 /3/14.06.2016

148	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr. 60 , corp C1, camera 3, et. 1, Jud. Mures	J26/677 /1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, pmax=40bar	SB/CR4/A,B,C/4,5/1471 /2/27.05.2015
149	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr. 60 , corp C1, camera 3, et. 1, Jud. Mures	J26/677 /1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/21 60/1/16.02.2012
150	Central	COMTERM INVEST SRL	TG. MURES, Bd. 1 Decembrie 1918, nr. 243, ap. 31, Jud. Mures	J26/677 /1999	CUI 12341289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/A,B,C/4,5/21 60/14.10.2011
151	Ploiesti	COMTERM SA	BUZAU, Str. H.P. Bengescu, nr. 5, Jud. Buzau	J10/976 /1993	RO 4384761	0238/720242 /406760	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=150bar, Tmax=560° C; Dmax=100Gcal/h	PL/CR4/A,B,C/4,5/0296 /0/28.12.2010
152	Bucuresti	CONCIVIC SRL	SLOBOZIA, Str. Closca, nr. 20, Judet Ialomita	J21/790 /1993	CUI 4831479	0243/230117 ; e-mail office@conci vic1993.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350° C; Dmax<=25Gcal/h , pmax<=16bar	B/CR4/A,B,C/4,5/3491/ 1/16.09.2019
153	Central	CONCIVIC SRL	SLOBOZIA, Str. Closca, nr. 20, Judet Ialomita	J21/790 /1993	CUI 4831479	0243/230117	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350° C; Dmax<=25Gcal/h , pmax<=16bar	DISPR/CR4/A,B,C/4,5/16 92/0/10.08.2011

154	Central	CONDITIONAL SRL	BACAU, Str. Letea, nr.38, bl.38, sc.A, ap.3, Jud. Bacau	J40/393 /1998	CUI 10439381	0234/583270	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/A,B,C/4,5/33 30/0/26.03.2012
155	Brasov	CONDMAG SA	BRASOV, Str. Avram Iancu, nr.52, Jud. Brasov	J08/35/ 1991	RO 1100008	0268/414954 / 477772	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=450°C; D<=5Gcal/h, p<=16bar	BV/CR4/A,B,C/4,5/0040 /0/06.09.2010
156	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607 /1991	CUI 1324099	0244/333160 / 374719; e-mail confind@confind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	BV/CR4/A,B,C/4,5/1400 /2/18.09.2017
157	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607 /1991	CUI 1324099	0244/333160 / 374719; e-mail confind@confind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	BV/CR4/A,B,C/4,5/1400 /1/23.03.2015
158	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607 /1991	CUI 1324099	0244/333160 /374719	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/17 20/0/10.06.2011
159	Central	CONFORT SA	TIMISOARA, Str. Enric Baader, nr.11, Jud. Timis	J35/729 /1991	CUI 1833467	0256/434575 /434060	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=140bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=140bar, Tmax<=220°C	DISPR/CR4/A,B,C/4,5/21 51/0/07.10.2011

160	Bucuresti	CONFORT SRL	BUCURESTI, Str. Straduintei, nr.3, bl.A4, ap.32, et.7, sector 4	J40/111 0/1993	RO 3477560	021/4610529 / 4610921	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax=25bar, Tmax=400° C; Dmax=15Gcal/h, pmax=25bar, T>110° C	B/CR4/A,B,C/4,5/0519/ 1/05.08.2013
161	Central	CONSULT MERIDIAN SRL	SAT LIPIA, Com. Marei, Jud. Buzau	J10/885 /2005	CUI 17807634	0238/711249 ; 0371155437	-	-	-	Cazane abur	-	-	Qmax=40t/h, pmax=40bar, Tmax=350° C	DISPR/CR4/E/4/0316/0/ 25.03.2011
162	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/194 7/1993	CUI 4973970	0230/514145	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350° C; Dmax<=15Gcal/h , pmax<=16bar, Tmax<=170° C	DISPR/CR4/A,B,C/4,5/15 80/0/25.07.2011
163	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/582 /1994	RO 5317728	0232/264597	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220° C	IS/CR4/A,B,C/4/0010/0/ 21.04.2010- suspendare voluntara incepand cu 23.03.2016
164	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/582 /1994	RO 5317728	0232/264597	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=10t/h, pmax=16bar, Tmax=220° C; Dmax=5Gcal/h, pmax=16bar	IS/CR4/E/4,5/0121/0/27 .10.2010- suspendare voluntara incepand cu 23.03.2016
165	Bucuresti	CRIMAR PAMICO INDUSTRIAL MONTAJ SRL	PITESTI, Str. Zamfiresti, nr.16, camera 1, Jud. Arges	J03/12/ 2012	RO 29515714	0248/615434 ; 0758061602	-	-	Cazane abur	-	-	-	Qmax=650t/h, pmax=225bar, Tmax=570° C	B/CR4/C/4/1026/0/26.0 6.2012

166	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	CUI 5668427	0236/312437 / 463059; e-mail office@criomecsa.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=250t/h, pmax=40bar, Tmax540°C; Dmax=100Gcal/h, pmax=22bar, Tmax>110°C	BC/CR4/G/4,5/1968/0/0 3.06.2020
167	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 5668427	0236/312437 / 463059; e-mail office@criomecsa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=250t/h, pmax=40bar, Tmax540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/4,5/1118/3 /18.05.2017
168	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 5668427	0236/312437 / 463059; e-mail office@criomecsa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/4,5/1118/2 /29.04.2015
169	Central	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 5668427	0236/312437 / 463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/2/24.06.2015

170	Central	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 5668427	0236/312437 / 463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/ 1/05.02.2013
171	Galati	CRIOMEK SA	GALATI, Str. Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 5668427	0236/312437 /463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	GL/CR4/E/4,5/0102/0/1 6.11.2010
172	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 5668427	0236/312437 / 463059	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte				Qmax=120t/h, pmax=40bar, Tmax=540°C; Dmax=100Gcal/h , pmax=22bar	BC/CR4/A,C/4,5/1118/1 /09.01.2013
173	Central	CSI ENERGO ELECTRIC SRL	NAVODARI, Str. Muzicii, nr.53, et.1, Jud. Constanta	J13/611 /2011	CUI 28179217	0341/488805	-	-	Cazane abur	-	-	-	Qmax<=105t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/C/4/0626/0/ 21.04.2011

174	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/114 4/1994	RO 6008500	0239/612022 / 612561; 0239/611870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =10t/h, P _{max} =16bar, T _{max} =220° C; D _{max} =5Gcal/h, P _{max} =16bar	BC/CR4/A,B,C/4,5/1082 /2/28.05.2014
-----	-------	-----------------	--	-------------------	---------------	---	--------------------------------------	--------------------------------------	--------------------------------------	---	---	---	--	--

175	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/114 4/1994	RO 6008500	0239/612022 / 612561; 0239/611870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =10t/h, P _{max} =16bar, T _{max} =220° C; D _{max} =5Gcal/h, P _{max} =16bar	BC/CR4/A,B,C/4,5/1082 /1/01.11.2012
176	Bucuresti	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Mircea Voda, nr. 42, camera 1.1, Jud. Arges; PITESTI, DN 65B, Km 4+850, Hala 1, Jud. Arges	J03/960 /2006	CUI 18747999	0248/250448 ; 0722628597	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4,5/2632/2/16 .11.2018

177	Bucuresti	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Transilvania, nr. 1, bl. D3, sc. D, et. 4, ap. 17, Jud. Arges; PITESTI, DN 65B, Km 4+850, Hala 1, Jud. Arges	J03/960 /2006	CUI 18747999	0248/250448 ; 0722628597	-	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4,5/2632/1/30 .09.2015
178	Central	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Exercițiu, bl.D3, sc.D, et.4, ap.17, Jud. Arges	J03/960 /2006	CUI 18747999	0248/250448	-	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmin>0.5bar, Tmin>110°C	-	DISPR/CR4/G/4,5/1560/0/21.07.2011
179	Timisoara	D&T INDUSTRIAL EQUIPMENT SRL	GHIRODA, Cal. Lugojului, nr.67, Jud. Timis	J35/129 0/1995	CUI 8024889	0256/288641	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	-	Q<=10t/h, p<=16bar, T<=320°C; D<=5Gcal/h, p<=16bar	-	TM/CR4/A,B,C/4,5/0038 /0/02.07.2010
180	Timisoara	DA CONSTANTIN SRL	LUGOJ, Str. Primaverii, nr.42, Jud. Timis	J35/208 9/2002	CUI 15096055	0256/329338	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	-	Q<=5t/h, p<=16bar, T<=250°C	-	TM/CR4/A,B,C/4/0079/0 /04.10.2010
181	Bucuresti	DARO SV TERMIC SRL	CONSTANTA, str Trandafirului, nr 5, Camera 1, Jud Constanta	J13/840 /2019	RO 40659591	0722270134, email daro_sv@yahoo.com	-	-	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=540°C; Dmax=50Gcal/h, pmax=25bar,	-	B/CR4/C/4,5/3667/0/19 .05.2020
182	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589 /1991	RO 1986070	0232/262800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar,	-	IS/CR4/A,B,C/4,5/0097/0/19.08.2010

183	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589 /1991	RO 1986070	0232/262800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar,	IS/CR4/A,B,C/4,5/0097/1/06.10.2010
184	Bucuresti	DELTA TERMO CONSTRUCTI 99 SRL	PITESTI, Str. Trivale, bl. P3 Bis, sc.C,ap.1, Jud. Arges	J03/600 /2004	CUI 16297707	0248/272797 ; 0745061558	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, tmax=440°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5/2188/0/16.06.2014
185	Ploiesti	DIPERO CONSULTING SRL	PLOIESTI, Str. Pompelor, nr.4, Corp C1, Jud. Prahova	J29/180 3/2009	RO 26316687	0745118171; 0244/514486	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=100t/h, Pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=20bar, T>110°C	PL/CR4/E/4,5/0201/0/08.10.2010
186	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568 /2004	CUI 16958124	0247/416438 /413379	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/0868/0/18.05.2011
187	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568 /2004	CUI 16958124	0247/416438 /413379	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=80t/h, pmax=116bar, Tmax=460°C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/A,B,C/4,5/1490/0/18.07.2011
188	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568 /2004	CUI 16958124	0247/416438 /413379	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5/1374/0/08.05.2013

189	Oradea	DOSETIMPEX SRL	TIMISOARA, Cal. Buziasului, nr.11, camera 1, Jud. Timis	J35/442 3/1994	CUI 6825635	0256/200368 /223838	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q _{max} =10t/h, p _{max} =16bar, T _{max} =300°C; Q _{max} =5Gcal/h, p _{max} =16bar	OR/CR4/A,C/4,5/1741/1 /04.03.2020
190	Timisoara	DOSETIMPEX SRL	TIMISOARA, Cal. Buziasului, nr.11, camera 1, Jud. Timis	J35/442 3/1994	CUI 6825635	0256/200368 /223838	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=300°C; D<=5Gcal/h, p<=16bar	TM/CR4/A,C/4/0057/0/ 30.07.2010
191	Bacau	DRYING TECHNOLOGY SOLUTIONS SRL	DULCEȘTI, str. Teilor, nr.3, Jud Neamț; CIUREA, str. DJ 28C, nr. 201, Jud Iași	J27/515 /2015	RO 34884319	0740012211, email dryingts@yahoo.com	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	p>0,5bar, Q _{max} =10t/h, p _{max} =25bar, T _{max} =230°C	BC/CR4/A,B,C/4/1981/0 /08.09.2020

192	Sibiu	DUOCHIM SRL	OCNA MURES, Str. Axente Sever, bl. 49, sc.C, ap.7, Jud. Alba	J01/33/2001	RO 13682309	0258/873180	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	p>=0.5bar; T>110°C	SB/CR4/G/4,5/0101/0/2 8.10.2010; SB/CR4/H/4,5/0102/0/2 8.10.2010
193	Central	DYOMEDICA CND SRL	PLOIESTI, Bd. Bucuresti, nr. 264, Jud. Prahova	J29/179 6/2007	CUI 22112765	0344/802355 / 802356	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540°C; Dmax=20Gcal/h, pmax=30bar	DISPR/CR4/E/4,5/2959/ 1/08.07.2019
194	Central	DYOMEDICA CND SRL	PLOIESTI, Intrarea Clubului, nr.3, Jud. Prahova	J29/179 6/2007	CUI 22112765	0766655627; 0244/574287	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540°C; Dmax=20Gcal/h, pmax=30bar	DISPR/CR4/E/4,5/2959/ 0/09.02.2012
195	Constanta	EARRING CO SRL	CONSTANTA, Str. Verde, nr. 30, Jud. Constanta	J13/553 0/1992	CUI 1908950	0241/635230	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=250°C; Dmax=5Gcal/h, pmax=40bar, Tmax=150°C	CT/CR4/C/4,5/0029/0/0 5.07.2010
196	Sibiu	EAST EUROPEAN BUSINESS CENTER (EEBC) SRL	SIBIU, Aleea Rusciorului, nr.2, bl.67, et.1, ap.31, Jud Sibiu	J32/760 /2009	RO 26016710	0217954545, email: office@eebc.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0,5 bar; T>110°C	SB/CR4/G/4,5/2056/0/0 8.04.2020

197	Bucuresti	ECO TERM SRL	URZICENI, Str. Serelor nr.5A, Ialomita; BUCURESTI, Bd. Ferdinand I, nr. 58, sc. C, et. 1, birou 5, sector 2; DUMBRAVA ROSIE, Str. Stramutati, nr. 17, Jud. Neamt	J21/191 /2002	CUI 14737011	0243/254713 ; e-mail office@ecoterm.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570° C; Dmax=25Gcal/h, pmax=20bar	B/CR4/A,B,C/4,5/2092/2/17.07.2017
198	Bucuresti	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/191 /2002	CUI 14737011	0243/254713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570° C; Dmax=25Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/2092/1/04.04.2014
199	Central	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/191 /2002	CUI 14737011	0243/254713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570° C; Dmax=25Gcal/h, pmax=40bar, Tmax=250° C	DISPR/CR4/A,B,C/4,5/1597/0/08.07.2011

200	Central	ELCOMEX IEA SA	CERNAVODA, Str. Medgidiei, nr.2B, Jud. Constanta	J13/561 6/1994	CUI 7092273	0241/238917 /237524	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=140bar, Tmax<=540°C; Dmax<=50Gcal/h , pmax<=40bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/09 24/0/25.05.2011
201	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/120 9/1998	CUI 10185240	021/4131349	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar, Tmax=150°C	B/CR4/A,B,C/4,5/0389/ 0/08.10.2010
202	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/120 9/1998	CUI 10185240	021/4131349	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar, Tmax=150°C	B/CR4/G/4,5/0390/0/11 .10.2010
203	Central	ELECTROCENT RALE BUCURESTI SA-Suc. ELECTROCENT RALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/934 3/2000	CUI 13439840	021/2751108 /2751181	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=540°C; Dmax=100Gcal/h , pmax=25bar, Tmax=160°C	DISPR/CR4/A,B,C/4,5/28 98/0/13.01.2012
204	Central	ELECTROCENT RALE BUCURESTI SA-Suc. ELECTROCENT RALE MURES	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/513 /2000	CUI 1228938	0265/471333 /471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=20bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/23 24/0/03.11.2011

205	Tg. Mures	ELECTROCENTRALE BUCURESTI SA-Suc. ELECTROCENTRALE MURES	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333 / 471388	-	-	-	Cazane abur, apa fierbinte, supraincalzitoare si economizoare independente	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=20bar	MS/CR4/E/4,5/0056/0/27.10.2010
206	Bucuresti	ELECTROCENTRALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/20153	CUI 33636420	0241/585300 /693916	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550°C; Dmax=100Gcal/h, Pmax=20bar	B/CR4/B,C/4,5/2472/0/11.03.2015
207	Central	ELECTROCENTRALE BUCURESTI-SUCURSALA ELECTROCENTRALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/1035/2003	CUI 15264655	0241/585300 /693916	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550°C; Dmax=100Gcal/h, Pmax=20bar	DISPR/CR4/B,C/4,5/3045/0/31.01.2012
208	Central	ELECTROCENTRALE DEVA SA	MINTIA, Str. Santierului,nr.1, Jud. Hunedoara	J20/876/2001	CUI 14348448	0254/236408 /236411	-	-	Cazane abur	-	-	-	Qmax<=330t/h, pmax<=140bar, Tmax<=550°C	DISPR/CR4/C/4/0076/0/02.03.2011

209	Central	ELECTROCENTRALE SA- Suc ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.124, sector 6	J40/9343/2000	CUI 13439840	021/2751103 / 2751405	-	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	DISPR/CR4/G/4,5/0175/0/14.03.2011
210	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/1696/2003	RO 15189596	021/2751108 / 2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=550° C; Dmax=100Gcal/h, pmax=25bar, Tmax=160° C	B/CR4/C/4,5/1730/1/21.10.2014
211	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/1696/2003	RO 15189596	021/2751108 / 2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=550° C; Dmax=100Gcal/h, pmax=25bar, Tmax=160° C	B/CR4/C/4,5/1730/0/08.05.2013
212	Oradea	ELECTROCENTRALE ORADEA SA	ORADEA, Str. Sos. Borsului, nr.23, Jud. Bihor	J05/723/2002	RO 14790708	0259/453345 / 463661	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, Pmax=165bar, Tmax=570° C	OR/CR4/A,B,C/4/1223/1/16.10.2013
213	Bucuresti	ELECTROCHIM SRL	BUCURESTI, str Prelungirea Ghencea, nr 93 N, etaj 1, sector 6	J40/9344/1991	CUI 445831	0722369476/021317600, email office@electrochim.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=75bar, Tmax=450° C, Qmax=30t/h; Dmax=50Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/3719/0/10.09.2020

214	Bucuresti	ELECTROCHIM SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/9344/1991	CUI 445831	021/3176009	-	-	-	-	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa presiune	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa presiune	B/CR4/H/4,5/0657/0/01.02.2011; B/CR4/G/4,5/0658/0/01.02.2011	
215	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea, nr.41A, Jud. Botosani	J07/1201/1994	CUI 7464520	0231/507060/532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=40bar	BC/CR4/A,B,C/4,5/1023/2/19.04.2016
216	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1201/1994	CUI 7464520	0231/507060/532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=20bar, Tmax=160°C	BC/CR4/A,B,C/4,5/1023/1/25.07.2012
217	Suceava	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1201/1994	RO 7464520	0231/507060/532905	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q=120t/h, p=40bar, T=350°C; D=50Gcal/h, p=20bar, T=160°C	SV/CR4/A,B,C/4,5/0010/0/24.06.2010

218	Oradea	EMC SRL	Oradea, Str. Gh. Pitut, nr.1, Jud. Bihor	J05/488 /2006	RO 18457480	0731338099; 0259/433563	-	-	-	-	Cazane de abur, cazane abur si apa fierbinte	-	-	OR/CR4/G/4/0016/0/01 .06.2010
219	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140 /2000	CUI 12826406	0234545683/ 0234562410, email office@ener gofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} ≤1035t/h, p _{max} ≤260bar, T _{max} ≤570° C; D _{max} ≤100Gcal/h, p _{max} ≤16bar	BC/CR4/A,B,C/4,5/1645 /4/05.06.2020
220	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140 /2000	CUI 12826406	0234/562410 ; e-mail office@ener gofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =1035t/h, p _{max} =260bar, T _{max} ≤570° C; D _{max} ≤100Gcal/h, p _{max} ≤16bar	BC/CR4/A,B,C/4,5/1645 /3/11.05.2016
221	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140 /2000	CUI 12826406	0234/562410 ; e-mail office@ener gofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Cazane de abur, cazane abur si apa fierbinte	-	Q _{max} ≤420t/h, p _{max} ≤160bar, T _{max} ≤440° C; D _{max} ≤100Gcal/h, p _{max} ≤16bar	BC/CR4/A,B,C/4,5/1645 /2/11.02.2016; BC/CR4/G/4,5/1642/2/1 1.02.2016
222	Central	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140 /2000	CUI 12826406	0234/562410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Q _{max} ≤120t/h, p _{max} ≤100bar, T _{max} ≤540° C; D _{max} ≤100Gcal/h, p _{max} ≤16bar	DISPR/CR4/E/4,5/3623/ 2/30.03.2016

223	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140 /2000	CUI 12826406	0234/545683 /562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Qmax<=120t/h, pmax<=100bar, Tmax=540°C; Qmax<=420t/h, pmax<=160bar, Tmax=440°C; Dmax<=100Gcal/h, pmax<=16bar	DISPR/CR4/E/4,5/3623/1/24.05.2012; DISPR/CR4/A,B,C/4,5/3632/1/23.05.2012; DISPR/CR4/G/4,5/3626/1/24.05.2012
224	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140 /2000	RO 12826406	0234/545683 /562410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=100bar, Tmax=540°C	BC/CR4/E/4,5/0003/0/27.04.2010
225	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140 /2000	RO 12826406	0234/545683 /562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=440°C; Dmax=100Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/0046/0/30.06.2010
226	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140 /2000	RO 12826406	0234/545683 /562410	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar; T>110°C	BC/CR4/G/4,5/0082/0/28.09.2010
227	București	ENERGOMONT AJ GRUP SRL	BASCOV, str Serelor, nr 14, Jud Argeș	J03/196 6/1994	RO 10698807	0248290170, 0248290285, 0723578923, email office@energomontaj-grup.ro	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/4,5/1241/4/03.12.2019

228	Bucuresti	ENERGOMONT AJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136 /1991	CUI 1555468	021/3189304 / 3189327; e- mail saem@saem. ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h , pmax=40bar	B/CR4/A,B,C/4,5/0296/ 3/27.08.2018
229	Bucuresti	ENERGOMONT AJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136 /1991	CUI 1555468	021/3189304 / 3189327	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h , pmax=40bar	B/CR4/A,B,C/4,5/0296/ 2/08.10.2014
230	Bucuresti	ENERGOMONT AJ SA	BUCURESTI, Cal. Dorobantilor, nr. 103-105, sector 1	J40/136 /1991	CUI 1555468	021/3189303 / 3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h , pmax=40bar	B/CR4/A,B,C/4,5/0296/ 1/08.01.2013
231	Bucuresti	ENERGOMONT AJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136 /1991	CUI 1555468	021/3189303 / 3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h , pmax=20bar	B/CR4/A,B,C/4,5/0296/ 0/09.09.2010

232	Bucuresti	ENERGOMONT AJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/196 6/1994	RO 10698807	0248/290170 / 290285, 0723578923; e-mail office@ener gomontaj- grup.ro	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/ h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/4,5/1241/3/ 11.10.2017
233	Bucuresti	ENERGOMONT AJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/196 6/1994	RO 10698807	0248/290170 / 290285	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/ h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/4,5/1241/2/ 06.10.2016
234	Bucuresti	ENERGOMONT AJ GRUP SRL	PITESTI, Str. Gheorghe Lazar, nr.19, Jud. Arges	J03/196 6/1994	CUI 10698807	0248/290170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/ h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/4,5/1241/1/ 13.11.2012
235	Central	ENERGOMONT AJ GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, Jud. Arges	J03/196 6/1994	CUI 10698807	0248/290170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=400°C; Dmax<=50Gcal/h , pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,C/4,5/186 3/0/17.08.2011
236	Pitesti	ENERGOMONT AJ GRUP SRL	PITESTI, Str. Gh. Laz ar, nr.19, ARGES	J03/196 6/1994	RO 10698807	0248/290170	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	Q<=120t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C/4,5/0061/0 /21.06.2010

237	Central	ENERGOSZERVIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihor	RC 09/09/02295; J5/1195/2009	CUI HU11147798; CUI 26042662	00365245792 4/ 00365253125 6; 0259/435398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =50t/h, p _{max} ≤40bar, T _{max} =250° C; D _{max} ≤15Gcal/h , p _{max} ≤40bar	DISPR/CR4/A,C/4,5/153 2/1/29.05.2012
-----	---------	--	---	------------------------------------	------------------------------------	---	-----------------------------------	---	-----------------------------------	---	---	---	--	---

238	Oradea	ENERGOSZERVIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihor	RC 09/09/02295; J5/1195/2009	CUI HU11147798; CUI 26042662	003652457924/003652531256; 0259/435398	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570° C; Dmax=100Gcal/h, Pmax=40bar,	OR/CR4/A,C/4,5/1113/2/05.03.2013
239	Central	ENERGOSZERVIZ SRL DEBRECEN - Suc. ORADEA	ORADEA, Al. Calinului, nr.7, bl.X1, ap.30, Jud. Bihor	J05/1195/2009	CUI 26042662	0259/435398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=250° C; Dmax<=15t/h, pmax<=40bar	DISPR/CR4/A,C/4,5/1532/0/25.07.2011
240	Central	ENERGOUTIL CONTACT SA	BUCURESTI, Str. Progresului, nr.75-77, sector 5	J40/997/1991	CUI 403666	021/4103191/4106682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=192bar, Tmax=570° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/2999/0/14.02.2012

241	Central	ENERGY BIO CHEMICALS SA- Suc. CAROM	ONESTI, Str. Industriilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/838 /2008	CUI 23767569	0234302600; 0234/315315	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=570 °C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0747/ 0/19.05.2011
242	Bucuresti	ENERGY SYSTEM CONSULT SRL	BUCURESTI, Bd. Burebista, nr. 1, bl. D15, sc. 1, ap. 31, sector 3	J40/104 56/2000	RO 13529500	021/3265621 / 3265620; e-mail office@esc- inc.ro	-	-	Cazane abur	-	-	-	Qmax<=10t/h, pmax=100bar, Tmax=400 °C	B/CR4/C/4/2489/0/02.0 4.2015
243	Bacau	ENET SA	FOCSANI, Bd. Bucuresti,nr.4, Jud. Vrancea	J39/93/ 1996	RO 8123890	0237/212400 /214110; e- mail office@enets a.ro	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450 °C; Dmax=50Gcal/h, pmax=25bar	BC/CR4/C/4,5/1801/2/2 6.10.2017
244	Central	ENET SA	FOCSANI, Bd. Bucuresti,nr.4, Jud. Vrancea	J39/93/ 1996	RO 8123890	0237/212400 /214110	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450 °C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/C/4,5/3503/ 1/26.04.2012
245	Galati	ENET SA	FOCSANI, Str, Bucuresti, nr.4, Jud. Vrancea	J39/93/ 1996	RO 8123890	0237/212400 /214110	-	-	Cazane abur, apa fierbinte	-	-	-	pmax=40bar, Qmax=50t/h, tmax=450 °C; pmax=25r, Dmax=50Gcal/h, tmax=150 °C	GL/CR4/C/4,5/0004/0/1 2.04.2010
246	Central	ERG PRESTARI SERVICII SRL	TIRIMIA, nr.247, Jud. Mures	J26/196 /2009	CUI 242110	0744208441; 0264/441191	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=450 °C; Dmax=25Gcal/h, Pmax=25bar	DISPR/CR4/E/4,5/2805/ 0/19.01.2012

247	Pitesti	ERHAN SRL	RM. VALCEA, Str. Regina Maria, nr.7, bl.C1, tronson D, mezanin, Jud. Valcea	J38/19/1992	RO 1469863	0250/733919/731725; office@erhan.ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	Qmax=10t/h, pmax=16bar, Tmax=180°C; Dmax=5Gcal/h, pmax=16bar	PT/CR4/A,B,C/4,5/0150/0/21.12.2010; PT/CR4/A,B,C/4,5/0154/0/21.12.2010
248	Central	EST ROM SA	VALEA LUPULUI, Com. Valea Lupului, Jud. Iasi	J22/2259/1993	CUI 4488770	0232/226380/253398	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=150bar	DISPR/CR4/E/4,5/2294/1/13.09.2017
249	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/1993	CUI 4488770	0232/226380/253398/248209/248046	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E/4,5/2294/0/02.11.2011
250	Bacau	EST ROM SA	VALEA LUPULUI, Com. Valea Lupului, Jud. Iasi	J22/2259/1993	CUI 4488770	0232/226380/253398	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=420bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	BC/CR4/A,B,C/4,5/1322/2/14.03.2017
251	Bacau	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/1993	CUI 4488770	0232/226380/248046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=420bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	BC/CR4/A,B,C/4,5/1322/1/21.10.2013
252	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/1993	CUI 4488770	0232/226380/248046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	DISPR/CR4/A,B,C/4,5/2753/0/10.01.2012

253	Iasi	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/113 1/1991	RO 1956141	0232/230113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350° C	IS/CR4/A,B,C/4/01600/3 0.12.2010
254	Bacau	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/113 1/1991	RO 1956141	0232/230113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350° C	BC/CR4/A,B,C/4/1202/2 3.04.2013
255	Central	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/409 3/2007	RO 22435138	0264/424665 / 462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350° C; Dmax=100Gcal/h , pmax=16bar	DISPR/CR4/E/4,5/3927/ 0/29.02.2016
256	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/409 3/2007	RO 22435138	0264/424665 / 462385; e-mail office@chitech.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=350° C; Dmax=50Gcal/h, pmax=16bar	SB/CR4/A,B,C/4,5/1486 /0/29.07.2015
257	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/409 3/2007	RO 22435138	0264/424665 / 462385	-	-	-	-	Cazane abur, cazane apa fierbinte	-	pmax>0.5bar; T>110° C	SB/CR4/G/4,5/1450/0/0 7.04.2015
258	Central	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/191 /2004	CUI 16325432	0727435056; 0252/310046 /329764	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=550t/h, pmax<=140bar, Tmax<=540° C; Dmax<=100Gcal/h, pmax<=25bar	DISPR/CR4/A,B,C/4,5/33 46/0/20.03.2012- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)

259	Bucuresti	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/191 /2004	CUI 16325432	0352/884860 ; 0252/329764 ; 0772094024	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, pmax=140bar, Tmin=105°C; Tmax=540°C; Dmax=150Gcal/h, pmax=25bar; 110°C<Tmax=150°C	B/CR4/A,B,C/4,5/1837/1/11.10.2013- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)
260	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti-Ploiesti, nr. 73-81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/165 6/2008	CUI 17634428	0374200640, 0317/801093 ; 0356/414883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, pmax=40ba	OR/CR4/A,B,C/4,5/1460 /1/20.10.2016

261	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr. 1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, Mezanin, camera M5, Jud. Timis	J26/165 6/2008	CUI 17634428	0374200640; 0317801093; 0356/414883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300° C; Dmax=5Gcal/h, pmax=40ba	OR/CR4/A,B,C/4,5/1460 /0/23.05.2016
262	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/696 /1997	CUI 9626416	0234/513803 /511430	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=350° C; Dmax=10Gcal/h, pmax=20bar	DISPR/CR4/A,C/4,5/355 6/0/22.05.2012
263	Oradea	FLEXIK AUTOMATION SRL	TIMISOARA, Str. G. Cosbuc, nr.5, Jud. Timis	J35/284 8/1994	CUI 6351850	0256/292964 /292965	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=300° C	OR/CR4/A,B, C/4/1019/1/17.07.2012
264	Timisoara	FLEXIK AUTOMATION SRL	TIMISOARA, Str. George Cosbuc, nr.5, Jud. Timis	J35/284 8/1994	RO 6351850	0256/292964 / 292965	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=10t/h, p<=16bar, T<=300° C	TM/CR4/A,B,C/4/0014/0 /09.06.2010

265	Central	FORPRES SRL	IASI, Sos. Nationala, nr.49, bl.C3, sc.B, et.5, ap.23, Jud. Iasi; IASI, Str. Prof. dr. doc. D. Mangeron, nr.39, imobil TCM, corp D, Jud. Iasi	J22/1258/2002	RO 15012143	0232/233390	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=200° C	DISPR/CR4/A,B,C/4/319 9/0/06.03.2012
266	Central	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2	J40/23350/1992	CUI 18830	021/2011114 / 2011115	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=15t/h, pmax=16bar, Tmax=350° C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/31 68/0/28.02.2012
267	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2; BUCURESTI, Str. Biharia, nr. 67-77, sector 1	J40/23350/1992	CUI 18830	021/2011114 / 2011115	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	B/CR4/H/4,5/1758/0/20 .08.2013

268	Bacau	GA PRO CO CHEMICALS SA	SAVINESTI, Str. Gheorghe Caranfil, nr. 11, Jud. Neamt	J27/147 8/2005	CUI 17728697	0233/ 280544/ 281494/ 281260	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar, Tmax=440° C	BC/CR4/A,B,C/4/1144/1 /20.01.2015
269	Bacau	GA PRO CO CHEMICALS SA	Sat SAVINESTI, Com. Savinesti, Str. Uzinei, nr.2, Jud. Neamt	J27/147 8/2005	CUI 17728697	0233/281494 / 281260	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar, Tmax=440° C	BC/CR4/A,B,C/4/1144/0 /21.01.2013
270	Bucuresti	GADAGROUP ROMANIA SRL	BUCURESTI, Cal. Floreasca, nr.169A, corp A, et.7, sector 1	J40/932 0/1996	RO 8936710	0746231147; 021/3172102	Cazane abur	Cazane abur	-	-	-	-	Qmax=0.4t/h, pmax=4bar, Tmax=150° C	B/CR4/A,B/4/2069/0/31 .03.2014
271	Constanta	GAZ SERVICES SRL	CONSTANTA, Str. Mesteru Manole, nr.1A, Jud. Constanta	J13/564 /2001	CUI 13687691	0742145008; 0241/638980 ; e-mail gaz_services @yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=225° C; Dmax=5Gcal/h, pmax=16bar, Tmax=150° C	CT/CR4/A,B,C/4,5/0112 /0/20.12.2010

272	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI, Str. Fagului, nr.19 (fosta nr. 17), Jud. Ilfov	J40/272 8/1998	RO 10421821	0213361212/ 3363887; e-mail contact@gbi ndco.ro	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150° C	B/CR4/A,B,C/4/2752/2/ 23.10.2020
-----	-----------	--------------	--	-------------------	----------------	--	-------------------	-------------------	-------------------	---	---	---	---	-------------------------------------

273	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI, Str. Fagului, nr.19 (fosta nr. 17), Jud. Ilfov	J40/272 8/1998	RO 10421821	0213361212/ 3363887; e- mail contact@gbi ndco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150° C	B/CR4/A,B,C/4/2752/1/ 10.06.2016
-----	-----------	--------------	--	-------------------	----------------	--	----------------	----------------	----------------	---	---	---	---	-------------------------------------

274	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; BUCURESTI, Str. Mixandrei, nr. 80, sector 4	J40/2728/1998	RO 10421821	021/3361212 / 3363887; e-mail contact@gbindco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2752/0/07.04.2016
275	Bucuresti	GE WATER&PROCESS TECHNOLOGIES FRANCE SAINT THIBAULT DES VIGNES - Sucursala Bucuresti	BUCURESTI, Bd. Tudor Vladimirescu, nr. 22, sector 5, Cladirea Greengate Office, et. 5, camera 546,	J40/14895/2017	CUI 38141988	029155360, 0372074516; e-mail anca-mihaela.bigica@suez.com	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0,5bar, t>110°C	B/CR4/H/4,5/3393/0/26.03.2019

276	Central	GEMA TERM CONSULTING SRL	BUCURESTI, Aleea Marius Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector 3	J40/154 4/1998	RO 10276098	021/3442158 /3442159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570°C; Dmax=50Gcal/h, pmax=24bar	DISPR/CR4/E/4,5/3701/ 2/08.05.2014- retragere incepand cu 05.07.2019
277	Central	GEMA TERM CONSULTING SRL	BUCURESTI, Aleea Marius Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector 3	J40/154 4/1998	RO 10276098	021/3442158 /3442159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570°C; Dmax=50Gcal/h, pmax=24bar	DISPR/CR4/E/4,5/3701/ 1/21.06.2012- retragere incepand cu 05.07.2019
278	Bucuresti	GEMA TERM CONSULTING	BUCURESTI, Str. Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector.3	J40/154 4/1998	CUI 10276098	021/3442158 ,021/344215 9	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=180bar Qmax = 600t/h Tmax = 570°C; Dmax= Gcal/h pmax=24 bar	B/CR4/E/4,5/0114/0/29 .06.2010- retragere incepand cu 05.07.2019

279	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/826 6/2006	CUI 18692907	0344/140953 /571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Q _{max} =40t/h, p _{max} =40bar, T _{max} =340° C; D _{max} =25Gcal/h, p _{max} =100bar	DISPR/CR4/E/4,5/1209/ 3/30.03.2016
280	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2	J40/826 6/2008	CUI 18692907	0344/140953 ; 0244/571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Q _{max} =40t/h, p _{max} =40bar, T _{max} =350° C; D _{max} =25Gcal/h, p _{max} =18bar	DISPR/CR4/E/4,5/1209/ 0/16.06.2011
281	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr. 12, et.2, Jud. Prahova	J40/826 6/2006	CUI 18692907	0344/140953 ; 0244/571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Q _{max} =40t/h, p _{max} =40bar, T _{max} =340° C; D _{max} =25Gcal/h, p _{max} =18bar	DISPR/CR4/E/4,5/1209/ 1/14.12.2011

282	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/826 6/2006	CUI 18692907	0344/140953 /571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Q _{max} =40t/h, p _{max} =40bar, T _{max} =340 °C; D _{max} =205Gcal/h , p _{max} =100bar	DISPR/CR4/E/4,5/1209/ 2/02.05.2012
283	Central	GLEMSERV CHIM SRL	BUCURESTI, Str. Cetatea Histria, nr.9, bl.14, sc.4, et.1, ap.51, sector 6	J40/140 3/2005	CUI 17165127	021/7256696	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar, T>110 °C	DISPR/CR4/G/4,5/1083/ 0/23.06.2011
284	Bucuresti	GLOBAL ENERGY PRODUCTION SA	GIURGIU, Sos. Sloboziei, nr. 194, Jud. Giurgiu	J52/283 /2011	CUI 28423620	0769060259; 0246/216665 ; e-mail globalenergy production@ gmail.com	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Q _{max} =10Gcal/h, p _{max} =18bar, t _{max} =150 °C	B/CR4/A,B,C/5/2683/0/ 13.01.2016
285	Sibiu	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/24/ 1991	RO 242403	0264/401150 / 596266; e- mail grup4@grup4 cj.ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =120t/h, p _{max} =40bar, T _{max} =400 °C; D _{max} =50Gcal/h, p _{max} =16bar	SB/CR4/B,C/4,5/1454/1 /14.04.2015
286	Cluj	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/24/ 1991	RO 242403	0264/596168 / 596266	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =120t/h, p _{max} =40bar, T _{max} =400 °C; D _{max} =50Gcal/h, p _{max} =16bar	CJ/CR4/B,C/4,5/0055/0 /01.08.2010

287	Sibiu	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Calea Dezmirlui, nr.8, Jud. Cluj	J12/1502/1998	CUI 11009951	0264/438352/277025/277026/453261; e-mail office@gei.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	SB/CR4/A,B/4,5/1819/2/12.06.2018
288	Sibiu	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Calea Dezmirlui, nr.8, Jud. Cluj	J12/1502/1998	CUI 11009951	0264/438352 / 453261	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	SB/CR4/A,B/4,5/1219/1/03.09.2013
289	Central	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Str. Lunii, nr.8C, Jud. Cluj	J12/1502/1998	CUI 11009951	0264/438352 / 453261	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	DISPR/CR4/A,B/4,5/0949/0/13.05.2011
290	Bucuresti	GSP OFFSHORE SRL	CONSTANTA, Incintă Port, Dana 34, Centrul de Tranzit, cam 112, etaj 1, Jud Constanta	J13/2303/2016	RO 36554023	0241555255/0241555257, email office@gspoffshore.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=540°C; Dmax<=50Gcal/h, pmax<=40bar	B/CR4/A,B,C/4,5/3671/0/20.05.2020
291	Central	HIDRO TERM SRL	SATU MARE, Str. Cibinului, bl.CE 20, Jud. Satu Mare	J30/367/2004	CUI 16274975	0361/801950/810538	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=35t/h, pmax=40bar, Tmax=400°C; Dmax=30Gcal/h, pmax=40bar	DISPR/CR4/A,C/4,5/0687/0/11.05.2011
292	Oradea	HIDRO TERM SRL	SATU MARE, Str. Cibinului, bl.CE 20, ap.6, Jud. Satu Mare	J30/367/2004	RO 16274975	0361/801950/810538	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=35t/h, Pmax=50bar, Tmax=450°C; Dmax=30Gcal/h, pmax=50bar, T>110°C	OR/CR4/E/,54/0046/0/25.10.2010

293	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului, nr. 1, Jud. Neamt	J27/399 /1996	RO 5683613	0233/742490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=450° C; Dmax=25Gcal/h, pmax=50bar	BC/CR4/A,B,C/4,5/1633 /1/11.04.2018
294	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului, nr. 1, Jud. Neamt	J27/399 /1996	RO 5683613	0233/742490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=450° C; Dmax=25Gcal/h, pmax=50bar	BC/CR4/A,B,C/4,5/1633 /0/03.02.2016
295	Bucuresti	HOLY HEAT SRL	DOBROIESTI, Sat Fundeni, Sos. Fundeni, nr. 224, parter, birou 1, Jud. Ilfov	J23/167 1/2014	RO 33257710	0722244420; e-mail florinzma@holy-heat.ro	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=25bar, Tmax=250° C; Dmax=10Gcal/h, pmax=25bar	B/CR4/A/4,5/3519/0/21 .10.2019
296	Bucuresti	HOSPITAL TECHNICAL SOLUTIONS SRL	BUCURESTI, Sos. Dudesti-Pantelimon, nr. 44, sector 3	J40/613 4/2018	RO 39292806	0372032465/ 0372872626; e-mail office@hospitalolutions.ro	Cazane de abur	Cazane de abur	-	-	-	-	Qmax=2t/h, pmax=16bar, Tmax=200° C	B/CR4/A,B/4/3331/1/26 .09.2018
297	Bucuresti	HOSPITAL TECHNICAL SOLUTIONS SRL	BUCURESTI, Sos. Dudesti-Pantelimon, nr. 44, sector 3	J40/613 4/2018	RO 39292806	0372032465/ 0372872626; e-mail office@hospitalolutions.ro	Cazane de abur	-	-	-	-	-	Qmax=2t/h, pmax=18bar, Tmax=200° C	B/CR4/A/4/3331/0/18.0 9.2018
298	Bucuresti	HSH CHEMIE SRL	BUCURESTI, Str. Dimitrie Racovita nr.19, ap.1 si 2, sector 2	J40/117 95/2000	CUI 13610671	021/3137778 /021/315786 4	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0,5 bar, T>110° C	B/CR4/H/4,5/0136/0/30 .06.2010- suspendare incepand cu 03.02.2014

299	Bucuresti	HTP MEDICAL SRL	BUCURESTI, Str. Olanesti, nr. 2, bl. 43, sc. 1, et. 5, ap. 32,cam. 1, sector 6; BUCURESTI, Bd. Expozitiei, nr. 1K, sector 1	J40/197 06/2008	CUI 24781430	0372402702, 0372872202	Cazane de abur	-	Cazane de abur	-	-	-	Qmax=0.1t/h, pmax=20bar, Tmax=250° C	B/CR4/A,C/4/3435/0/18 .06.2019
300	Brasov	HYDRO X SRL	BRASOV, Str. Dealul Spirei, nr.7E, Jud. Brasov	J08/126 5/1996	RO 8894607	0268/513050 / 513157; 0744328514	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar; T>110° C	BV/CR4/H/4,5/0027/0/3 0.07.2010
301	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728 /1998	CUI 10786429	0256/294361 / 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450° C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B,C/4,5/1431 /2/18.04.2019

302	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728 /1998	CUI 10786429	0256/294361 / 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450° C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B,C/4,5/1431 /1/17.05.2017
303	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728 /1998	CUI 10786429	0256/294361 / 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450° C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B,C/4,5/1431 /0/18.01.2016
304	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor, nr.8, sector 3	J40/432 3/2014	CUI 33034838	021/3462769 / 3465310	-	-	-	Cazane de abur, apa fierbinte	-	-	pmax=250bar, Tmax=570° C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/3866/ 1/13.06.20016
305	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor, nr.8, sector 3	J40/432 3/2014	CUI 33034838	021/3462769 / 3465310	-	-	-	Cazane de abur, apa fierbinte	-	-	pmax=250bar, Tmax=570° C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/3866/ 0/27.08.2014

306	Central	ICEMENERG SA	BUCURESTI, Str. Energeticienilor, nr.8, sector 3	J40/730 6/2004	CUI 16397293	021/3464443 /3460384	-	-	-	Cazane abur	-	-	pmax=245bar, Tmax=540° C, Qmax=1035t/h	DISPR/CR4/E/4,5/1016/ 0/20.06.2011
307	Bucuresti	ICMA SRL	PITESTI, Str. Petrochimistilor, nr.36, Jud. Arges	J03/196 3/1991	RO 137238	0248/206011 /615332	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580° C; Dmax<=100Gcal/ h, pmax<=50bar	B/CR4/A,B,C/4,5/2328/ 1/14.10.2014- suspendare voluntara incepand cu 12.10.2015
308	Central	ICMA SRL	PITESTI, Str. Petrochimistilor, nr.36, Jud. Arges	J03/196 3/1991	RO 137238	0248/206011 /206012	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580° C; Dmax<=100Gcal/ h, pmax<=50bar	DISPR/CR4/A,B,C/4,5/31 23/0/28.02.2012
309	Bacau	ICMRS SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/12/ 1991	RO 1633620	0236/448000 / 448011	-	-	Cazane abur	-	-	-	Qmax=300t/h, pmax=100bar, Tmax=400° C	BC/CR4/C/4/1363/0/17. 02.2014
310	Central	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/188 40/2004	RO 16951886	021/3194348 / 3149058	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3750/ 1/02.11.2012

311	Bucuresti	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/188 40/2004	CUI 16951886	021/4920201	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h , pmax=25bar, T>110°C	B/CR4/G/4,5/0408/0/14 .10.2010
312	Central	IMSP PROIECT SRL	CONSTANTA, Str. Breaza, nr. 14B, Jud. Constanta	J13/244 5/2008	CUI 24178510	0724460170; 0241/515543	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440°C, Qmax=20t/h; Dmax=5Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1051/ 1/08.01.2015
313	Central	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/244 5/2008	CUI 24178510	0241/553132	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440°C, Qmax=20t/h; Dmax=5Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1051/ 0/08.06.2011
314	Bucuresti	IMUC SA	BRADU, Sat Geamana, Drum 23, nr. 30, Jud. Arges	J03/236 /1991	CUI 128990	0248/615600 /615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax<=100Gcal/ h, pmax<=50bar	B/CR4/A,B,C/4,5/2397/ 2/07.10.2019
315	Bucuresti	IMUC SA	BRADU, Str. Petrochimistilor, nr. 10, Jud. Arges	J03/236 /1991	CUI 128990	0248/615600 /615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax<=100Gcal/ h, pmax<=50bar	B/CR4/A,B,C/4,5/2397/ 1/17.12.2014

316	Central	IMUC SA	BRADU, Str. Petrochimistilor, nr. 10, Jud. Arges	J03/236 /1991	CUI 128990	0248/615600 /615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600° C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/A,B,C/4,5/23 90/0/21.11.2011
317	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/225 7/1991	RO 1348195	0244/515774 /595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=400bar, Tmax=850° C; Dmax=150Gcal/h , Pmax=400bar	BV/CR4/A,B,C/4,5/1502 /3/04.12.2019
318	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/225 7/1991	RO 1348195	0244/515774 /595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=400bar, Tmax=600° C; Dmax=150Gcal/h , Pmax=400bar	BV/CR4/A,B,C/4,5/1502 /2/18.11.2015
319	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/225 7/1991	RO 1348195	0244/515774 /595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=400bar, Tmax=440° C; Dmax=50Gcal/h, Pmax=400bar	BV/CR4/A,B,C/4,5/1009 /1/21.06.2012
320	Ploiesti	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/225 7/1991	RO 1348195	0244/515774 / 595275	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=400bar, Tmax=440° C; Dmax=50Gcal/h, pmax=400bar	PL/CR4/A,B,C/4,5/0209 /0/21.10.2010

321	Central	INDUSTRIAL MONTAJ GRUP SRL	DRAGANESTI OLT, Str. Capitan Draganescu, bl.PM1, sc.A,parter, ap.1, Jud. Olt; RM. VALCEA, Str. Industiilor , nr.30, Jud. Valcea	J28/48/ 2005	CUI 17128161	0728172325; 0250/730314 /730313	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=196bar, Tmax<=565°C	DISPR/CR4/A,B,C/4,5/12 56/0/28.06.2011
322	Central	INGET INGINERIE TERMICA SRL	CLUJ NAPOCA, Str. Maramuresului, nr.16, Jud. Cluj	J12/125 1/1991	CUI 207732	0264/435274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=30bar, Tmax<=400°C; Dmax<=40Gcal/h , pmax<=30bar	DISPR/CR4/A,B,C/4,5/04 00/0/30.03.2011
323	Suceava	INSTAL EXPERT SRL	SUCEAVA, Str. Petru Rares, nr. 20, bl. 4, sc. B, ap. 2, Jud. Suceava	J33/47/ 2002	RO 14426503	0230/551392	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=105t/h, p<=40bar, T<=450°C; D<=50Gcal/h, p<=25bar	SV/CR4/A,C/4,5/0023/0 /04.10.2010

324	Central	INSTAL GROUP SRL	ARAD, Str. Timotei Cipariu, nr.3, Jud. Arad	J02/692 /1996	CUI 8898978	0257/276466 /206626	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300° C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0465/1/03.01.2012
325	Bucuresti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. Tineretului, nr. 3, bl. 26, sc. B, ap. 48, Dambovita	J15/279 /1994	RO 5252572	0245/614946 ; e-mail reparatiromania@gmail.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=560° C; Dmax=25Gcal/h, pmax=25bar	B/CR4/A,C/4,5/2769/2/18.03.2019
326	Bucuresti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. Tineretului, nr. 3, bl. 26, sc. B, ap. 48, Dambovita	J15/279 /1994	RO 5252572	0245/614946 ; e-mail office@reparatiromania.ro	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=25bar	B/CR4/A,C/4,5/2769/1/20.04.2016
327	Ploiesti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. T. Vladimirescu, bl.B4, sc.B, ap.1, Jud. Dambovita	J15/279 /1994	RO 5252572	0245/614946	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=25bar	PL/CR4/A,C/4,5/0008/0/19.04.2010
328	Central	INSTALATII RC SRL	IASI, Bd. N. Iorga, nr.24, bl.C1, et.2, Jud. Iasi	J22/279 7/1992	CUI 2639206	0232/233775 /233015	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200° C	DISPR/CR4/A,B/4/1797/0/22.08.2011
329	Central	INSTALATII RC SRL	IASI, Bd. Chimiei, nr.14F, Jud. Iasi	J22/279 7/1992	CUI 2639206	0232/233775	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200° C	BC/CR4/A,B/4/1175/1/15.03.2013
330	Bacau	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr. 19, et. 2, camere 1-9, Jud. Suceava	J33/187 5/1992	RO 3177709	0230/551719	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=25bar, Tmax=227° C	BC/CR4/A,B,C/4/1584/1/27.09.2018
331	Bacau	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr. 19, et. 2, camere 1-9, Jud. Suceava	J33/187 5/1992	RO 3177709	0230/551719	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=25bar, Tmax=227° C	BC/CR4/A,B,C/4/1584/0/11.08.2015

332	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=180°C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0892/0/15.04.2011
333	Cluj	INTELTERM CONSULTING SRL	CLUJ NAPOCA, Str. Rosiori, nr.3, Jud. Cluj	J12/210/1998	RO 10196037	0264/593904 / 431919	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=180°C; Dmax=25Gcal/h, pmax=16bar	CJ/CR4/A,B,C/4,5/0064/0/17.08.2010
334	Brasov	INTERCAZ SA	BRASOV, Str. Carierei, nr.153, Jud. Brasov	J08/1068/1992	CUI 1091414	0268/516775	Cazane de abur	-	Cazane abur	-	-	-	Q<=100t/h, p<=16bar, T<=350°C	BV/CR4/A,C/4/0003/0/04.06.2010
335	Central	INTERCOM INSTAL SRL	HUNEDOARA, Bd. Dacia, bl. A3, ap.15, Jud. Hunedoara	J20/707/2000	CUI 13567164	0254/712123 /714611	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0283/0/24.03.2011
336	Bacau	INTERNATIONAL INSTALATII IMPEX SRL	FOCSANI, Str. Magura, nr.10, Jud. Vrancea	J39/7101994	RO 6142918	0237/625874	Cazane de abur	-	Cazane abur	-	-	-	Qmax=10t/h, p=16bar, T=250°C	BC/CR4/A,C/4/1039/0/24.08.2012
337	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2948/2000	RO 12841309	021/3224450 / 3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3966/1/02.03.2017
338	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2948/2000	RO 12841309	021/3224450 / 3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3966/0/11.11.2016

339	Bucuresti	INTREPRINDER EA MECANICA SI CHIMICA (IRMC) APROM SRL	BUCURESTI, Sos. Berceni, nr.8, Obiectiv 1, Ajustaj-Forja, et.1, sector 4	J40/109 6/2002	RO 14458483	213327561	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=0.1t/h, pmax=10bar, Tmax=200°C; Dmax=400Gcal/h , pmax=3bar	B/CR4/A,B,C/4,5/1957/ 0/09.01.2014
340	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Cuptoarelor, nr. 4, Jud. Prahova	J29/556 /2010	RO 26850340	0727205519; 0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/4/ 05.12.2018
341	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr.7, Jud. Prahova	J29/556 /2010	RO 26850340	0727205519; 0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/3/ 23.06.2016
342	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr.7, Jud. Prahova	J29/556 /2010	RO 26850340	0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/2/ 09.02.2015
343	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556 /2010	RO 26850340	0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/1/ 04.11.2013
344	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556 /2010	RO 26850340	0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/0/ 11.09.2012

345	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Cuptoarelor, nr.4, Jud. Prahova	J29/556 /2010	RO 26850340	0344/140752 ; 0244/547707 ; e-mail: office@ipm-partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=40bar, Tmax=570°C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4,5/1390 /4/15.11.2018
346	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedințeanu, nr.7, Jud. Prahova	J29/556 /2010	RO 26850340	0344/140752 ; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=40bar, Tmax=570°C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4,5/1390 /3/06.06.2016
347	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedințeanu, nr. 7, Jud. Prahova	J29/556 /2010	RO 26850340	0344/140752 ; e-mail: office@ipm-partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar, Tmax<=570°C; Dmax<=21Gcal/h , Pmax<=40bar	BV/CR4/A,B,C/4,5/1390 /2/20.02.2015
348	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556 /2010	RO 26850340	0344/140752 ; e-mail: office@ipm-partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=40bar, Tmax=570°C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4,5/1196 /1/06.11.2013
349	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556 /2010	RO 26850340	0344/140752 ; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar, Tmax<=570°C; Dmax<=21Gcal/h , Pmax<=40bar	BV/CR4/A,B,C/4,5/1034 /0/10.08.2012
350	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/648 5/1991	CUI 457747	021/2117654 /2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/ 4/08.01.2020

351	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/648 5/1991	CUI 457747	021/2117654 /2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570° C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/ 3/27.05.2019
352	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/648 5/1991	CUI 457747	021/2117654 /2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570° C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/ 2/27.09.2017

353	Central	IPROCIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/648 5/1991	CUI 457747	021/2117654	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/ 1/27.04.2015
-----	---------	------------	--	-------------------	---------------	-------------	---	---	---	--	---	---	---	---------------------------------------

354	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/648 5/1991	CUI 457747	021/2117654 /2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570° C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/ 0/01.06.2011
355	Bucuresti	IREM GENERAL CONTRACTOR SRL	BUCURESTI, Str. Biharia, nr. 26, birou 50, sector 1	J40/166 33/2016	CUI 36853491	0371314720, 0213122303, 0733774568; e-mail office@irem generalcontr actor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600° C; Dmax=100Gcal/h , pmax=50bar	B/CR4/A,B,C/4,5/3312/ 0/04.09.2018

356	Bucuresti	IREM GENERAL CONTRACTOR SRL	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1	J40/166 33/2016	CUI 36853491	0371314720, 0213122303, 0733774568; e-mail office@irem generalcontr actor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600° C; Dmax=100Gcal/h , pmax=50bar	B/CR4/A,B,C/4,5/3312/ 1/24.06.2019
357	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, parter, spatiu comercial nr. 2, sector 6	J40/119 65/2006	CUI 18876802	021/3132904 / 3122303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600° C; Dmax=100Gcal/h , pmax=50bar	B/CR4/A,B,C/4,5/1058/ 3/13.08.2015
358	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/119 65/2006	CUI 18876802	021/3132904 / 3132303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600° C; Dmax=100Gcal/h , pmax=50bar	B/CR4/A,B,C/4,5/1058/ 2/10.06.2013
359	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/119 65/2006	CUI 18876802	021/3132904 / 3132303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600° C; Dmax=100Gcal/h , pmax=50bar	B/CR4/A,B,C/4,5/1058/ 1/21.07.2012
360	Central	IREM SERVICII SRL	BUCURESTI, Cal. Victoriei, nr.16-18-20, et.2, sector 3	J40/119 65/2006	CUI 18876802	021/3132904 /3132303; 0722500130	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax=600° C; Dmax=100Gcal/h , pmax=50bar	DISPR/CR4/A,B,C/4,5/20 25/0/27.09.2011

361	Bucuresti	IREM SPA SIRACUSA SRL	BUCURESTI, Str. Gh. Polizu, nr. 58- 60, et. 13, sector 1; TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/117 09/2014	RO 33677137	0371314720, 0733774568, 021/3122303 ; e-mail irebranch. romania@ire mspa.it; 0732333411, 0253/ 223793	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =50t/h, p _{max} =50bar, T _{max} =300° C; D _{max} =30Gcal/h, p _{max} =20bar	B/CR4/B,C/4,5/2699/1/ 25.06.2019
-----	-----------	--------------------------	---	--------------------	----------------	--	---	---	---	---	---	---	---	-------------------------------------

362	Bucuresti	IREM SPA SIRACUSA SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 5, sector 6; TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/117 09/2014	RO 33677137	0732333411, 0731312869; 0253/223793	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =50t/h, p _{max} =50bar, T _{max} =300° C; D _{max} =30Gcal/h, p _{max} =20bar	B/CR4/B,C/4,5/2699/0/ 18.02.2016
-----	-----------	--------------------------	--	--------------------	----------------	---	---	---	---	---	---	---	---	-------------------------------------

363	Bucuresti	IREM SPA SIRACUSA SRL- Sucursala Bucuresti	BUCURESTI, Str. Gh. Polizu, nr. 58- 60, et. 13, sector 1; STOINA, sectia MTN, Jud. Gorj	J40/117 09/2014	RO 33677137	0371314720, 0733774568, 021/3122303 ; e-mail irembranch. romania@ire mspa.it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =30t/h, p _{max} ≤20bar, T _{max} =250° C; D _{max} =30Gcal/h, p _{max} =16bar	B/CR4/A,B,C/4,5/2608/ 1/25.06.2019
-----	-----------	---	---	--------------------	----------------	--	---	---	---	---	---	---	---	---------------------------------------

364	Bucuresti	IREM SPA SIRACUSA SRL- Sucursala Bucuresti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 5, sector 6; STOINA, sectia MTN, Jud. Gorj	J40/117 09/2014	RO 33677137	0734301816; 021/3132904 / 3122303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax<=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/2608/ 0/04.09.2015
365	Bucuresti	ISAM PRODIMPEX SRL	BUCURESTI, Str. Plaiul Foii, nr. 7, suprafata 18 m, sector 4	J40/554 6/1995	CUI 7704852	0723391958, 021/3324058 ; e-mail isamprodimp ex@yahoo.c om	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=2.7bar, Tmax=140° C;	B/CR4/A,C/4/0398/1/22 .05.2019
366	Bucuresti	ISAM PRODIMPEX SRL	BUCURESTI, Al. Sergent Maj. Emil Holut, nr.4, bl.161, sc.1, et.2, ap.10, sector 4	J40/554 6/1995	CUI 7704852	021/3324058	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=2.7bar, Tmax=140° C;	B/CR4/A,C/4/0398/0/06 .10.2010

367	Central	ISCIR CERT SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr.4D,corp A, et.4, birou 10, sector 5	J40/794/7/2005	RO 17535289	021/4115203	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=192bar, Tmax=550° C; Dmax=100Gcal/h, pmax=20bar	DISPR/CR4/E/8/3887/0/07.11.2014
368	Central	ITM AMIRO SA	BUCURESTI, Sos. Berceni, nr.8, sector 4	J40/163/1991	CUI 382458	021/3327565	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=100Kg/h, pmax=10bar, Tmax=200° C	DISPR/CR4/A,B,C/4/1486/0/19.07.2011
369	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	CUI 21013747	0344/401027; 315, 0344/401026; e-mail office.jce@christof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=850° C; Dmax=100Gcal/h, pmax=500bar	BV/CR4/A,B,C/4,5/1646/2/06.09.2019

370	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/131 4/2009	CUI 21013747	0344/401027 /401026; e- mail office.jce@c hristof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=850°C; Dmax=100Gcal/h , pmax=500bar	BV/CR4/A,B,C/4,5/1646 /1/29.03.2018
371	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/131 4/2009	CUI 21013747	0344/401027 /401026; e- mail office.jce@c hristof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=850°C; Dmax=100Gcal/h , pmax=100bar	BV/CR4/A,B,C/4,5/1646 /0/20.03.2017
372	Ploiesti	J. CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/131 4/2009	RO 21013747	0344/401027 / 401026	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Dmax=5Gcal/h, Tmax=440°C	PL/CR4/A,B,C/4,5/0068 /0/07.06.2010
373	Central	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/131 4/2009	CUI 21013747	0344/401027 /401026	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/23 74/1/22.07.2011
374	Brasov	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/109 7/2008	RO 22866980	0344/401027 / 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=215bar, Qmax=1035t/h, Tmax=650°C; pmax=100bar, Dmax=100Gcal/h	BV/CR4/A,B,C/4,5/1345 /3/09.12.2014- suspendare voluntara incepand cu 28.07.2017
375	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/109 7/2008	RO 22866980	0344/401027 / 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	50bar>=p>0.5bar , Qmax=200t/h, Tmax=580°C; 50>=p>0.5bar, Dmax=50Gcal/h, Tmax=150°C	PL/CR4/A,B,C/4,5/0078 /0/09.06.2010

376	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/109 7/2008	RO 22866980	0344/401027 / 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=100bar, Qmax=200t/h, Tmax=650°C; pmax=100bar, Dmax=50Gcal/h	PL/CR4/A,B,C/4,5/0078 /1/16.08.2010
377	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/109 7/2008	RO 22866980	0344/401027 / 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=215bar, Qmax<=1035t/h, Tmax<=650°C; pmax<=100bar, Dmax<=100Gcal/h	DISPR/CR4/A,B,C/4,5/00 78/2/14.04.2011
378	Bucuresti	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	VOLUNTARI, bd Pipera, nr 1B, Cubic Center Office Building, spatiul SB5.04, biroul 4, etaj 5, Jud Ilfov	J23/598 /2020	CUI 9816194	0344401997/ 0344401995, email cristian_chir toi@dietsma nn.com	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=20bar, Tmax=250°C, Qmax=30t/h; pmax=20bar, Qmax=30t/h	B/CR4/A,B,C/4,5/3660/ 5/19.05.2020
379	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/115 3/1997	RO 9816194	0344/401995 / 401997; e- mail office@karo mkpk.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=20bar, Tmax<=250°C, Qmax<=30t/h; pmax<=20bar, Dmax<=30Gcal/h	BV/CR4/A,B,C/4,5/1364 /5/29.08.2019
380	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/115 3/1997	RO 9816194	0344/401995 / 401997; e- mail office@karo mkpk.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364 /4/12.11.2018

381	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/115 3/1997	RO 9816194	0344/401995 / 401997; e- mail office@karo mkpk.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364 /3/08.12.2017
382	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/115 3/1997	RO 9816194	0344/401995 / 401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364 /2/10.07.2017
383	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/115 3/1997	RO 9816194	0344/401995 / 401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364 /1/27.10.2016
384	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/115 3/1997	RO 9816194	0344/401995 / 401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364 /0/28.01.2015
385	Brasov	KRAFTANLAGE N ROMANIA SRL	PLOIESTI, Bd. Bucuresti, nr.66, et.2, Jud. Prahova	J29/280 5/2007	RO 21536614	0344/401994 / 401997; e- mail info@ka- romania.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	225bar>=p>0.5ba r, Dmax=700t/h, Tmax=580°C; 150>=p>0.5bar, Qmax100Gcal/h	BV/CR4/A,B,C/4,5/1834 /1/01.10.2019

386	Ploiesti	KRAFTANLAGE N ROMANIA SRL	PLOIESTI, Bd. Bucuresti, nr.66, et.2, Jud. Prahova; PETROBRAZI, Com. Brazi, Sat Brazii de Sus, Str. Trandafirilor, nr.65, Jud. Prahova	J29/280 5/2007	RO 21536614	0344/401994 /403900/401 997/403911	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	225bar>=p>0.5bar, r, Dmax=700t/h, Tmax=580° C; 150>=p>0.5bar, Qmax100Gcal/h, Tmax=280° C	PL/CR4/A,B,C/4,5/0148 /0/16.07.2010
387	Brasov	KREMSMUELLE R ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/626 /2007	CUI 18725133	0728291150; 0720112585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560° C; Dmax=100Gcal/h , pmax=50bar	BV/CR4/A,C/4,5/1480/1 /06.10.2015
388	Central	KREMSMUELLE R ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/626 /2007	CUI 18725133	0728291150; 0720112585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560° C; Dmax=100Gcal/h , pmax=50bar	DISPR/CR4/A,C/4,5/172 4/0/28.06.2011

389	Central	KRONSTADT ENERGII REGENERABILE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, Jud. Brasov	J08/109 0/2010	CUI 27457234	0368/416900 /470881	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=16bar, Tmax=170°C	DISPR/CR4/A,B,C/4,5/25 01/0/09.12.2011
390	Brasov	KRONSTADT INSTALATII SERVICE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, birou 1, Jud. Brasov	J08/110 8/2010	CUI 27476562	0368/416900 /470881; e- mail office@kinst al.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=16bar	BV/CR4/A,B,C/4,5/1662 /0/24.05.2017
391	Brasov	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr. 206, bl.25B, ap.3, Jud. Prahova	J29/109 /1994	CUI 5122017	0244/518760 / 518761	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbint e	pmax>0.5bar; T>110°C	BV/CR4/G/4,5/1086/1/2 2.11.2012; BV/CR4/H/4,5/1087/0/2 2.11.2012
392	Ploiesti	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr.206, Jud. Prahova	J29/109 /1994	RO 5122017	0244/518760 /518761	-	-	-	-	Cazane abur, apa fierbinte	-	p>0.5bar; T>110°C	PL/CR4/G/4,5/0304/0/2 8.12.2010
393	Central	LABSERVICE SRL	BUCURESTI,Bd. Bucurestii Noi, nr.212A, sector 1	J40/345 9/2002	CUI 14607410	021/6680952 /6680954	Cazane abur	-	Cazane abur	-	-	-	Qmax<=5t/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,C/4/1306/ 0/30.06.2011
394	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/218 5/2004	CUI 17057184	0265/264436 /311884	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/A,B,C/4/042 4/0/07.04.2011
395	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252 /1998	CUI 10358473	0268/549274	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=300°C	DISPR/CR4/A,B,C/4/298 0/0/10.02.2012

396	Bacau	LOIAL IMPEX SRL	SCHEIA, Com. Scheia, Str. Oborului, nr. 75A, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/4/06.08.2019
397	Bacau	LOIAL IMPEX SRL	SCHEIA, Com. Scheia, Str. Oborului, nr. 75A, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/3/16.04.2018
398	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/.526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/2/26.05.2016
399	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/1/02.07.2013

400	Central	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800 / 526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/3350/0/29.03.2012
401	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.40, ap.2, camera 2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/477637	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/H/4,5/3456/0/12.04.2012; DISPR/CR4/G/4,5/3457/0/12.04.2012
402	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/415715	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/G,H/4,5/3456, 3457/1/23.05.2012

403	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/191 /2004	RO 16325432	0252/310046 ; 0352/884860 0252/329764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540°C; Dmax=149; Gcal/h, Pmax=25bar	B/CR4/A,B,C/4,5/2127/3/19.02.2016
404	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/191 /2004	RO 16325432	0727435056; 0252310046; 0252/329764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540°C; Dmax=150Gcal/h, Pmax=25bar	B/CR4/A,B,C/4,5/2127/2/28.04.2014
405	Oradea	MARYLAND COMEXIM SRL	Lugasu de Sus, nr. 116, Jud. Bihor	J05/981 /1994	RO 5343921	0744986434; e-mail cosminbalaj@yahoo.com	-	-	-	-	-	Cazane de abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	OR/CR4/H/4,5/1506/0/0 5.01.2017
406	Bucuresti	MED NICON SRL	BUCURESTI, Str. Jiblea, nr.34, sector 5	J40/567 5/2000	RO 12820896	021/7765412	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2350/0/28.11.2014
407	Sibiu	SC MEDIA RINGER SRL	SIBIU, Aleea Biruinței, nr 6, ap 5, jud Sibiu; SIBIU, str. Prof. Dr. Daniel Barcianu, nr 8, ap 2, Jud Sibiu	J32/372 /1998	RO 10668237	0269443401, email mediaringer@yahoo.com	Cazane de abur; cazane apa fierbinte	-	Cazane de abur; cazane apa fierbinte	-	-	-	pmax>0,5; Qmax=28t/h; pmax≤40bar, Tmax=300°C; T>110°C; Qmax≤25Gcal/h, pmax≤30 bar	SB/CR4/A,C/4,5/2063/0 /03.06.2020

408	Bucuresti	MEDICAL GAZPLUS SRL	BUCURESTI, Str. Putul lui Zamfir, nr. 48, parter + subsol, sector 1	J40/395 /2014	CUI 32666172	0736337746, 0372004641; e-mail office@medi calgp.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.1t/h, pmax=8bar, Tmax=134 °C	B/CR4/A,C/4/3451/1/22 .01.2020
409	Bucuresti	MEDICAL GAZPLUS SRL	BUCURESTI, Str. Putul lui Zamfir, nr. 48, parter + subsol, sector 1	J40/395 /2014	CUI 32666172	0736337746, 0372004641; e-mail office@medi calgp.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.1t/h, pmax=8bar, Tmax=134 °C	B/CR4/A,C/4/3451/0/09 .07.2019
410	Bucuresti	MEDICAL TECNOLOGIE S INTERNATIONA L SRL	BUCURESTI, b-dul Tudor Vladimirescu, nr 84, bl 131, et 2, ap 9, sector 5	J40/172 5/2005	CUI 17177202	0733999681/ 0213301930, email office@mt- intl.ro	Cazane de abur	-	-	-	-	-	Qmax=95kg/h, pmax=3 bar, tmax=144 °C	B/CR4/A/4/3738/0/25.0 9.2020
411	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, str Valea Merilor, nr 30, sector 1	J40/223 8/2000	RO 12766347	0212226774/ 0212226714, email office@medi care.ro	Cazane de abur	-	Cazane de abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250 °C	B/CR4/A,C/4/1847/2/16 .06.2020
412	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1; TIMISOARA, Str. Iuliu Maniu, nr.3, sc.A, ap.5,Jud. Timis	J40/223 8/2000	CUI 12766347	021/2286774 / 2286714; 0740556675	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250 °C	B/CR4/A,C/4/1847/1/17 .09.2014
413	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1	J40/223 8/2000	CUI 12766347	021/2286774 / 2286714	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250 °C	B/CR4/A,C/4/1847/0/18 .10.2013

414	Oradea	MEDITECH SRL	BAIA MARE, Str. Transilvaniei, bl. 2A, ap. 12, Jud. Maramures	J24/403 /2002	RO 14779840	0723635095; e-mail office@meditech.ro	Cazane abur	-	-	-	-	-	Q<20t/h, p<=16bar, T<=200° C	OR/CR4/A/4/1622/0/13.08.2018
415	Sibiu	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/110 /1993	CUI 3238580	0269/253150	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=30t/h, pmax=50bar, Tmax=440° C; Pmax=10000kW, pmax=16bar, Tmax=150° C	SB/CR4/E/4,5/0071/0/24.08.2010
416	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/114 5/2006	RO 18906598	0234/551544 ; e-mail megaprexinstal@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180° C; Dmax=5Gcal/h, Pmax=15bar	BC/CR4/A,B/4,5/0126/1 /19.05.2017
417	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/114 5/2006	RO 18906598	0234/551544	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180° C; Dmax=5Gcal/h, Pmax=15bar	BC/CR4/A,B/4,5/0126/0 /14.12.2010
418	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/226 02/1994	CUI 6520657	021/4132025 /4132017	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/1604/0/29.07.2011
419	Central	MENTCHIM SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/501 /2005	CUI 17571575	0250/701504 ; 0758710770	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=440° C; Dmax<=50Gcal/h , pmax<=40bar	DISPR/CR4/A,C/4,5/1553/0/26.07.2011- retragere voluntara incepand cu 14.09.2016
420	Bacau	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/120 0/1994	RO 6868830	0231/517989	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250° C	BC/CR4/A,C/4/1334/1/17.08.2016

421	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/120 0/1994	RO 6868830	0231/517989 ; e-mail: office@meri dianbt.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250° C	BC/CR4/A,C/4/1334/0/1 2.11.2013
422	Constanta	METALICA DG SRL	CONSTANTA, Str. Mihai Viteazu, nr.69A, Jud. Constanta	J13/216 1/1992	CUI 1904088	0241/762700	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=150bar, Tmax=450° C; Dmax=50Gcal/h, pmax=25bar	CT/CR4/C/4,5/0038/0/0 7.07.2010- suspendare voluntara incepand cu 22.05.2019
423	Central	METALICA SA	BUCURESTI, Str. Petre Ispirescu, nr.75, sector 5	J40/123 96/1994	CUI 5950044	021/4205150 /4204090	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=240bar, Tmax=650° C; Dmax=100Gcal/h , pmax<=25ba	DISPR/CR4/A,B,C/4,5/13 68/0/14.07.2011
424	Central	METALOTERM SRL	SAVINESTI, Str. Dornelor, vila 43, ap.3, Jud. Neamt; PIATRA NEAMT, Str. Stramutati, nr.74, Jud. Neamt	J27/330 /2000	RO 13363849	0233/216050	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350° C; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/A,C/4,5/338 2/0/30.03.2012
425	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi	J22/412 /2000	RO 13090234	0232/766143	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/0096/ 0/17.09.2010

426	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi; PASCANI, Str. Vatra, nr.53, Jud. Iasi	J22/412/2000	RO 13090234	0232/766143 ; 0744638939	-	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/H/4,5/3200/0/05.03.2012
427	Iasi	MOLDOCONST RUCT SA	IASI, Str. I.C. Bratianu, nr.20-22, Jud. Iasi	J22/420/1991	RO 1956117	0232/250201/210093	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=200°C; Dmax=5Gcal/h, pmax=16bar,	IS/CR4/A,B,C/4,5/0040/0/07.06.2010	
428	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589; e-mail moldocor@moldocor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B,C/4,5/1481/8/28.10.2020	

429	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1 990	CUI 2046250	0233/210660 /210589; e- mai;l moldocor@m oldocor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h , pmax=25bar	BC/CR4/A,B,C/4,5/1481 /7/12.08.2020
430	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1 990	CUI 2046250	0233/210660 /210589; e- mai;l moldocor@m oldocor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte				Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h , pmax=25bar	BC/CR4/A,B,C/4,5/1481 /6/19.06.2020
431	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1 990	CUI 2046250	0233/210660 /210589; e- mai;l moldocor@m oldocor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h , pmax=25bar	BC/CR4/A,B,C/4,5/1481 /5/12.03.2019
432	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1 990	CUI 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h , pmax=25bar	BC/CR4/A,B,C/4,5/1481 /4/07.02.2017
433	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1 990	CUI 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h , pmax=25bar	BC/CR4/A,B,C/4,5/1481 /3/14.09.2016
434	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1 990	CUI 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h , pmax=25bar	BC/CR4/A,B,C/4,5/1481 /2/18.01.2016

435	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1 990	CUI 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h , pmax=25bar	BC/CR4/A,B,C/4,5/1481 /1/12.09.2014
436	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1 990	CUI 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/A,B,C/4,5/35 69/0/15.05.2012
437	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1 990	RO 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h , pmax=20bar, Tmax=200° C	BC/CR4/A,B,C/4,5/0019 /0/14.05.2010
438	Bacau	MOLDOVULCA N	GALATI, Str. Fagului, nr.6, Jud. Galati	J17/577 /1995	RO 7254219	0236/465349 ; 0744606603; moldovulcan @gmail.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=155bar, Tmax=540° C; Dmax=100Gcal/h , pmax=22bar, Tmax=150° C	BC/CR4/A,B,C/4,5/1224 /2/29.12.2015
439	Cluj	MONDOCOM SRL	CLUJ NAPOCA, Str. Artelor, nr.33, Jud. Cluj	J12/334 3/1992	RO 2892518	0264/550012 /414548	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350° C; Dmax=5Gcal/h, pmax=16bar	CJ/CR4/A,C/4,5/0032/0 /01.07.2010
440	Craiova	MONTAJ SRL	CRAIOVA, Str. Drumul Apelor, nr.92, Jud. Dolj	J16/207 0/1994	RO 5984209	0251/470400	Cazane abur	-	-	-	-	-	pmax<=16bar, 0.6t/h<=Q<=5t/h , Tmax<=200° C	CR/CR4/A/4/0057/0/13. 07.2010
441	Brasov	MONTICOR INDUSTRIES SA	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/318 8/2002	CUI 6660278	0244/523758 /512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=150bar, Tmax=550° C; Dmax=50Gcal/h, Pmax=24bar	BV/CR4/B,C/4,5/1445/5 /03.03.2020

442	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/318 8/1994	CUI 6660278	0244/523758 /512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550° C; Dmax<=50Gcal/h , Pmax<=24bar	BV/CR4/B,C/4,5/1445/4 /13.06.2017
443	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/318 8/1994	CUI 6660278	0244/523758 /512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550° C; Dmax<=50Gcal/h , Pmax<=24bar	BV/CR4/B,C/4,5/1445/3 /23.07.2015
444	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/318 8/1994	CUI 6660278	0244/523758 /512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550° C; Dmax<=50Gcal/h , Pmax<=24bar	BV/CR4/B,C/4,5/1322/2 /29.10.2014
445	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/318 8/1994	CUI 6660278	0244/523758 /512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550° C; Dmax<=50Gcal/h , Pmax<=24bar	BV/CR4/B,C/4,5/1231/1 /21.02.2014
446	Central	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/318 8/1994	CUI 6660278	0244/523758 /512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550° C; Dmax<=50Gcal/h , Pmax<=24bar	DISPR/CR4/B,C/4,5/295 0/0/30.01.2012
447	Bucuresti	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Bd. Dimitrie Pompei, nr.5-7, parter, Hermes Business Campus, sector 2	J40/356 3/1994	CUI 7913743	021/5295100 /5295155	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110° C	B/CR4/G/4,5/2206/1/22 .08.2016; B/CR4/H/4,5/2205/1/22 .08.2016

448	Central	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Str. Oltetului, nr.15, sector 2	J40/356 3/1994	CUI 7913743	021/5295101 /5295111	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	DISPR/CR4/G/4,5/2206/ 0/19.10.2011; DISPR/CR4/H/4,5/2205/ 0/19.10.2011
449	Bucuresti	NEOCHIM SRL	AFUMATI, Str. Decebal, nr.2A, Jud. Ilfov	J23/194 8/2004	CUI 17046401	0723723127; 0723502027; 021/3527895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5/0632/0/11 .02.2011- suspendare incepand cu 19.02.2014
450	Bucuresti	NEOCHIM SRL	BUCURESTI, Str. Gorgan Spataru, nr.68, sector 2	J40/154 03/2011	CUI 17046401	0723723127; 021/3527895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5/0632/1/17 .03.2014
451	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/137 6/2012	CUI 30554156	0332/448402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=3t/h, pmax=10bar; Tmax=200°C	BC/CR4/A,B,C/4/1234/1 /06.10.2016
452	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/137 6/2012	CUI 30554156	0332/448402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=6bar; Tmax=185°C	BC/CR4/A,B,C/4/1234/0 /22.05.2013
453	Bucuresti	NICONCONSULTING TECHNICS SRL	Sat ROSU, Com. Chiajna, Intrarea Gura Leului, nr.5, Jud. Ilfov	J23/8/2 014	RO 18448164	0740571088; 0318/149735	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar; Tmax=250°C	B/CR4/A,B,C/4/2073/0/ 25.03.2014
454	Bucuresti	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr. 5, Jud. Constanta	J13/132 8/1999	CUI 9275005	0241/238488 /238890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=100Gcal/h , pmax=30bar	B/CR4/A,B,C/4,5/1604/ 3/06.02.2015

455	Central	NIMB CONSMETAL SRL	CERNAVODA, Platforma SNN CNE INVEST Cernavoda, Jud. Constanta	J13/132 8/1999	CUI 9275005	0241/238488 /238890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} ≤10t/h, p _{max} ≤16bar; D _{max} ≤5Gcal/h, p _{max} ≤16bar	DISPR/CR4/A,B,C/4,5/09 78/1/28.11.2011
456	Central	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismeiei, nr.5, Jud. Constanta	J13/132 8/1999	CUI 9275005	0241/238488 /238890	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =10t/h, p _{max} =16bar; D _{max} =5Gcal/h, p _{max} =16bar	DISPR/CR4/B,C/4,5/160 4/2/16.05.2013
457	Central	NIPTER CONSTRUCT SRL	BUCOV, Str. Eroilor, nr.1, Jud. Prahova	J29/293 /2001	CUI 13823122	0244/275012	Cazane abur	-	-	-	-	-	Q _{max} ≤10t/h, p _{max} ≤25bar, T _{max} ≤250°C	DISPR/CR4/A/4/1954/0/ 04.08.2011

458	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, Cladire laborator central, sector 4	J40/178 2/2000	CUI 12723915	021/3012575 /3012652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=300bar, Tmax<=600° C; Dmax=50Gcal/h, pmax<=18bar	DISPR/CR4/E/4,5/0987/ 1/28.12.2016
-----	---------	---	---	-------------------	-----------------	-------------------------	---	---	---	--	---	---	--	---------------------------------------

459	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/178 2/2000	CUI 12723915	021/3012575 /3012652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=196bar, Tmax<=570° C; Dmax=50Gcal/h, pmax<=18bar	DISPR/CR4/E/4,5/0987/ 0/06.06.2011
460	Central	NUCLEARELEC TRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/740 3/1998; J13/344 2/2007	RO 10874881; CUI 22554619	021/2038200 /3169804; 0241/239340 / 239266	-	-	Cazane abur	-	-	-	pmax=17bar, Tmax=260° C, Qmax=30t/h	DI/CR4/C/4/0001/0/17. 03.2010

461	Central	NUCLEARMONT AJ GALATI SA	GALATI, Str. Fagului, nr.9, Jud. Galati	J17/84/ 1997	CUI 8922480	0236/410923 /477930	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=155bar, Tmax=540° C; Dmax=100Gcal/h , pmax=22bar, Tmax=150° C	DISPR/CR4/A,B,C/4,5/10 88/0/16.05.2011
462	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/830 2/1997	CUI 1590082	021/2125001 / 3155166	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/0313/ 0/19.08.2010
463	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/830 2/1997	CUI 1590082	021/4060040 / 4060420	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/B,C/19/0316/1/1 2.02.2013

464	Craiova	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; ISALNITA, Str. M. Eminescu, nr.105, Jud. Dolj	J40/830 2/1997	RO 1590082	021/2030505 ; 0372868544; 0251/407183 /407370	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=150bar, tmax=400°C; Dmax=50Gcal/h, pmax=25bar	CR/CR4/E/4,5/0124/0/1 5.11.2010
465	Ploiesti	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova	J29/184 4/2005	RO 17907250	0735778399; 0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h, Tmax=450°C; pmax=20bar, Dmax=50Gcal/h	PL/CR4/E/4,5/0115/0/2 6.07.2010

466	Central	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova; PLOIESTI, Sos. Vestului, nr.12, Jud. Prahova	J29/184 4/2005	RO 17907250	0735778399; 0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h, Tmax=450° C; pmax=20bar, Dmax=50Gcal/h	DISPR/CR4/E/4,5/3794/ 1/04.04.2013
467	Sibiu	ORDEA PRODCOM SRL	TG. MURES, Str. Libertatii, nr.122A, Jud. Mures	J26/826 /1997	RO 9991233	0265/269078 / 261678	-	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=350° C	SB/CR4/C/4/1376/0/22. 09.2014
468	Bucuresti	PARTENER CONSTRUCT GENERAL SRL	NAVODARI, Str. Muzicii, nr.53, et.M, camera 1, Jud. Constanta	J13/183 7/2013	RO 32129578	0752105626; 0743568217; 0341/488805	-	-	Cazane abur	-	-	-	Qmax=105t/h, pmax=40bar, Tmax=440° C	B/CR4/C/4/1941/1/29.1 0.2018
469	Bucuresti	PARTENER CONSTRUCT GENERAL SRL	NAVODARI, Str. Muzicii, nr.53, et.M, camera 1, Jud. Constanta	J13/183 7/2013	RO 32129578	0752105626; 0341/488805	-	-	Cazane abur	-	-	-	Qmax=105t/h, pmax=40bar, Tmax=440° C	B/CR4/C/4/1941/0/12.1 1.2013
470	Bucuresti	PAS 97 IMPEX SRL	BUCURESTI, Str. Ion Minulescu, nr.60, Unitatea II-Corp Tab. Minerala, sector 3	J40/477 8/1997	RO 9537700	031/4379247 / 4379248	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=400° C	B/CR4/A/4,5/0154/0/21 .09.2012
471	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/123 3/1993	CUI 4000500	0244/513214 / 595763; e- mail: sc_paulus_sr l@yahoo.co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=120t/h, P<=40bar, T<=440° C; D<=50Gcal/h, P<=40bar	BV/CR4/A,B,C/4,5/1016 /3/09.07.2018

472	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/123/1993	CUI 4000500	0244/513214 ; e-mail: sc_paulus_sr l@yahoo.co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=120t/h, P<=40bar, T<=440° C; D<=50Gcal/h, P<=40bar	BV/CR4/A,B,C/4,5/1016 /2/10.06.2016
473	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/123/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=440° C; Dmax=50Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4,5/1016 /1/10.07.2012
474	Central	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/123/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=440° C; Dmax<=50Gcal/h , pmax<=40bar	DISPR/CR4/A,B,C/4,5/1960/0/30.08.2011
475	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/123/1993	RO 40005000	0244/513214	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Dmax=50Gcal/h, pmax=40bar, Tmax=440° C; Dmax=50Gcal/h, pmax=40bar	PL/CR4/A,B,C/4,5/0230 /0/12.11.2010
476	Central	PEET ELECTROCENTRALE PAROENI SA	VULCAN, Str. Paroseni, nr.20, Jud. Hunedoara	J20/710/2011	RO 28835451	0254/570790 /570481	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h, pmax=140bar, Tmax=545° C; Dmax=103.2Gcal /h, pmax=20bar	DISPR/CR4/C/4,5/3363/0/29.03.2012
477	Central	PETROCHIM PROIECT SRL	PITESTI, Str. Exercițiu, bl.D17, sc.B, ap.4, Jud. Arges; PITESTI, Bd. Petrochimistilor, Km 5, Jud. Arges	J03/232/1991	RO 131480	0248/615210	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=450° C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/3717/1/16.08.2012

478	Pitesti	PETROCHIM PROIECT SRL	PITESTI, Str.Exercitiu, bl.B17, sc.B,ap.4, Arges	J03/232 /1991	RO 131480	0248/615210	-	-	-	Cazane de abur, apa fierbinte	-	-	Q<=50t/h, pmax<=50bar, T<=450° C; D<= 50Gcal/h, pmax<=16bar, T<=180° C	PT/CR4/E/4,5/0062/0/2 3.06.2010
479	Central	PETROCONST SA	CONSTANTA, Bd. I.C. Bratianu, nr.45, Jud. Constanta	J13/311 3/1994	CUI 6162290	0241/614356 /618694	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=120bar, Tmax<=350° C; Dmax<=50Gcal/h , pmax<=20bar	DISPR/CR4/A,B,C/4,5/17 72/0/18.08.2011
480	Central	PETROGAZ SRL	BRASOV, Str. Fanului, nr.73, Jud. Brasov 57G	J08/218 /1994	RO 5225276	0268/330915	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440° C	DISPR/CR4/E/4,5/3959/ 1/30.08.2016
481	Brasov	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218 /1994	RO 5225276	0268/330915 ; 0722760773	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440° C	BV/CR4/E/4,5/0024/0/1 9.07.2010
482	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/110 0/1991	CUI 401517	021/4104600 /4100638; e-mail office@pifati.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450° C; pmax=40bar, Dmax=50t/h	B/CR4/A,B,C/4,5/0137/ 1/19.05.2016 retragere voluntară a autorizației începând cu data de 05.03.2020

483	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/110 0/1991	CUI 401517	021/4106645 /4100638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450° C; pmax=40bar, Dmax=50t/h	B/CR4/A,B,C/4,5/0137/ 0/09.07.2010
484	Central	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/110 0/1991	CUI 401517	021/4104600 /4100638; e- mail office@pifati .ro	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540° C; pmax=30bar, Dmax=50Gcal/h	DISPR/CR4/E/4,5/2020/ 1/23.06.2016 retragere voluntară a autorizației începând cu data de 05.03.2020

485	Central	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/110/0/1991	CUI 401517	021/4104600 / 4100638	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540° C; pmax=30bar, Dmax=50Gcal/h	DISPR/CR4/E/4,5/2020/0/28.09.2011
486	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/110/0/1991	CUI 401517	021/4106645 / 4100638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, pmax=40bar,	B/CR4/A,B,C/4,5/0137/0/09.07.2010
487	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/110/0/1991	CUI 401517	021/4104600 / 4100638; e-mail office@pifati.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	B/CR4/G/4,5/0085/1/20.05.2016; B/CR4/H/4,5/0086/1/19.05.2016 retragere voluntară începând cu data de 05.03.2020
488	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/110/0/1991	CUI 401517	021/4106645 / 4100638	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Qmax=120t/h, pmax=40bar, Tmax=450° C; Dmax=50t/h, pmax=40bar, Tmax=450° C	B/CR4/G/4,5/0085/0/18.06.2010; B/CR4/H/4,5/0086/0/18.06.2010
489	Bucuresti	PIFATI SERVICE SRL	BUCURESTI, str Ioviță, nr 11, etaj 2, cam 8, sector 5	J40/867/7/2019	RO 41341080	0214104600/0214100638, email service@pifati.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0,5bar, T>110° C	B/CR4/G/4,5/3659/0/30.03.2020

490	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2	J40/117 0/2006	CUI 51832200 9	0722665452; 0723310805; 021/3211354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=192bar, Tmax=570° C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0381/ 0/08.04.2011
491	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2; BUCURESTI, Str. Alexandru Savulescu, nr.14, sector 2	J40/117 0/2006	CUI 51832200 9	021/3211354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650° C; Dmax=100Gcal/h , pmax=16bar	DISPR/CR4/E/4,5/0381/ 0/08.04.2011
492	Central	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl.I 14, parter, ap. 1, Jud. Vrancea	J39/335 /2014	CUI 33335452	0763261641; 0337/407780	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3914/ 0/24.06.2015

493	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678 /2003	RO 15818661	0337407780, 0763261641; e-mail: verificariteh nice@yahoo.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=28t/h, pmax=40bar, Tmax=250°C; Dmax=25Gcal/h, pmax=16bar, Tmax=150°C	BC/CR4/A,C/4,5/1304/1 /19.07.2018
494	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.12, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678 /2003	RO 15818661	0744635244; e-mail: verificariteh nice@yahoo.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=28t/h, pmax=40bar, Tmax=250°C; Dmax=25Gcal/h, pmax=16bar, Tmax=150°C	BC/CR4/A,C/4,5/1304/0 /23.09.2013
495	Bucuresti	POLYSTART IMPEX SRL	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J16/401 8/1994	RO 6847927	0251/406466 ; 0372/001510	Cazane de abur; cazane apa fierbinte	-	-	-	-	-	Qmax=55t/h, Pmax=16bar, Tmax=200°C; Dmax=66Gcal/h, Pmax=16bar	B/CR4/A/4,5/2141/0/14 .05.2014- suspendare voluntara incepand cu 03.08.2016
496	Oradea	POSZET SRL	SATU MARE, Str. Bujorului, nr.52, Jud. Satu Mare	J30/707 /2005	RO 17670277	0259/453345 /463661	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=400°C; Dmax=5Gcal/h, pmax=16bar,	OR/CR4/A,B/4/0100/0/1 4.02.2011

497	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/131 8/1997	CUI 9921050	0244/526606 /526885; 0372753966; 0244/526883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t/h, pmax<=196bar, Tmax<=570° C; Dmax<=50Gcal/h , pmax<=18bar	DISPR/CR4/E/4,5/1264/ 0/22.06.2011
-----	---------	------------	---	-------------------	----------------	---	---	---	---	--	---	---	--	---------------------------------------

498	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1318/1997	CUI 9921050	0244/526606 /526885; 0372753966; 0244/526883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t/h, pmax<=196bar, Tmax<=570° C; Dmax<=50Gcal/h, pmax<=18bar	DISPR/CR4/E/4,5/1264/1/09.05.2014
499	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1148/2005	RO 17629570	0729046183; 0351/421841 / 801815	-	-	Cazane abur	-	-	-	Pmax<=40bar, Tmax<=210° C, Qmax<=100t/h	B/CR4/C/4/1187/1/30.09.2015
500	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1148/2005	RO 17629570	0729046183; 0351/421841 / 801815	-	-	Cazane abur	-	-	-	Pmax<=40bar, Tmax<=210° C, Qmax<=100t/h	B/CR4/A,B,C/4/1187/0/22.11.2012
501	Central	PRIMEX SRL	CLUJ NAPOCA, Str. Campul Painii, nr.30A, Jud. Cluj	J12/4270/1991	CUI 233154	0264/415272 /403135	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=530° C; Dmax=50Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1160/0/21.06.2011
502	Central	PRISMA SERV COMPANY SRL	IASI, Str. Petru Poni, nr.13, bl. 573A, Tr.1, parter, ap.2, Jud. Iasi	J22/601/2001	CUI 13991843	0232/217905 ; 0332/409775	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=10t/h, pmax=16bar; Tmax=300° C	DISPR/CR4/A,B,C/4/0665/0/22.04.2011

503	Central	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/142 4/2004	CUI 16698504	0248/206081 /206082	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=16bar, Tmax<=400°C; Dmax<=50Gcal/h, pmax<=16bar	DISPR/CR4/A,C/4,5/236 9/1/15.11.2011
504	Pitesti	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/142 4/2004	RO 16698504	0248/206081 / int 118sau 122, 0248/211060 /206082; 0722287365	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<30t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C/4,5/0155/0 /21.12.2010
505	Pitesti	PROINSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/155 8/1992	RO298910 4	0250/733390 / 730231	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=10Gcal/h, pmax=25bar	PT/CR4/A,B,C/4,5/0029 /0/27.04.2010
506	Pitesti	PROINSTAL PIPE SRL	STEFANESTI, Sos. Bucuresti-Pitesti, nr.72A, Jud. Arges	J03/47/ 1999	RO 11433360	0248/212501 /223403	Cazane de abur, apa fierbinte	-	-	-	-	-	Q<=10t/h, pmax<=16bar, T<=450°C; D<=5Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A/4,5/0006/0/0 9.04.2010

507	Central	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita; BUCURESTI, Str. Grigore C. Moisil, nr.8, bl.9, sc.D, ap.168, sector 2	J21/563 /1995	CUI 8010891	0243/234479 ; 021/2424908	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=500t/h, pmax<=200bar, Tmax<=570°C; Dmax<=15Gcal/h , pmax<=40bar	DISPR/CR4/A/4,5/0903/0/23.05.2011
508	Bucuresti	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita	J21/563 /1995	RO 8010891	021/2424908 ; 0243/234479	-	-	-	Cazane de abur	-	-	Qmax=5t/h, Pmax=50bar, Tmax=560°C	B/CR4/E/4/0420/0/26.10.2010

509	Central	RAAN - Sucursala ROMAG TERMO	DR TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; HALANGA, Com. Izvoru Barzii, Jud. Mehedinti	J25/282 /1998	CUI 10882752	0252/323848 /323685; 0252/323666	-	-	Cazane abur	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550° C	DISPR/CR4/C/4/3348/0/ 12.03.2012
510	Central	RAEMGAL SERVICE SRL	GALATI, Str. Energiei , nr.5, bl.10A, sc.2, et 2, ap. 27, Jud. Galati	J17/348 /2002	CUI 14616672	0236/460514	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=450t/h, pmax<=250bar, Tmax<=540° C	DISPR/CR4/B,C/4/2977/ 0/07.02.2012
511	București	RAFI INTERNATIONAL GENERAL COMMERCE SRL	București, str Foișorului, nr 9, bl F6C, sc 1, apart 3, sector 3	J40/169 6/1997	CUI 9245101	0213227121/ 0213227123, email info@rafi.ro	Cazane de abur (generatoa re de abur pentru sterilizare)	Cazane de abur (generato are de abur pentru sterilizare)	Cazane de abur (generatoa re de abur pentru sterilizare)	-	-	-	Qmax=120kg/h, p max=7,5 bar, T max = 160° C	B/CR4/A,B,C/4/3608/0/ 11.02.2020

512	București	RAFI INTERNATIONAL GENERAL COMMERCE SRL	București, str Foisorului, nr 9, bl F6C, sc 1, apart 3, sector 3	J40/169 6/1997	CUI 9245101	0213227121/ 0213227123, email info@rafi.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4/3609/0/11.0 2.2020
513	Central	RAFO SA	ONESTI, Str. Industiilor, nr.3, Jud. Bacau	J04/538 /1991	CUI 958772	0234/303303 /315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=80t/h, pmax<=50bar, Tmax<=450°C; Dmax<=25Gcal/h	DISPR/CR4/C/4,5/0661/ 0/03.05.2011
514	Bacau	RAFO SA	ONESTI, Str. Industiilor, nr.3, Jud. Bacau	J04/538 /1991	CUI 958772	0234/303303 /315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=80t/h, pmax<=50bar, Tmax<=540°C; Dmax<=25Gcal/h , pmax=20bar	BC/CR4/C/4,5/1213/1/2 4.04.2013- suspendare voluntara incepand cu 25.11.2016
515	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/174 1/2004	CUI 16698164	0332/808738 /808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/1666 /1/17.05.2016
516	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/174 1/2004	CUI 16698164	0332/808738 /808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/17 81/0/16.08.2011
517	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322 /2000	CUI 12911480	0722612696, 0744204754, 315, 0244/ 546031; e- mail: office@reme ro.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=250bar, Tmax<=600°C; Dmax<=100Gcal/ h, pmax<=30bar	BV/CR4/A,B,C/4,5/1328 /2/06.09.2019

518	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546229 / 546031; e-mail: remero@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=250bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	BV/CR4/A,B,C/4,5/1328 /1/21.10.2014
519	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0755316623; 0244/546031	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=25bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C/4,5/2875/0/23.01.2012
520	Central	REMONT SRL	CONSTANTA, Al. Garofitei, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/558900 /692260	Cazane abur	-	Cazane abur	-	-	-	Qmax<=150t/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/A,C/4/0044/1/18.05.2011
521	Constanta	REMONT SRL	CONSTANTA, Al. Garofitei, colt cu Str. Bucuresti, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/692260 /558900	Cazane abur	-	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=200°C	CT/CR4/C/4/0044/0/14.07.2010
522	Bucuresti	REPARATII CENTRALE SRL	Rosu, Com. Chiajna, Str. Rezervelor, nr. 19, parter, ap. 2, Jud. Ilfov	J23/3108/2013	CUI 29079003	021/6421282 ; e-mail office @reparatiiceentrale.ro	Cazane abur	-	-	-	-	-	Qmax=10t/h, pmax=40bar, tmax=250°C	B/CR4/A/4/3387/0/08.03.2019
523	Brasov	REPCAZCOND SRL	BUZAU, Str. Obor, bl.12, sc.A, Jud. Buzau	J10/426/2013	CUI 31665810	0238/720242 / 406760	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=150t/h, pmax<=40bar, Tmax=535°C	BV/CR4/A,B,C/4/1319/0 /30.10.2014

524	Central	REVERS SRL	BRASOV, Str. Carpatilor, nr.97, Jud. Brasov	J08/258 1/1992	CUI 3051580	0268/332311	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=15t/h, pmax<=16bar, Tmax<=250°C; Dmax<=10Gcal/h , pmax<=16bar	DISPR/CR4/A/4,5/2469/ 0/28.11.2011
525	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/205 3/2001	CUI 14320668	0241/586406 /586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h , pmax<=40bar	B/CR4/A,B,C/4,5/1324/ 4/21.01.2019- Suspendare voluntara incepand cu 24.07.2019
526	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/205 3/2001	CUI 14320668	0241/586406 /586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h , pmax<=40bar	B/CR4/A,B,C/4,5/1324/ 3/20.07.2018- Suspendare voluntara incepand cu 24.07.2019
527	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/205 3/2001	CUI 14320668	0241/586406 /586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h , pmax<=40bar	B/CR4/A,B,C/4,5/1324/ 2/03.02.2015- Suspendare voluntara incepand cu 24.07.2019
528	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/205 3/2001	CUI 14320668	0241/586406 /586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h , pmax<=40bar	B/CR4/A,B,C/4,5/1324/ 1/20.03.2013- Suspendare voluntara incepand cu 24.07.2019
529	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/205 3/2001	CUI 14320668	0241/586406 /586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h , pmax<=40bar	DISPR/CR4/A,B,C/4,5/07 17/0/02.05.2011- Suspendare voluntara incepand cu 24.07.2019

530	Central	RINA SIMTEX- ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr. 4D, corp A, sector 5	J40/965 3/1999	CUI 12351790	021/6190651 / 6190353	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=440°C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3955/ 1/12.02.2018
-----	---------	--	--	-------------------	-----------------	--------------------------	---	---	---	--	---	---	--	---------------------------------------

531	Central	RINA SIMTEX- ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr. 4D, corp A, sector 5	J40/965 3/1999	CUI 12351790	021/6190651 / 6190353	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=440° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3955/ 0/15.07.2016
532	Brasov	RO STEAM IT SRL	BRASOV, Str. Neagoe Basarab. Nr. 37, Jud. Brasov	J08/186 3/2017	RO 37880680	0368/414123 ; e-mail rosteamit@g mail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=100t/h, pmax<=40bar, Tmax=250° C; Dmax<=50Gcal/h , pmax<=40bar	BV/CR4/A,B,C/4,5/1696 /0/12.09.2017

533	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, nr.30-34, et.1-2 si 4, sector 1	J40/760 1/1994	CUI 5541546	0214057500/ 2331313	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=540° C; Qmax=25Gcal/h, pmax=40bar, Tmax=250° C	DISPR/CR4/A/4,5/2901/ 0/27.01.2012- suspendare voluntara incepand cu 05.12.2019
534	Bucuresti	ROHRER OILFIELD SERVICES SRL	CONSTANTA, B- dul Regina Elisabeta, nr 2B, Zona Poarta 1, etaj 4, Jud Constanța	J13/328 0/2019	RO 41202155	034145621/0 341456379,e mail office.ros@r ohrer- grp.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, ; Dmax<=50Gcal/h , pmax<=40bar	B/CR4/A,B,C/4,5/3467/ 1/12.03.2020
535	Bucuresti	ROHRER OILFIELD SERVICES SRL	BUCURESTI, Str. Tablitei, nr. 1, parter, camera 1, sector 1; CONSTANTA, Bd. Aurel Vlaicu, nr. 4- 6, Jud. Constanta	J40/717 1/2019	CUI 41202155	021/4110053 / 4100946	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, ; Dmax<=50Gcal/h , pmax<=40bar	B/CR4/A,B,C/4,5/3467/ 0/24.07.2019
536	Bucuresti	ROMANOR SRL	CALARASI, Str. Gh. Lazar, nr.8, Jud. Calarasi	J51/577 /1992	CUI 1917665	0242/322602 / 331492	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=100bar, Tmax=350° C; Dmax=50Gcal/h, pmax=25bar, Tmax=150° C	B/CR4/A,B,C/4,5/0580/ 1/26.09.2012
537	Central	ROMCET GRUP SA	BUCURESTI, Str. Orion, nr.3, sector 5	J40/841 9/1995	CUI 7815400	021/4204287	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=300t/h, pmax<=40bar, Tmax=570° C	DISPR/CR4/A,B,C/4/103 2/0/01.06.2011
538	Central	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/107 7/2003	CUI 6927694	021/2675028 ; 0721266682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400° C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/16 05/0/01.08.2011

539	Bucuresti	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/1077/2003	CUI 6927694	021/2675028 / 2675237	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5/1810/1/24.09.2013
540	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1718/1993	CUI 4997057	0252/326453 ; 0722355560	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=450°C; Dmax<=100Gcal, pmax<=25bar, tmax<=175°C	DISPR/CR4/B,C/4,5/2080/0/28.09.2011
541	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1718/1993	CUI 4997057	0252/326453	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, 105°C<=Tmax<=450°C; Dmax=100Gcal, pmax=25bar, 110°C<Tmax<=175°C	DISPR/CR4/B,C/4,5/1297/1/20.02.2013
542	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr. 3-5, cladire City Gate Northern Tower, et. 3, sector 1; NAVODARI, Bd. Navodari, nr. 1-283, Jud. Constanta	J40/8331/2001	RO 14208851	021/2723660 ; 021/3140897 ; e-mail office@rominserv.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570°C; Dmax=25Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5/1177/4/29.03.2018
543	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, bl. Turnul de Nord, sector 1	J40/8331/2001	CUI 14208851	021/2723660 /3140897	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570°C; Dmax=25Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5/1177/3/03.11.2016

544	Bucuresti	ROMINSERV SRL	BUCURESTI, Piata Presei, nr.3-5, City Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/833 1/2001	CUI 14208851	0241/506094 / 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570°C; Dmax=25Gcal/h, pmax=25bar, Tmax=190°C	B/CR4/A,B,C/4,5/1177/ 2/26.09.2012
545	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/833 1/2001	CUI 14208851	744686811	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=40t/h, pmax=20bar, Tmax=350°C	DISPR/CR4/A,B,C/4/022 7/0/21.03.2011

546	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/833 1/2001	RO 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0914/ 4/08.07.2019
-----	---------	------------------	--	-------------------	----------------	-------------------------	---	---	---	--	---	---	---	---------------------------------------

547	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/833 1/2001	RO 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0914/ 3/13.12.2017
-----	---------	------------------	--	-------------------	----------------	-------------------------	---	---	---	--	---	---	---	---------------------------------------

548	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/833 1/2001	RO 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570° C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0914/ 2/29.05.2012
549	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/833 1/2001	RO 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570° C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0914/ 1/02.04.2012

550	Central	ROMINSERV SRL	BUCURESTI, Piata Presei Libere, nr.3-5, Cladirea City Gate Northern Tower, et.3, sector 1	J40/833 1/2001	CUI 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0914/ 0/30.05.2011
-----	---------	------------------	--	-------------------	-----------------	-------------------------	---	---	---	--	---	---	---	---------------------------------------

551	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Cal. Victoriei, nr.155, tronson 7, bl.D1, et.5; NAVODARI, DJ 226, Km 23, Jud. Constanta	J40/833 1/2001	CUI 14208851	0241/506094 / 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570° C; Dmax=25Gcal/h, pmax=25bar, Tmax=190° C	CT/CR4/A,B,C/4,5/0025 /0/01.07.2010
-----	-----------	---	--	-------------------	-----------------	----------------------------	---	---	---	---	---	---	--	--

552	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Piata Presei Libere, nr.3-5, City Northern Tower, et.3; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/833 1/2001	CUI 14208851	021/2723660 ; 0241/506094 / 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570°C; Dmax=25Gcal/h, pmax=25bar, Tmax=190°C	CT/CR4/A,B,C/4,5/0068 /1/12.10.2010
553	Ploiesti	ROMPETROL QUALITY CONTROL SRL	NAVODARI, DJ 226, Km 23,, Camera 116, Jud. Constanta; VEGA PLOIESTI, Str, Valeni, nr.146, Jud. Prahova	J13/677 5/2004	RO 16542407	0241/506700 /506916; 0244/406192	-	-	-	-	-	Cazane abur	p>0.5bar	PL/CR4/H/4,5/0259/0/0 6.12.2010
554	Bucuresti	ROMONT INSTALLATION AND MAINTENANCE SERVICES SRL	MEDGIDIA, Str. Decebal, nr. 27, Birou nr. 4, Jud. Constanta	J13/931 /2017	CUI 36725107	0766231114	Cazane de abur	-	Cazane de abur	-	-	-	Qmax<=400t/h, pmax<=40bar, Tmax<=400°C	B/CR4/A,C/4/3394/0/27 .03.2019

555	Central	ROMTERM SA	BUCURESTI, Str.Iovita, nr.11, sector 5	J40/211 1/1991	CUI 402172	021/4100036	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=195bar, Tmax=570° C; Dmax=100Gcal/h , Pmax=25bar	DISPR/CR4/A,B,C/4,5/29 05/0/06.02.2012
556	Bucuresti	ROMVEC INDUSTRIE SRL	BUCURESTI, Str. Iovita, nr.7-9, sector 5	J40/985 7/1998	CUI 11110319	021/4107615 / 4106677	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=196bar, Tmax=540° C; Dmax=100Gcal/h , pmax=25bar, Tmax=230° C	B/CR4/A,B,C/4,5/0039/ 0/25.05.2010
557	Bucuresti	ROMVENT ENGINEERING SRL	BUCURESTI, Sos. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/112 24/2003	RO 15671292	0729330564; 0729330573; 031/4379531 ; e-mail romvent@g mail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50Gcal/h, pmax=40bar, Tmax=400° C; Dmax=100t/h, pmax=40bar	B/CR4/A,B,C/4,5/2638/ 1/12.12.2016
558	Bucuresti	ROMVENT INSTAL SRL	BUCURESTI, Sos. Nicolae Titulescu, nr. 61-71, bl. 11A, et. 3, ap. 9, sector 1; BUCURESTI, Str. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/112 24/2003	RO 15671292	0729330564; 0729330573; 031/4379943	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=150° C; Dmax=100t/h, pmax=40bar, Tmax=400° C	B/CR4/A,B,C/4,5/2638/ 0/13.10.2015
559	Central	RORA CONSING SRL	RASNOV, Str. Garii, nr.6, Jud. Brasov	J08/124 5/1991	CUI 1121035	0268/231552 ; 0266230858	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar; Tmax>110° C	DISPR/CR4/H/4,5/2324/ 0/09.01.2012; DISPR/CR4/G/4,5/2775/ 0/10.01.2012

560	Central	ROS SYSTEMA SRL	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1948/2007	CUI 22685444	0265/567017 ; 0365/430565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3841/0/06.12.2013
561	Central	SANCOTERM SRL	GALATI, Str. Domneasca, nr.18, bl.E, ap.13, Jud. Galati; GALATI, Str. Basarabiei, nr.210, Jud. Galati	J17/381/1997	CUI 9392900	0236/494930	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=40bar, Tmax<=540° C, Qmax<=120t/h	DISPR/CR4/A,B,C/4/1047/0/08.06.2011
562	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/3824/1994	RO 5329293	0722369476; 021/3176009 ; e-mail: office@electrochim.ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=75bar, Tmax=450° C, Qmax=30t/h; Dmax=50Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/0428/3/18.12.2017

563	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/382 4/1994	RO 5329293	0722369476; 021/3176009 ; e-mail: office@elect rochim.ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=40bar, Tmax=450° C, Qmax=30t/h	B/CR4/A,B,C/4,5/0428/ 2/12.09.2017
564	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/382 4/1994	RO 5329293	0722369476; 021/3176009 ; e-mail: office@elect rochim.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=40bar, Tmax=450° C, Qmax=30t/h	B/CR4/A,B,C/4/0428/1/ 15.11.2013
565	Oradea	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434 /1998	RO 10655490	0254/243335 / 243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250° C; Dmax=50Gcal/h, Pmax=25bar	OR/CR4/A,B,C/4,5/1380 /1/23.06.2015
566	Sibiu	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434 /1998	RO 10655490	0254/243335 / 243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250° C; Dmax=50Gcal/h, Pmax=25bar, Tmax=150° C	SB/CR4/A,B,C/4,5/0074 /0/30.03.2010
567	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761 /1994	CUI 5420374	0244/544707 /519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=50bar, Tmax=450° C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/E/4,5/1795/ 0/26.06.2011
568	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761 /1994	CUI 5420374	0244/544707 /519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax=450° C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/E/4,5/1795/ 1/02.11.2011

569	Brasov	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761 /1994	RO 5420374	0723276995, 0372/000403	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar, Tmax=450° C; Dmax=50Gcal/h, Psmax=40bar	BV/CR4/A,B,C/4,5/1686 /1/02.08.2017
570	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761 /1994	RO 5420374	0244/544707 / 519648	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar, Tmax=450° C; Dmax=50Gcal/h, Psmax=40bar, Tmax=350° C	PL/CR4/A,B,C/4,5/0197 /0/08.10.2010
571	Craiova	SFERA SRL	CRAIOVA, Calea Severinului, nr.18D, Jud. Dolj	J16/161 /2001	RO 13765161	0251/461060 /480165	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, tmax=540° C; Dmax=100Gcal/h , pmax=20bar	CR/CR4/E/4,5/0086/0/0 1.09.2010

572	Ploiesti	SGS ROMANIA SA	BUCURESTI, Cal. Serban Voda, nr.38, sector 4; Sat BRAZI, Com. Brazi, Str. Trandafirilor, nr.65, Jud. Prahova	J40/29074/1992	RO 3451552	021/3354683 / 3354620	-	-	-	-	-	-	Cazane de abur, apa fierbinte	P>0.5bar; T>110°C	PL/CR4/H/4,5/0143/0/2 4.08.2010
573	Bucuresti	SICOM IC SRL	BUCURESTI, Bd. Basarabia, nr.177, sector 3	J40/3960/1991	CUI 342852	021/2550073 / 2550074	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	0.6t/h<Qmax<=10t/h, p<=16bar, Tmax<=270°C; 0.6t/h<Dmax<=50Gcal/h, p<=20bar, Tmax<=165°C	B/CR4/A,B,C/4,5/0127/0/06.07.2010	

574	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/1999	CUI 11438007	0250/701501 / 701504	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=60bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=25bar	B/CR4/A,B,C/4,5/2109/0/27.03.2014
575	Bucuresti	SMART POWER R&D SRL	BUCURESTI, Str. Ghirlandei, nr. 32, bl. 78, sc. 1, ap. 4, parter, sector 6	J40/10854/2013	RO 32193171	0371429320, 0371609882; e-mail office@smart-power.ro	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, tmax=350°C; Dmax=10Gcal/h, pmax=24bar	B/CR4/A,C/4,5/3415/0/03.05.2019
576	Brasov	SMR GLOBAL SRL	ALBESTI PALEOLOGU, nr. 528, Jud. Prahova	J29/1580/2010	RO 27819393	0748121650; 0374952363; 0344/780139 / 114095; e-mail: smrglobal2010@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax<=450°C; Dmax=50Gcal/h, pmax=40bar, Tmax<=450°C	BV/CR4/A,B,C/4,5/1097/0/20.12.2012

577	Bucuresti	SNAMPROGETT I ROMANIA SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.6A, Tronson II, et.3, birou 31, sector 2	J40/663 3/2003	CUI 15442280	021/2322400 / 2322434	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=300t/h, pmax=200bar, Tmax=550°C; Dmax=100Gcal/h , pmax=25bar	B/CR4/E/4,5/0376/0/04 .10.2010
578	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194 /2013	RO 14056826	0265/471333 / 471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=50bar, Tmax=150°C	SB/CR4/A,B,C/4,5/1297 /0/30.04.2014

579	Bucuresti	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182 /1999	CUI 11943106	0253/371678 ; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540° C	B/CR4/A,B,C/4/2774/2/12.04.2016
580	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182 /1999	CUI 11943106	0253/371678 ; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540° C	DISPR/CR4/A,B,C/4/0964/1/02.04.2012
581	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182 /1999	CUI 11943106	0253/371678 ;0251/593455; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540° C;	DISPR/CR4/A,B,C/4/0964/0/31.05.2012
582	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182 /1999	CUI 11943106	0253/371678 ; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540° C	DISPR/CR4/A,B,C/4/0964/1/02.04.2012
583	Bucuresti	SOCIETATEA ELECTROCENTRALE CONSTANTA SA	CONSTANTA, bd Aurel Vlaicu, nr 123, Jud Constanta	J13/23/2015	CUI 33636420	0241585300/0241693916	-	-	Cazane de abur, cazane apa fierbinte	-	-	-	Qmax≤420t/h, pmax≤140bar, Tmax≤550° C; Dmax≤100Gcal/h, pmax=20bar	B/CR4/C/4,5/2472/1/25.11.2020

584	București	SOCIETATEA NAȚIONALĂ NUCLEARELECTRICA SA	BUCUREȘTI, str Polonă, nr 65, Sector 1	J40/740 3/1998	CUI 10874881	0212038200, fax 0213169400	-	-	Cazane de abur	-	-	-	Q _{max} ≤30t/h p _{max} ≤17 bar	B/CR4/C/4/3566/1/15.1 1.2019
585	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/226 0/1994	CUI 6446054	0238/720038 ; 0338/111540	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Q _{max} =120t/h, p _{max} =40bar, T _{max} =440°C; D _{max} =50Gcal/h, P _{max} =40bar	DISPR/CR4/A,B/4,5/254 0/0/20.12.2011
586	Central	STASS SERV SRL	IASI, Str. Vasile Lupu, nr.99, bl.D, sc.A, parter, ap.3, Jud. Iasi	J22/285 /2001	CUI 13797155	0232/270699 ; 0332/882838	Cazane abur	-	Cazane abur	-	-	-	Q _{max} =50t/h, p _{max} =16bar, T _{max} =200°C	DISPR/CR4/A,C/4/0567/ 0/06.04.2011
587	Bucuresti	STEAM GEN SOLUTIONS SRL	BUCURESTI, Bd Burebista, nr 1, bl D15, sc 1, ap 31, sector 3	J40/104 56/2000	RO 13529500	0213265621/ 0213265620, email office@esc-inc.ro	-	-	Cazane de abur	-	-	-	Q _{max} =10t/h, p _{max} =100bar, T _{max} =400°C	B/CR4/C/4/2489/1/04.1 1.2020

588	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/120 1/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440° C; Dmax=50Gcal/h, pmax=24bar	BV/CR4/A,B,C/4,5/1505 /2/11.07.2017
589	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/120 1/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440° C; Dmax=50Gcal/h, pmax=24bar	BV/CR4/A,B,C/4,5/1505 /1/24.11.2016
590	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/120 1/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440° C	BV/CR4/A,B,C/4,5/1505 /0/18.11.2015
591	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/180 53/2005	CUI 18077589	0213227121/ 0213227123, info@rafi.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=7.5bar, Tmax=160° C, Qmax=120Kg/h	B/CR4/A,B,C/4/0694/5/ 13.12.2019
592	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/180 53/2005	CUI 18077589	0213227121/ 0213227123, email info@rafi.ro	-	-	-	-	Cazane de abur	-	-	B/CR4/G/4/0693/4/13.1 2.2019
593	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/180 53/2005	CUI 18077589	021/3227121 / 3227123; e-mail info@rafi.ro	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar, Tmax=160° C, Qmax=120Kg/h	B/CR4/G/4/0693/3/31.0 1.2018; B/CR4/A,B,C/4/0694/4/ 31.01.2018
594	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/180 53/2005	CUI 18077589	021/3227121 / 3227123; e-mail info@rafi.ro	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar, Tmax=160° C, Qmax=120Kg/h	B/CR4/G/4/0693/2/28.0 5.2015; B/CR4/A,B,C/4/0694/3/ 28.05.2015

595	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/180 53/2005	CUI 18077589	021/3205659 / 3227123	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=7.5bar, Tmax=160° C, Qmax=120Kg/h	B/CR4/A,B,C/4/0694/2/ 13.03.2014
596	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/180 53/2005	CUI 18077589	021/3260395 /3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150° C, Qmax=59Kg/h	B/CR4/G/4/0693/1/17.0 5.2013; B/CR4/A,B,C/4/0694/1/ 17.05.2013
597	Central	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/180 53/2005	CUI 18077589	021/3260395 /3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150° C, Qmax=59Kg/h	DISPR/CR4/G/4/0693/0/ 18.05.2011; DISPR/CR4/A,B,C/4/069 4/0/18.05.2011
598	Bacau	STRONG MONTAJ SA	PIATRA NEAMT, Str. Mihai Viteazu, nr.19, bl.C1, demisol, camera 2, Jud. Neamt	J27/201 4/1994	CUI 6537071	0233/219486 / 230910	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, Pmax=40bar, Tmax=280° C; Dmax=100Gcal/h , Pmax=20bar	BC/CR4/A,B,C/4,5/1100 /0/12.11.2012- suspendare voluntara incepind cu 13.10.2015
599	Brasov	SUDOTERM SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/425 /2015	RO 28241840	0344/102953	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=200bar, Qmax=500t/h, tmax=550° C	BV/CR4/B,C/4,5/1562/0 /23.03.2016
600	Galati	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/179 8/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540° C	GL/CR4/A,B,C/4/0005/0 /12.04.2010
601	Bacau	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/179 8/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540° C	BC/CR4/A,B,C/4/1238/1 /14.06.2013

602	Bucuresti	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/548 9/2004	CUI 16172290	0241/486053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=215bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=156°C	B/CR4/A,B,C/4,5/3026/1/17.03.2017
603	Central	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/548 9/2004	CUI 16172290	0241/486053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax=215bar, Tmax=600°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=156°C	DISPR/CR4/A,B,C/4,5/1521/0/12.07.2011
604	Bucuresti	TCZ TOTAL SERVICE SRL	BUCURESTI, Str. Vidului, nr. 11A, camera 2, sector 5	J40/161 26/2005	CUI 17980065	021/7764524	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=20bar, Qmax=30t/h, tmax=250°C	B/CR4/A,B,C/4/1706/0/25.07.2015
605	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/217 /2003	RO 15190540	0268/334118 / 334128; e-mail technomontaj@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	BV/CR4/A,B,C/4,5/1119/3/19.02.2018
606	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/217 /2003	RO 15190540	0268/334118	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	BV/CR4/A,B,C/4,5/1119/2/04.03.2013
607	Central	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj,, nr.6, Jud. Brasov	J08/217 /2003	RO 15190540	0268/334118 /334128; 0740065151	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	DISPR/CR4/A,B,C/4,5/3232/1/09.03.2012

608	Bucuresti	TECNOSERVICE BUCURESTI SA	BUCURESTI, Str. Tudor Vianu, nr.42, parter, camera 1, ap.1, sector 1	J40/193 7/1996	RO 8237968	0314070030/ 0213185019, email: tsb@tsb.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax=200bar, Tmax=570° C; Dmax=100Gcal/h , pmax=40bar	B/CR4/A,B,C/4,5/1737/ 1/04.06.2020
609	Bucuresti	TECNOSERVICE BUCURESTI SRL	BUCURESTI, Str. Tudor Vianu, nr.42, parter, camera 1, ap.1, sector 1; BUZAU, Al. Industriilor, nr.2, Jud. Buzau	J40/193 7/1996	CUI 8237968	031/4070030 / 3185019; 0238/717441	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax=200bar, Tmax=570° C; Dmax=100Gcal/h , pmax=40bar	B/CR4/A,B,C/4,5/1737/ 0/30.07.2013
610	Bucuresti	TEHNO PROMPT SRL	COM. CHIAJNA, Str. 1 Mai, nr.12, Jud. Ilfov	J23/175 1/2002	CUI 4430515	021/3055700	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h pmax=16bar, Tmax=200° C,	B/CR4/A,B,C/4/0107/0/ 23.06.2010
611	Central	TEHNOEXPERT MANAGEMENT INDUSTRIAL SA	BUCURESTI, Str. Gheorghe Sincai, nr.11, bl.4, sc.3, ap.68, sector 4	J40/871 8/2012	CUI 30484794	0372715633; 0372879090	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=540t/h, pmax=225bar, Tmax=570° C; Dmax=100Gcal/h	DISPR/CR4/E/4,5/3761/ 0/12.12.2012

612	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/139 52/1993	CUI 4261939	021/3485272 /3485343	Cazane abur	Cazane abur	-	-	-	-	pmax<=16bar, Qmax<=2t/h, Tmax<=200°C	DISPR/CR4/A,B/4/1034/ 0/10.06.2011
613	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/139 52/1993	CUI 4261939	021/3485272 /3485343	-	-	-	-	Cazane abur, cazane apa fierbinte , cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/G/4,5/1037/ 0/14.06.2011
614	Bucuresti	TEHNOPLUS MEDICAL SERVICE SRL	BUCURESTI, Str. Odobesti, nr.1, corp 3, sector 3	J40/134 21/2017	CUI 38022073	021/3485272 /3485343; e- mail liliana.stefa n@tmpservic e.ro	Cazane abur	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=2t/h, pmax=16bar, Tmax=200°C	B/CR4/A/4/3255/0/15.0 5.2018; B/CR4/H/4,5/3256/0/15 .05.2018
615	Brasov	TEHNOSUD ENGINEERING SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/137 6/2002	RO 15056352	0344/102953	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=500t/h, pmax=200bar, Tmax=550°C; Dmax=500Gcal/h , pmax=20bar	BV/CR4/A,B,C/4,5/1618 /0/19.10.2016
616	Central	TEHNOTERM IMPEX SRL	REGHIN, Str. Pandurilor, nr.12, Jud. Mures	J26/335 0/1992	CUI 3388129	0265/512564 /513898	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=250°C	DISPR/CR4/A/4/2940/0/ 30.01.2012
617	Bacau	TEHNOTERM SRL	IASI,Bd. Chimiei, nr.14, Jud. Iasi	J22/310 7/1994	RO 6788022	0232/258810 / 259596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=25bar, Tmax=400°C	BC/CR4/A,B,C/4/1795/1 /27.09.2017

618	Bacau	TEHNOTERM SRL	IASI, Sos. Pacurari, nr.26, Jud. Iasi	J22/310/7/1994	RO 6788022	0232/259596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B,C/4/1387/1/11.03.2014
619	Iasi	TEHNOTERM SRL	IASI, Bd. Chimiei, Jud. Iasi	J22/310/7/1994	RO 6788022	0232/259596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	IS/CR4/A,B,C/4/0105/0/23.09.2010
620	Sibiu	TEHPRO SRL	CLUJ NAPOCA, Str. Horea, nr. 3, camera 110, et. 1, Jud. Cluj	J12/257/4/2004	RO 16583113	0264/456440 ; e-mail dan.lazar@ehpro.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=25t/h, 0.5bar<=pmax<=25bar, Tmax=450°C; Dmax=10Gcal/h, pmax=12bar, T>110°C	SB/CR4/A,B,C/4,5/1730/0/11.07.2017
621	Oradea	TELETECH SRL	ZALAU, Str. Gh. Doja, nr.28, bl. D28, ap.24, Jud. Salaj	J31/165/2003	CUI 15324536	744247946	-	-	-	-	-	Cazane abur; cazane apa fierbinte	P>0.5bar; T>110°C	OR/CR4/H/4,5/1418/0/20.11.2015
622	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/258/7/2007	CUI 22547417	0244/546228 ; e-mail Teodan_instal@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=450°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=450°C	BV/CR4/A,B,C/4,5/1348/1/11.12.2014
623	Central	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, bl.13B2, ap.6, Jud. Prahova	J29/258/7/2007	CUI 22547417	0244/546228	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=450°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/A,B,C/4,5/1579/0/20.07.2011

624	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219 /1997	CUI 9234919	0234/511711 /580010; e-mail office@term abacau.ro	Cazane abur	-	-	-	-	-	Qmax=<25t/h, pmax=40bar, Tmax=<=250° C	BC/CR4/A/4/1759/1/03.05.2017
625	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219 /1997	CUI 9234919	0234/511711 /580010	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=40bar, Tmax=250° C	DISPR/CR4/A/4/3004/0/10.02.2012
626	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121 /1991	RO 1631352	0236/470870 / 470669	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Qmax=120t/h, Gcal, pmax=22bar, Tmax=150° C	BC/CR4/A,B,C/5/1653/0 /08.04.2016
627	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121 /1991	RO 1631352	0236/470870 / 470669	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=155bar, Tmax=540° C	BC/CR4/A,B,C/4/1287/1 /09.09.2013
628	Central	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/510 5/2004	CUI 16065111	0241/631350 /631340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540° C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/10 00/0/17.06.2011
629	Bucuresti	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/510 5/2004	CUI 16065111	0241/631350 /631340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540° C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/20 97/1/10.03.2014
630	Central	TERMICA SA	SUCEAVA, Str. Energeticianului, nr.1, Jud. Suceava	J33/310 /2002	CUI 14682110	0230/257066 /257663	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=<=420t/h, pmax=<=137bar, Tmax=<=540° C; Dmax=<=116Mw, pmax=<=26bar	DISPR/CR4/C/4,5/0855/ 0/11.05.2011

631	Central	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J08/184 /1998	CUI 10253388	0268/416380	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=430t/h, pmax<=140bar, Tmax<=450°C; Dmax<=125Gcal/h, pmax<=25bar	DISPR/CR4/A,B,C/4,5/1791/0/22.08.2011
632	Sibiu	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/136 9/1993	RO 4372015	0254/740577 /716823	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	SB/CR4/A,B,C/4,5/0127 /0/17.12.2010
633	Oradea	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/136 9/1993	RO 4372015	372715328	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	OR/CR4/A,B,C/4,5/1193 /1/06.08.2013
634	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141 /1993	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C/4/1053/1/05.10.2012
635	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141 /1993	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C/4/1053/2/18.10.2013
636	Bacau	TERMO INVEST SRL	BACAU, Str. Nordului, nr.38, Jud. Bacau	J04/438 /1997	RO 9458924	0234/519519	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=440°C; Dmax<=10Gcal/h, Pmax<=16bar, Tmax<=150°C	BC/CR4/A,B,C/4,5/0088 /0/15.09.2010
637	Oradea	TERMO MONTAJ SRL	SATU MARE, Str. Careiului, nr.162, Jud. Satu Mare	J30/208 5/1994	RO 6902657	0261/839735 ; e-mail office@termomontaj.ro	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Dmax<=30t/h, Pmax<=150bar, Tmax<=440°C	OR/CR4/A,B,C/4/1614/1 /03.07.2018

638	Oradea	TERMO MONTAJ SRL	SATU MARE, Str. Careiului, nr.162, Jud. Satu Mare	J30/208 5/1994	RO 6902657	0261/839736 /839735	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax<=30t/h, Pmax<=16bar, Tmax<=350°C	OR/CR4/A,B,C/4/0021/0 /24.06.2010
639	Central	TERMO SISTEMS CONTROL SRL	BUCURESTI, Str. Ionita Cegan, nr. 4, b;l. P12, sc. 1, et. 1, ap. 6, sector 5	J40/977 /2001	CUI 13671180	021/3148123 / 4440174	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=210t/h, pmax=180bar, Tmax=450°C; Dmax=100Gcal/h , pmax=16bar	DISPR/CR4/A/4,5/3089/ 0/17.02.2012
640	Central	TERMO VULCAN SRL	TG. MURES, Str. Depozitelor, nr.13A, Jud. Mures	J26/233 5/1992	CUI 1213457	0265/227363	Cazane abur	-	Cazane abur	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/A,C/4/2937/ 0/12.01.2012
641	Central	TERMODAV SRL	BRAGADIRU, Str. lederei, nr.63D, Jud. Ilfov	J23/324 3/2008	CUI 24619986	0740044941; 031/8081274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/16 15/0/01.08.2011
642	Bucuresti	TERMODAV SRL	BRAGADIRU, Str. lederei, nr.63D, Jud. Ilfov	J23/324 3/2008	CUI 24619986	031/8081274	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=220t/h, pmax=150bar, Tmax=470°C; Dmax500Gcal/h, pmax=24ba	B/CR4/E/4,5/0462/0/04 .11.2010
643	Central	TERMOELECTRICA SA-Sucursala ELECTROCENTRALE BRAILA	Com. CHISCANI, Str. Principala, nr.317, Jud. Braila	J09/306 /2000	CUI 13564265	0239/611550 /664572	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=155bar, Tmax<=540°C; Dmax<=100Gcal, pmax<=22bar	DISPR/CR4/B,C/4,5/202 9/0/30.09.2011
644	Oradea	TERMOFICARE ORADEA SA	ORADEA, Str. Jean Calvin, nr. 5, Jud. Bihor	J05/109 5/2013	CUI 31952982	0359/409511	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=570°C	OR/CR4/A,B,C/4/1534/0 /27.04.2017

645	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/934 8/2001	CUI 14279496	021/2550294	Cazane abur	-	-	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4/2867/0/ 27.01.2012
646	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/934 8/2001	CUI 14279496	021/2550294	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/2868/ 0/27.01.2012
647	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/934 8/201	CUI 14279496	021/2550294	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=30Gcal/h, pmax=15bar	DISPR/CR4/A,B,C/4,5/28 67/1/15.03.2012
648	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/392 7/1994	CUI 6589364	0264/431587	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/G/4,5/07941 /0/10.05.2011
649	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/392 7/1994	RO 6589364	0264/431587 /596750	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4,5/0077/0/0 8.09.2010

650	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj; CLUJ NAPOCA, Str. Vasile Lupu, nr.20, bl.M8, ap.6, Jud. Cluj	J12/392 7/1994	RO 6589364	0264/431587 /596750	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=25t/h, pmax=16bar, Tmax=350°; Dmax=10Gcal/h, pmax=16bar,	CJ/CR4/E/4,5/0083/0/1 0.09.2010
651	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/392 7/1994	CUI 6589364	0264/431587 /596750	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	-	CJ/CR4/A,B,C/4,5/0190 /0/31.12.2010
652	Central	TERMOREP SRL	RAMNICU VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576 /1991	RO 1469332	0250/737308 /737302	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=565 °C; Dmax<=100Gcal/ h, pmax<=30bar, Tmax<=175 °C	DISPR/CR4/A,B,C/4,5/12 12/0/22.06.2011

653	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr. 14/17, Jud. Valcea	J38/576 /1991	CUI 1469332	0250/737308 /737302; 0744549436	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110° C	DISPR/CR4/G/4,5/1559/0/19.07.2011
654	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576 /1991	CUI 1469332	0250/737308 /737302	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570° C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E/4,5/2126/11.10.2011
655	Cluj	TERMOSISTEM PROD SRL	CLUJ NAPOCA, Str. Piata Abator, Bl.C3, ap.19, Jud. Cluj	J12/321 4/2005	RO 17934344	0264/484810	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350° C; Dmax=5Gcal/h, pmax=16bar	CJ/CR4/A,B,C/4,5/0024/0/11.06.2010
656	Sibiu	SC TERMOSISTEM PROD SERV SRL	CLUJ-NAPOCA, P-ta Abator , nr 3, Jud Cluj	J12/321 4/2005	RO 17934344	0722667174, email termosistem prodserv@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=16 bar, Qmax=10t/h, Tmax=350° C, Dmax=5Gcal/h, pmax=16 bar	SB/CR4/A,B,C/4,5/2053/1/02.04.2020
657	Brasov	TERMOSUD CONSULT SRL	BUZAU, Cart. Episcopiei, bl.C11, ap.13, Jud. Buzau	J10/237 /1999	RO 11874952	0238/717802	Cazane de abur	-	-	-	-	-	Q<=10t/h, p<=40bar, T<=450° C	BV/CR4/A/4/1104/0/24.01.2013
658	Central	TEST NDT LABORATOR SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, demisol, Jud. Cluj	J12/255 /2013	RO 31156809	0746106196; 0264/596750	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=250bar, Tmax=600° C; Dmax=150Gcal/h, Pmax=160bar	DISPR/CR4/E/4,5/3939/0/23.05.2016

659	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/156 /1992	CUI 744639	0230/523406 / 522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=40bar, Tm>110°C	BC/CR4/A,C/4,5/1113/0 /14.12.2012
660	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/156 /1992	CUI 744639	0230/523406 / 522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=40bar	BC/CR4/A,C/4,5/1113/1 /04.07.2013
661	Sibiu	TEXCO ENERGIE SRL	SIBIU, Str. Catina Ioan, nr.4, Jud. Sibiu	J32/471 /2013	RO 31693632	0727369779, 0729369777; e-mail c.selzer@texco.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, Pmax=20bar, Tmax=350°C; Dmax=10Gcal/h, Pmax=20bar, T>110°C	SB/CR4/A,B,C/4,5/1949 /1/10.06.2019
662	Sibiu	TEXCO ENERGIE SRL	SIBIU, Str. Catina Ioan, nr.4, Jud. Sibiu	J32/471 /2013	RO 31693632	0269/237325	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, Pmax=20bar, Tmax=350°C; Dmax=10Gcal/h, Pmax=20bar, T>110°C	SB/CR4/A,B,C/4,5/1224 /0/10.09.2013
663	Bacau	THERMOENERGY Group SA	BACAU, str Chimiei, nr 6, Jud Bacău	J4/882/ 2014	CUI 33620670	0234585050/ 0234519650, email secretariat@thermoenergy.ro	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤100t/h, pmax≤60bar, Tmax≤550°C; Dmax≤100Gcal/h, pmax≤26 bar	BC/CR4/C/4,5/1958/1/2 6.08.2020
664	Bacau	THERMOENERGY Group SA	BACAU, str Chimiei, nr 6, Jud Bacău	J4/882/ 2014	CUI 33620670	0234585050/ 0234519650, email secretariat@thermoenergy.ro	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤100t/h, pmax≤60bar, Tmax≤465°C; Qmax≤100Gcal/h, pmax≤26 bar	BC/CR4/C/4,5/1958/0/1 6.03.2020

665	Bacau	THERMOENERGY Group SA	BACAU, str Chimiei, nr 6, Jud Bacău	J4/882/2014	CUI 33620670	0234585050/ 0234519650, email secretariat@ thermoenerg y.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0,5 bar; T>110 °C	BC/CR4/G/4,5/1959/0/1 6.03.2020
666	București	TIAB SA	BUCURESTI, str Pictor Arthur Verona, nr 17, sector 1	J40/1847/1991	RO 1555115	0213021230/ 0213021231; email office@tiab. ro	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400 °C; Pmax=16bar, Qmax=10t/h	B/CR4/A/4,5/3640/0/20 .01.2020
667	Bucuresti	TMUCB SA	BUCURESTI, Str. Lujerului, nr. 26, sector 5	J40/1171/1991	CUI 2786487	021/3171060 /3129542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600 °C; Pmax=25bar, Qmax=100Gcal/h	B/CR4/A,B,C/4,5/2786/ 1/06.04.2016
668	Central	TMUCB SA	BUCURESTI, Str. T. Argezei, nr.8-10, et.5, sector 2	J40/1171/1991	CUI 2786487	021/3165669 /3129542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600 °C; Pmax=25bar, Qmax=100Gcal/h	DISPR/CR4/A,B,C/4,5/14 96/0/19.07.2011
669	Brasov	TOTAL MONTAJ SRL	Sat TATARANI, Com. Barcanesti, nr. 237A, Jud. Prahova	J29/187/1994	RO 5165670	0244/276783	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=80bar, Tmax=440 °C; Dmax=50Gcal/h, pmax=80bar	BV/CR4/C/4,5/1782/1/1 5.11.2018
670	Central	TOTAL MONTAJ SRL	Sat TATARANI, Com. Barcanesti, nr. 237A, Jud. Prahova	J29/187/1994	RO 5165670	0372704946; 0244/276783	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=80bar, Tmax=440 °C; Dmax=50Gcal/h, pmax=80bar	DISPR/CR4/C/4,5/3693/ 0/30.05.2012

671	Cluj	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea, nr.1, jud. Cluj	J12/515 9/1992	RO 2897361	0264/431198 / 431202	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, pmax<=20bar, Tmax=350° C; D<=5Gcal/h, pmax<=20bar	CJ/CR4/A,B,C/4,5/0042 /0/01.08.2010
672	Sibiu	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea,, nr.1, Jud. Cluj	J12/515 9/1992	RO 2897361	0264/431198 / 431202	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=20bar, Tmax<=350° C; Dmax<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B,C/4,5/1106 /1/09.11.2012
673	Bucuresti	TUBAL EXPERT SRL	BUCURESTI, Str. Dunavat, nr.9, bl.57, sc.5, ap.74, sector 5	J40/107 87/2010	CUI 27681303	031/8010757	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570° C; Dmax=50Gcal/h, pmax=24bar	B/CR4/E/8/0612/0/23.0 2.2010
674	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/224 /2015	RO 3429180	0755561119	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Dmax=100Gcal/h , pmax=140bar	B/CR4/A,B,C/5/3212/0/ 01.03.2018
675	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/224 /2015	RO 3429180	0755561119, e-mail valeriu.silvinschi@turboenergypower.com	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=200bar, Tmax=540° C	B/CR4/A,B,C/4/2777/1/ 24.05.2019
676	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/224 /2015	RO 3429180	0755561119	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=200bar, Tmax=540° C	B/CR4/A,B,C/4/2777/0/ 29.04.2016

677	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139B, corp A, sector 6	J40/223 70/2007	CUI 19231430	0213153294/ 3153296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570° C; Dmax=100Gcal/h , Pmax=30bar	DISPR/CR4/E/4,5/2921/ 2/13.02.2019
-----	---------	----------------------------	--	--------------------	-----------------	------------------------	---	---	---	--	---	---	---	---------------------------------------

678	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/223 70/2007	CUI 19231430	0213153294/ 3153296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570°C; Dmax=100Gcal/h , Pmax=30bar	DISPR/CR4/E/4,5/2921/ 1/25.03.2013
-----	---------	----------------------------	--	--------------------	-----------------	------------------------	---	---	---	--	---	---	--	---------------------------------------

679	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/223 70/2007	CUI 19231430	0213153294/ 3153296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570° C; Dmax=100Gcal/h , Pmax=30bar	DISPR/CR4/E/4,5/2921/ 0/01.02.2012
680	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/823 1/2002	CUI 14842360	021/3306600 /3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3315/ 5/26.02.2019

681	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/823 1/2002	CUI 14842360	021/3134419 /3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3315/ 4/17.02.2016
-----	---------	------------------------	---	-------------------	-----------------	-------------------------	---	---	---	--	---	---	---	---------------------------------------

682	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/823 1/2002	CUI 14842360	021/3134419 /3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3315/ 3/16.10.2014
683	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, Spatiile D2 si C2, bl.D1, et.2, sector 1	J40/823 1/2002	CUI 14842360	021/3306600 /3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3315/ 2/23.03.2012

684	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr.155, bl.D1, Tronson 5, et.2, spatiile D2 si C2, sector 1	J40/823 1/2002	CUI 14842360	021/3306600 /3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h , pmax=25bar	B/CR4/E/4,5/0355/1/05 .10.2010
685	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Bd. Gh. Sincai, nr.9A, bl.3A, et.3, ap.7 si 9, sector 4	J40/823 1/2002	CUI 14842360	021/3306600 /3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax>=120t/h, pmax=200bar, Tmax=540°C; Dmax=100Gcal/h , pmax=25bar	B/CR4/E/4,5/0001/0/19 .03.2010
686	Ploiesti	UNIVERSAL MONTAJ DARZEU SRL	BLEJOI, Sat Blejoi, nr.929, Jud. Prahova	J29/587 /1991	RO 1348209	0244/435516 / 435519	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	100bar>=p>0.5bar, Qmax=120t/h, Tmax=500°C; 25bar>=p>0.5bar , Dmax=50Gcal/h, Tmax=150°C	PL/CR4/A,B,C/4,5/0032 /0/07.05.2010

687	Central	UNIVERSITATE A POLITEHNICA BUCURESTI- Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei, nr.313, corp J, sala JF 002, sector 6	-	CUI 4183199	021/4029592 / 3169564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650 °C; Dmax=150Gcal/h , pmax=40bar	DISPR/CR4/E/4,5/1460/ 0/21.07.2011
688	Central	UNIVERSITATE A POLITEHNICA BUCURESTI- Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei, nr.313, corp J, sala JF 002, sector 6	-	CUI 4183199	021/3169564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=540 °C; Dmax=50Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1460/ 0/21.07.2011

689	Central	URS CERTIFICARI SRL (fost ROS SYSTEMA SRL)	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/194 8/2007	CUI 22685444	0265/267017	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3841/ 2/16.07.2019
690	Central	URS CERTIFICARI SRL (fost ROS SYSTEMA SRL)	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/194 8/2007	CUI 22685444	0265/267017 ; 0365/430565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570° C; Dmax=100Gcal/h , pmax=25bar	DISPR/CR4/E/4,5/3841/ 1/02.08.2017
691	Central	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitii, nr.2, Jud. Salaj	J31/13/ 2002	CUI 14397920	0260/662101	-	-	Cazane abur	-	-	-	Qmax=120t/h, pmax<=40bar, Tmax<=250° C	DISPR/CR4/C/4/0056/0/ 24.02.2011
692	Central	UZINA TERMOELECTRI CA GIURGIU SA	GIURGIU, Sos. Sloboziei, nr.194, Jud. Giurgiu	J52/308 /2001	CUI 14351222	0769/060322 ; 0246/216665	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=280° C; Dmax=10Gcal/h, pmax=40bar, Tmax=150° C	DISPR/CR4/C/4,5/3581/ 0/08.05.2012
693	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/69/ 1991	RO 1632285	0236/449016 / 448348 /448238/ 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570° C; Dmax=460Gcal/h , pmax=180bar	DISPR/CR4/E/4,5/3898/ 2/24.07.2017

694	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/69/ 1991	RO 1632285	0236/449016 / 448348 /448238/ 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570°C; Dmax=460Gcal/h , pmax=180bar	DISPR/CR4/E/4,5/3898/ 1/05.02.2015
695	Galati	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/69/ 1991	RO 1632285	0236/449016 / 448348 /448238/ 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570°C; Dmax=460Gcal/h , pmax=180bar	GL/CR4/E/4,5/0034/0/2 5.06.2010
696	Bucuresti	VALEST TERMIC TRUST SRL	BUCURESTI, Cal. 13 Septembrie, nr. 106, bl. 50, et. 3, ap. 9, sector 5	J40/768 2/2011	CUI 28671251	021/4566466	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2630/0/08 .10.2015
697	Craiova	VEIT AMROTEX SRL	CRAIOVA, Str. Romul, nr.2, bl.T3B, ap.3, Jud. Dolj	J16/113 7/1998	RO 11190717	0251/412155	Cazane abur	-	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=220°C	CR/CR4/A,C/4/0017/0/1 0.05.2010
698	Brasov	VISSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/119 7/1998	CUI 11075840	0268/407800 / 407840; e- mail: info- ro@viessman n.com	Cazane abur, apa firbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350°C; D<=25Gcal/h, p<=30bar	BV/CR4/A/4,5/1151/2/1 1.10.2016

699	Brasov	VISSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/119 /7/1998	CUI 11075840	0268/407800 / 407840; e-mail: info-ro@viessmann.com	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350°C; D<=25Gcal/h. p<=30bar	BV/CR4/A/4,5/1151/1/2 7.06.2013
700	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340 /1991	CUI 1126350	0268/241120 /241800	-	-	Cazane abur	-	-	-	Qmax<=120t/h, pmax<=100bar, Tmax<=450°C	DISPR/CR4/C/4/1626/0/ 19.07.2011
701	Central	VLAD ALEX TERMO SRL	BUCURESTI, Bd. Ion Mihalache, nr.96, bl.44B, sc.A, et.6, ap.12, sector 1	J40/279 24/1993	CUI 5039893	021/6665306	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax<=5t/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/G/4,5/1268/ 0/05.07.2011
702	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239 /1991	CUI 1454846	0237/640800 /641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/B,C/4/2020/ 0/29.09.2011
703	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239 /1991	RO 1454846	0337/640800 / 641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C/4/1130/2/1 6.06.2014
704	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239 /1991	RO 1454846	0337/640800 / 641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C/4/1130/1/1 7.01.2013
705	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256 /2013	RO 31156795	0264/431587 / 596750; e-mail vtuechipamente@yahoo.com	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0.5bar, T>110°C	SB/CR4/G/4,5/1551/0/0 9.02.2016

706	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256/2013	RO 31156795	0264/431587 / 596750; e-mail vtuechipamente@yahoo.com	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	SB/CR4/H/4,5/1545/0/2 8.01.2016
707	Bacau	WATER CHEM CONSULTING SRL	BACAU, Calea Barladului, nr. 175 C1, Jud. Bacau	J4/682/2016	CUI 36093167	0748673305	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	BC/CR4/H/4,5/1688/1/3 0.07.2017
708	Bacau	WATER CHEM CONSULTING SRL	MAGURA, Com. Magura, Jud. Bacau	J4/682/2016	CUI 36093167	0748673305	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	BC/CR4/H/4,5/1688/0/1 4.07.2016
709	Central	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/2003	CUI 15498230	0361/420550 /429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/27 80/0/17.01.2012
710	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/2003	CUI 15498230	0361/420550 /429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal/h, pmax=16bar	OR/CR4/A,B,C/4,5/1140 /1/07.05.2013
711	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/2003	CUI 15498230	0361/420550 /429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=100bar, Tmax=600°C; Dmax=100Gcal/h, pmax=100bar	OR/CR4/A,B,C/4,5/1140 /2/23.07.2014



