

Persoane juridice autorizate conform PT CR4-2009 pentru efectuarea de lucrari la Dispozitive de siguranta- reglementate de PT C7/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat	Parametrii	Autorizatii
1	Bacau	A5 INVEST SRL	ONESTI< Str. Industriilor, nr. 3, Jud. Bacau	J04/1096/2012	RO 17701390	0234/302350/ 302340e-mail mecanic@chimcomp lex.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=40bar	BC/CR4/K,L/14/1687/1/1 1.11.2019
2	Bacau	A5 INVEST SRL	ONESTI< Str. Industriilor, nr. 3, Jud. Bacau	J04/1096/2012	RO 17701390	0234/302340	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=40bar	BC/CR4/K,L/14/1687/0/2 9.06.2016
3	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0251/543105/52126 6; 0744572075	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/3254/0 /14.03.2012
4	Bucuresti	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0251/543105/52126 6; 0744572075	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=450bar	B/CR4/K,L/14/1932/1/23. 12.2013

5	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4; BUCURESTI, Str. Popa Stoica Farcas, nr. 68, Corp A, parter, birou 1, sector 3	J40/8786/2015	CUI 29686854	0729113637, 031/4260522; e-mail office@abccontrol.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=300mm	B/CR4/K,L/14/2740/2/02.10.2020
6	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4; BUCURESTI, Str. Popa Stoica Farcas, nr. 68, Corp A, parter, birou 1, sector 3	J40/8786/2015	CUI 29686854	0729113637, 031/4260522; e-mail abccontrol@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=50bar	B/CR4/K,L/14/2740/1/07.03.2019
7	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4	J40/8786/2015	CUI 29686854	0729113637, 031/8149718; e-mail abccontrol@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=50bar	B/CR4/K,L/14/2740/0/16.03.2016
8	Bucuresti	ABC SYSTEMS SRL	DR. TN. SEVERIN, Calea Timisoarei, nr.175B. Jud. Mehedinti	J25/1584/1994	RO 6667578	0252/329362/329363	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1672/0/02.07.2013

9	Sibiu	ABCONY SERV SRL	CLUJ NAPOCA, Str. Oasului, nr. 86-90, bl. K1/1, Jud. Cluj	J12/156/2014	RO 32687612	0364/882140, 0742072978; e-mail paul@abcony.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	SB/CR4/K/14/1940/0/17.0 5.2019
10	Bacau	AEROSTAR SA	BACAU, Str. Condorilor, nr.9, Jud. Bacau	J04/1137/1991	CUI 950531	0234/572023/ 572259	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=410bar, Dn=150mm	BC/CR4/K,L/14/1058/0/0 3.10.2012- retragere voluntara incepand cu 10.08.2016
11	Brasov	AHIL F & M SRL	BUZAU, Str. Veteranilor, nr. 5, Jud. Buzau	J10/321/1993	CUI 3868348	0238/722274, 0721484474; e-mail ahilfm@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=700bar, Dn=400mm	BV/CR4/K,L/14/1795/0/2 9.01.2019
12	Oradea	AIB SMART SERVICES SRL	TIMISOARA, Str. Dr. Carol Davila, nr. 44, camera 4, Jud. Timis	J35/2854/2016	CUI 36649700	0740585844	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=150mm	OR/CR4/K,L/14/1722/0/2 1.11.2019
13	Bucuresti	AIR SERVICE DELTA SRL	STEFANESTI, Sat Valea Mare Podgoria, Str. Macilor, nr. 10, Jud. Arges	J03/440/1998	CUI 10868600	0248/213163, 0722601653; e-mail office@miefrig.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	B/CR4/K,L/14/3107/1/29. 06.2017

14	Central	AIR SERVICE DELTA SRL	PITESTI, Str. Eremia Grigorescu, bl.R1bis, sc.B, ap.5, Jud. Arges	J03/440/1998	CUI 10868600	0248/213163	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/2346/0 /02.11.2011
15	Sibiu	ALFATRONIC SRL	CLUJ NAPOCA, Str. Rasinari, nr. 1/19, Jud. Cluj; CLUJ NAPOCA, Str. Caragiale, nr. 2-8/21, Jud. Cluj	J12/2664/2007	RO 21914302	0723670380; 0264/403399; e-mail tudorbalacescu@yahoo.com	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=15bar	SB/CR4/K/14/1475/0/01.07.2015
16	Bucuresti	ALPHA EXPERT TERM SRL	BUCURESTI, Al. Zarandului, nr. 2, bl. 468, ap. 12, sector 2; BUCURESTI, Str. Vultureni, nr. 21, demisol, ap. 1, sector 4	J40/20552/2008	RO 24845282	0769250735, 021/4600735/4600730	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=200bar	B/CR4/K,L/14/3345/0/06.11.2018
17	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	RO 17488233	0234/575440/575413	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=500mm	BC/CR4/K,L/14/0080/0/23.09.2010- retragere incepand cu 30.08.2016
18	Bacau	ANTIBIOTICE SA	IASI, Str. Valea Lupului, nr.1, Jud. Iasi	J22/285/1991	CUI 1973096	0232/220040/211020; interventie 0232/209000/int. 5336	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=160bar	BC/CR4/K,L/14/1875/1/01.11.2018

19	Central	ANTIBIOTICE SA	IASI, Str. Valea Lupului, nr.1, Jud. Iasi	J22/285/1991	CUI 1973096	0232/209000/20963 3	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=160bar	DISPR/CR4/K,L/14/0837/0 /23.05.2011
20	Bacau	AQUASERV SRL	BARLAD, Str. 1 Decembrie, nr. 22, Jud. Vaslui	J37/464/1991	RO 832242	0235/411306; e-mail office@aquaservbarlad.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1589/0/2 6.08.2015
21	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl.S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	DISPR/CR4/K,L/14/1796/0 /26.08.2011
22	Sibiu	ARHICAD INSTAL SRL	CLUJ NAPOCA, Str. Barc 1, nr. 55, ap. 6, Jud. Cluj	J12/1421/2013	CUI 31595995	0264/437106; 0744270309	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=60bar	SB/CR4/K,L/14/1569/0/25 .01.2016
23	Central	ARMAX GAZ SA	MEDIAS, Str. Aurel Vlaicu, nr.35A, Jud. Sibiu	J32/127/1991	CUI 803727	0269/845864/84595 6	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=60bar	DISPR/CR4/K,L/14/1713/0 /10.08.2011

24	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444/226445; 0253/226140/226045	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	B/CR4/K,L/14/2861/1/25.08.2016
25	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226443/226114	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	DISPR/CR4/K,L/14/2696/0/21.12.2011
26	Pitesti	AUTOMOBILE DACIA SA	MIOVENI, Str. Uzinei, nr.1, Jud. Arges	J03/81/1991	RO 160796	0248/342507/342001	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	PT/CR4/K,L/14/0148/0/21.12.2010
27	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, p=250bar	SB/CR4/K,L/14/0168/0/28.02.2011
28	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/1001/1/05.06.2012

29	Bucuresti	A&G ROTERM SERVICE SRL	CONSTANTA, Str. Atelierelor, nr. 31, camera 1, Jud. Constanta	J13/332/2006	RO 18361300	0741258008; 0241/520976; e-mail rotermervice@yahoo.com	Verificare(la deschidere- inchidere)	DNmax=150mm, Pmaxp=20bar	B/CR4/K/14/2666/0/28.10.2015
30	Central	B B VERIF SRL	MIERCUREA CIUC, Str. Ion Caianu, nr.76, Jud. Harghita	J19/1128/2005	CUI 18207298	0744130704; 0266/310642	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/2922/0/01.02.2012
31	Tg. Mures	BEN COM MIXT SRL	GHEORGHENI, Str. Gabor Aron, nr. 5, Jud. Harghita	J19/747/1992	RO 530309	0266/364801/364094	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pn=25bar	MS/CR4/K,L/14/0009/0/12.05.2010
32	Brasov	BEN COM MIXT CONSTRUCT SRL	GHEORGHENI, Str. Gabor Aron, nr. 5, Jud. Harghita	J19/310/2010	RO 27480709	0266/364801/364094	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, Pn<=25bar	BV/CR4/K,L/14/1758/0/19.06.2018
33	Central	BEST FOR YOU SRL	SUCEAVA, Str. Amurgului, nr.10, bl.106, sc.C, ap.8, Jud. Suceava	J33/19/2006	CUI 18267400	0330/881561; 0741031318	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2975/0/06.02.2012

34	Brasov	BETATEC SYSTEMS SRL	BUCURESTI, Calea Mosilor, nr. 255, bl. 55, sc. 1, et. 2, ap. 9, sector 2; BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 33G, Jud. Prahova	J40/2687/2016	CUI 35703771	0728967762; 021/2111839; e-mail info@betatec.net	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=200bar	BV/CR4/K,L/14/1627/0/2 3.12.2016
35	Oradea	BLESSING CONAR SRL	NEGRESTI OAS, Bd. Unirii, nr.64, Jud. Satu Mare	J30/313/2009	CUI 25414849	0261/854677	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=35bar Dn<=100mm	OR/CR4/K,L/14/1070/0/2 9.10.2012
36	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, Str.Aleksandr Sergheevici Puşkin, nr 10, camera C15, et 3, sector 1; POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/2014	RO 33446663	0737977799, email filippo.scurti@bonatti.it	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/2/27. 05.2020
37	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, str Aleksandr Sergheevici Puşkin, nr 10, camera C15, et 3, sector 1; MORENI, str Alexandru Ioan Cuza, nr 9, Jud Dâmbovița	J40/9115/2014	RO 33446663	0737977799, email filippo.scurti@bonatti.it	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=200bar	B/CR4/K,L/14/2528/1/27. 05.2020

38	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/2014	CUI 33446663	021/4024100	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/1/12. 10.2015
39	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/2014	CUI 33446663	021/4024100	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/0/02. 07.2015
40	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 6, MORENI, Str. Alexandru Ioan Cuza	J40/9115/2014	CUI 33446663	021/4024100	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, PN=200bar	B/CR4/K,L/14/2528/0/18. 05.2015
41	Brasov	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/2776/2006	RO 18403561	0344/4228822/ 4228823	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, pmax=200bar	BV/CR4/K,L/14/1517/1/2 3.12.2015- suspendare voluntara incepand cu 14.03.2016
42	Ploiesti	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/2776/2006	RO 18403561	021/2111838/ 2111839	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, PN=200bar	PL/CR4/K,L/14/0071/0/2 7.05.2010

43	Pitesti	BOPP & REUTHER ZIKESCH MAINTENANCE SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PITESTI, Str. Petrochimistilor, nr.127, Jud. Arges	J40/2776/2006	RO 18403561	021/2111838/ 2111839; 0248/615491	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=200bar, DN<=200mm	PT/CR4/K,L/14/0047/0/0 8.06.2010
44	Bucuresti	BRALLCON PROIECT SRL	TG. JIU, Componenta Romanesti, nr. 66, Jud. Gorj	J18/205/2010	RO 26831097	0724246240	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/2653/0/20. 11.2015
45	Central	BRICHET GROLUP SRL	CAREI, Str. Duzilor, nr.96A, Jud. Satu Mare	J30/305/2005	CUI 17322230	0723195305; 0361/862846	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/3195/0 /06.03.2012
46	Bacau	BURNER SERVICE SRL	IASI, Aleea Tudor Neculai, nr. 99, bl. 989A, sc. B, et. 4, ap. 18, camera 1, Jud. Iasi	J22/317/2014	CUI 32851307	0332/433505; 0744707150	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=1500mm, pmax=40bar	BC/CR4/K,L/14/1531/0/2 3.02.2015
47	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/2603/1996	CUI 8297854	021/4087300/40873 29;e-mail office@butangas.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	B/CR4/K/14/0286/3/18.0 6.2020

48	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/2603/1996	CUI 8297854	021/4087300/4087329;e-mail office@butangas.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	B/CR4/K/14/0286/2/09.07.2018
49	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/2603/1996	CUI 8297854	021/4087300/4087329	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	B/CR4/K/14/0286/1/23.12.2014
50	Central	BUTANGAS ROMANIA SA	BUCURESTI, Str. Coralilor, nr.18, sector 6	J40/2603/1996	CUI 8297854	021/4087333/4087330	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	DISPR/CR4/K/14/0286/0/28.03.2011
51	Iasi	C&A CONSULTING SRL	VASLUI, Str. 1 Decembrie, nr.1, Jud. Vaslui	J37/398/1996	RO 8967466	0235/312725	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dn max=200mm	IS/CR4/K,L/14/0153/0/21.12.2010
52	Brasov	CALDOTHERM SRL	BRAȘOV, str Zizinului, nr 102, bloc 101, scara C, ap 16, Jud Brașov	J8/2545/2017	CUI 38188697	0745523286	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=50mm, pmax=40bar	BV/CR4/K,L/14/1734/1/17.02.2020
53	Ploiesti	CALIBRA STIL 2005 SRL	BUZAU, Str. Caraiman, nr.21A, jud. Buzau	J10/473/2005	RO 17453480	0238/718366	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, PNmax=20bar	PL/CR4/K,L/14/0091/0/28.06.2010

54	Bacau	CALORGAL SA	GALATI, Str. Crizantemelor, nr. 6, corpul A, Jud. Galati	J17/1354/2012	RO 30925017	0236/473100/465550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=400bar	BC/CR4/K,L/14/1717/1/03.04.2018
55	Bacau	CALORGAL SA	GALATI, Str. Crizantemelor, nr. 6, corpul A, Jud. Galati	J17/1354/2012	RO 30925017	0236/473100/465550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	BC/CR4/K,L/14/1717/0/17.11.2016
56	Central	CARBOETALON SRL	CLUJ NAPOCA, Str. Ravasului, nr.1, ap.17, Jud. Cluj	J12/611/1999	CUI 11759236	0264/437034	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/1668/0/26.07.2011
57	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/2002	RO 14821677	021/6551092/2422704; e-mail carionsrl@msn.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/1147/3/13.08.2020
58	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/2002	RO 14821677	021/6551092/2422704; e-mail carionsrl@msn.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/1147/2/03.09.2018

59	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/2002	RO 14821677	0722402944; 021/2422704; e-mail carionsrl@msn.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/1147/1/04.02.2016
60	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/2002	RO 14821677	021/2422704	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar	B/CR4/K,L/14/1147/0/09.10.2012
61	Bacau	CAROMET SA	CARANSEBES, Drumul DN 68, Km 3.2, Jud. Caras Severin	J11/6/1991	RO 1066631	0234/302240/302340	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm; pmax=40bar	BC/CR4/K,L/14/0028/0/25.05.2010
62	Sibiu	CBS EASTERN EUROPE SRL	SELIMBAR, Str. Tiglarilor, nr. 101, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/408917/408918	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1831/3/22.06.2018
63	Sibiu	CBS EASTERN EUROPE SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camere 401/402/403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/408917/408918	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1489/2/23.07.2015
64	Sibiu	CAVERION BUILDING SERVICES SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camera 403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/408917/408918	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1274/1/12.02.2014

65	Bucuresti	CENTRAL INSTAL IMPEX SRL	BUCURESTI, Str. Liviu Rebreanu, nr. 23, bl.M10, sc. 2, et. 1, ap. 28, sector 3; BUCURESTI, Str. Sabinelor, nr. 87, sector 5	J40/1002/2003	RO 15159137	021/6441323; e-mail central_instal@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	-	B/CR4/K,L/14/2520/0/20.04.2015
66	Central	CENTRALA ELECTRICA DE TERMIFICARE ARAD SA	ARAD, Str. 6 Vanatori, Jud. Arad	J02/336/2002	CUI 14593668	0257307455/213160	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax<=150mm, pmax<=16bar, fluid incercare apa; Dnmax<=50mm, pmax<=16bar, fluid incercareazot	DISPR/CR4/K/14/2509/0/24.11.2011
67	Bacau	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, constructia C2, Jud. Braila	J09/525/2010	CUI 26471760	0239/683324; e-mail cerves_33@yahoo.com	Verificarea(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	BC/CR4/K,L/14/1570/1/21.07.2015
68	Central	CERVES SRL	BRAILA, Str. Poet Grigore Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525/2010	CUI 26471760	0239/683324	Verificarea(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	DISPR/CR4/K,L/14/2702/0/05.01.2012

69	Bucuresti	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601/733603	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=300mm, pmax<=160bar	B/CR4/K,L/14/3522/1/10.10.2019
70	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601/733603; 0726818592	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=300mm, pmax<=160bar	DISPR/CR4/K,L/14/2254/0/26.10.2011
71	Central	CET SA	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/799/2002	CUI 14716787	0268/333192/331129	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=64bar	DISPR/CR4/K,L/14/0044/0/25.02.2011
72	Central	CHEMGAS HOLDING CORPORATION SRL	SLOBOZIA, Sos. Calarasi, Km4, Pavilion Administrativ, Camera Protocol si Camera Consilier, et.2, Jud. Ialomita	J21/21/2009	CUI 24978785	0243/365108	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=360bar	DISPR/CR4/K,L/14/0904/0/18.05.2011
73	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/531536/539028	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/0/06.07.2012- retragere voluntara (radiere) incepand cu 26.08.2019

74	Suceava	CIBOGAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8-10, Jud. Botosani	J07/1038/1994	RO 6566670	0231/531536/ 539028	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=50mm PN=16bar	SV/CR4/K,L/14/0048/0/1 3.12.2010
75	Bacau	CIBOGAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/531536/ 539028	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/1/1 0.03.2014
76	Oradea	CITADIN ZALAU SRL	ZALAU, Str. Fabricii, nr. 28, Jud. Salaj	J31/241/210	RO 27243753	0260/612837/ 611543; e-mail citadinzalau@gmail. com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p<=35bar, Dn<=100mm	OR/CR4/K,L/14/1576/1/0 7.02.2019
77	Oradea	CITADIN ZALAU SRL	ZALAU, Str. Fabricii, nr. 28, Jud. Salaj	J31/241/210	RO 27243753	0260/612837/ 611543; e-mail citadinzalau@gmail. com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p<=35bar, Dn<=100mm	OR/CR4/K,L/14/1576/0/1 5.11.2017
78	Oradea	CLIMA SERV CONSTRUCT SRL	Sat VALARI, Com. Toplita, nr.17, Jud. Hunedoara	J20/177/2006	CUI 18352425	0354/402871/40505 4	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar Dnmax=150mm	OR/CR4/K,L/14/1041/0/2 2.08.2012

79	Oradea	CLIMAROL PREST SRL	ORADEA, Str. Grigore Ureche, nr.15, ap.48, Jud. Bihor	J05/3172/1993	RO 4738249	0259/418270; 0788315422	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar Dnmax=100mm	OR/CR4/K/14/0014/0/28.05.2010
80	Bucuresti	CLIMATERM 2000 SRL	BUCURESTI, Str. Semicercului, nr.12, subsol, sector 1	J40/2868/1998	CUI 10547316	021/2221297/2233602; e-mail office@cliterm2000.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	B/CR4/K,L/14/2938/1/24.11.2016
81	Central	CLIMATERM 2000 SRL	BUCURESTI, Str. Lugoj, nr.25, sector 1	J40/2868/1998	CUI 10547316	021/2233602/2221397	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	DISPR/CR4/K,L/14/2627/0/21.12.2011
82	Brasov	CLIMATIC INSTAL SOLUTIONS SRL	PLOIESTI, Str. Mihai Bravu, nr. 239, bl. C4, ap. 16, Jud. Prahova	J29/1829/2016	RO 3660155	0727897303, 0744931574; e-mail office@climatic-instal.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=40bar	BV/CR4/K,L/14/1769/1/25.10.2019
83	Brasov	CLIMATIC INSTAL SOLUTIONS SRL	PLOIESTI, Str. Mihai Bravu, nr. 239, bl. C4, ap. 16, Jud. Prahova	J29/1829/2016	RO 3660155	0727897303; e-mail ic-adi@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=40bar	BV/CR4/K,L/14/1769/0/28.08.2018

84	Brasov	CLIMATICOTHERM SRL	BRASOV, Str. Zizin, nr. 102, bl. 101, sc. C, et. 3, ap. 16, Jud. Brasov	J08/2545/2017	CUI 38188697	0745523286, climaticotherm@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=40bar	BV/CR4/K,L/14/1734/0/0 9.01.2018
85	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337/2012	CUI 30310461	0253/372556/ fax 0253 371590	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=150mm, Pn<=160bar	B/CR4/K,L/14/1226/2/20. 01.2020
86	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337/2012	CUI 30310461	0253/372556/ 371590	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=150mm, Pn<=160bar	B/CR4/K,L/14/1226/1/05. 07.2018
87	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337/2012	CUI 30310461	0253/372556/ 371590	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=150mm, Pn<=160bar	B/CR4/K,L/14/1226/0/14. 12.2012
88	Oradea	COMPLEXUL ENERGETIC HUNEDOARA SA- Sucursala ELECTROCENTRALE DEVA	PETROSANI, Str. Timisoara, nr.2, Jud. Hunedoara; MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/994/2012	CUI 30855230	0254/570790/ 236407/ 570481/ 236404; 0254/236403/ 236550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	OR/CR4/K,L/14/1279/0/1 0.04.2014

89	Central	COMTERM PROTECT INSTAL SRL	CIULNITA, Sat Ciulnita, Str. Stanjenei, nr.7, Jud. Ialomita	J21/72/2012	CUI 29900507	0766668811	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=50bar	DISPR/CR4/K/14/3471/0/ 17.04.2012
90	Brasov	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PLOIESTI, Str. Radu Stanian, nr.12, Jud. Prahova	J40/11976/2010	CUI 27787860	021/3167921/ 4119870; 0244/545240/ 545350	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	BV/CR4/K,L/14/1192/0/2 4.10.2013
91	Bucuresti	CNCIR SA	BUCURESTI, Str. Fluviului, nr. 16, sector 1; PITESTI, Str. Cozia, nr.1, Jud. Arges	J40/11976/2010	CUI 27787860	021/3167921/ 4119870; 0248/250882/ 220194; pitesti@cncir.eu	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	B/CR4/K,L/14/1852/1/31. 08.2018
92	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PITESTI, Str. Cozia, nr.1, Jud. Arges	J40/11976/2010	CUI 27787860	021/3167921/ 4119870; 0248/250882/ 220194	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	B/CR4/K,L/14/1852/0/23. 10.2013

93	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; CONSTANTA, Str. Razboieni, nr.13, Jud. Constanta	J40/11976/2010	CUI 27787860	021/3167921/4119870; 0241/611754/673323	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=46bar	B/CR4/K,L/14/1851/0/23.10.2013
94	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719; e-mail: confind@confind.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=100bar	BV/CR4/K,L/14/1398/3/27.06.2017
95	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719; e-mail: confind@confind.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1398/2/23.03.2015
96	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3453/0/19.04.2012
97	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719; e-mail: confind@confind.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1274/1/23.06.2014

98	Central	CONFORT THERM SRL	ALEXANDRU CEL BUN, Sat Bistrita, Jud. Neamt; PIATRA NEAMT, Str. Florilor, nr.25, Jud. Neamt	J27/228/1999	CUI 12078925	0233/234332; 0233/234721	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=50mm, pmax<=6bar	DISPR/CR4/K,L/14/1251/0 /23.06.2011
99	Sibiu	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/2003	CUI 15352609	0264/320694; e-mail constructinstal@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K,L/14/1897/2/20 .11.2018
100	Sibiu	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/2003	CUI 15352609	0264/320694; e-mail constructinstal@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K,L/14/1414/1/13 .11.2014
101	Central	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/2003	CUI 15352609	0264/320694	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K,L/14/2065/0 /28.09.2011
102	Brasov	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, nr. 824, Jud. Buzau	J10/885/2005	CUI 17807634	0786166700; 0238/711249	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	BV/CR4/K,L/14/1747/0/0 7.03.2018

103	Central	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885/2005	CUI 17807634	0238/711249	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	DISPR/CR4/K,L/14/2224/0 /20.10.2011
104	Brasov	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885/2005	CUI 17807634	0726718894; 0238/711249	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	BV/CR4/K,L/14/1148/1/2 0.06.2013
105	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1947/1993	CUI 4973970	0230/514145	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=25bar	DISPR/CR4/K,L/14/3109/0 /28.02.2012
106	Pitesti	CRIMAR PAMICO SRL	NEGRASI, Sat Birlogu, Jud. Arges	J03/499/1995	RO 7396558	0248/615434	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=350mm	PT/CR4/K,L/14/0075/0/1 6.07.2010
107	Central	CRIMBO GAS 2000 SRL	PANTELIMON, Bd. Biruintei, nr.4, bl.A1, parter, Jud. Ilfov	J23/1074/2001	CUI 12404878	021/3520239	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=40bar	DISPR/CR4/K/14/1923/0/ 16.09.2011

108	Bacau	CRIOMECSA SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059; e-mail office@criomecsa.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/2/2 9.04.2015
109	Bacau	CRIOMECSA SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/1/0 9.01.2013
110	Galati	CRIOMECSA SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	Verificarea(la deschidere- inchidere) dispozitive de siguranta	DNmax4500mm, Pmax=400bar	GL/CR4/K,L/14/0099/0/0 8.11.2010
111	Central	CRYOGENICA SRL	BUCURESTI, Str. Ispravnicului, nr.41, sector 2	J40/10813/1991	CUI 1572477	021/2110859/2102972	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=200bar	DISPR/CR4/K,L/14/0817/0 /02.06.2011
112	Central	CSC SRL	CONSTANTA, Str. I. C. Bratianu, nr.28, Jud. Constanta	J13/4540/1994	CUI 6741062	0241/506730	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=220bar	DISPR/CR4/K,L/14/1617/0 /28.07.2011

113	Bacau	DALKIA TERMO IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/1399/2012	RO 30570461	0232/232360/233918	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=400mm	BC/CR4/K,L/14/1122/0/10.01.2013
114	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/1991	RO 1986070	0232/262800	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn max=800mm	IS/CR4/K,L/14/0102/0/13.09.2010
115	Oradea	DIA TERMO INSTAL VEST SRL	RESITA, Bd. Republicii, nr. 8, sc. 6, et. 10, ap. 41, Jud. Caras Severin	J11/20/2010	CUI 26432126	0355/429209	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dn max=150mm	OR/CR4/K,L/14/1396/0/03.09.2015
116	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/2006	CUI 19285057	0244/524369/571671; e-mail: office.dinafit@christof-group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1372/4/19.02.2015- suspendare voluntara 6 luni incepand cu 01.04.2015
117	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/2006	CUI 19285057	0244/524369/571671; e-mail: office.dinafit@christof-group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1251/3/05.05.2014

118	Central	DINAFIT SRL	BRAZI, Incinta PETROM SA, Suc. Brazi, Jud. Prahova	J29/2639/2006	CUI 19285057	0244/504682/524369/571671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=450mm, pmax=225bar	DISPR/CR4/K,L/14/1733/0/29.07.2011
119	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/2006	CUI 19285057	0244/594369/571671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1101/1/10.01.2013
120	Ploiesti	DINAFIT SRL	Com. BRAZI, Sat BRAZII de JOS, incinta PETROM SA, Suc. Petrobrazi, caroul 15, Jud. Prahova	J29/2639/2006	RO 19285057	0244/594369/571671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, DNmax<=200mm	PL/CR4/K,L/14/0286/0/22.12.2010
121	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.235, Jud. Prahova	J29/2639/2006	CUI 19285057	0724288700; 0344/401027; 0244/571671; e-mail: office.dinafit@crisof-group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=225bar, Dnmax=450mm	BV/CR4/K,L/14/1184/2/21.10.2013
122	Bucuresti	DOLCHIMEX SRL	CARACAL, Aleea 1 Decembrie 1918, nr.17, Jud. Olt	J28/192/2001	RO 14015531	0249/517866; 07280072928; 0249/517666	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, Pmax<=40bar	B/CR4/K,L/14/1249/0/18.01.2013

123	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/2004	CUI 16958124	0247/416438/41337 9	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0867/0 /18.05.2011
124	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/2010	CUI 26594209	0242/316945/ 334190; e-mail donautermo@dtc.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	B/CR4/K,L/14/2136/1/01.02.2017
125	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/2010	CUI 26594209	0242/316945/ 334190	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	B/CR4/K,L/14/2136/0/09.05.2014
126	Bucuresti	DSP OFFSHORE SRL	CONSTANTA, Incinta Port, Dana 34, Centrul de Tranzit, camera 112, et. 1, Jud. Constanta	J13/2303/2016	RO 36554023	0241/555255/ 555257; e-mail office@gspoffshore.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=400mm, pmax=400bar	B/CR4/K,L/14/3545/0/21.11.2019
127	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694/1994	CUI 6558864	021/2502902/ 2504258; e-mail office@ecoclimaindustri.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, Pmax=140bar	B/CR4/K,L/14/0327/4/06.05.2019

128	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694/1994	RO 6558864	021/2502902/2504258; e-mail ecoclima@ecoclima.frigotehnica.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, Pmax=140bar	B/CR4/K,L/14/0327/3/05.10.2017
129	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694/1994	RO 6558864	021/2502902/2504258	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, Pmax=120bar	B/CR4/K,L/14/0327/1/22.11.2012
130	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2-4, sector 2	J40/22694/1994	CUI 6558864	021/2502902/2504258	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/0327/0/21.09.2010
131	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr. 27, bl. E, ap. 2, sector 6	J40/1209/1998	RO 10185240	0730123444, 021/4131349; e-mail office@elcos.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/3144/0/27.10.2017
132	Sibiu	ELECTROCENTRALE BUCURESTI SA - Sucursala Electrocentrale Mures	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333/471388	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=150bar	SB/CR4/K,L/14/1030/0/23.07.2012

133	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/2003	RO 15189596	021/2751108/27511 81	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/1/21. 10.2014
134	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/2003	RO 15189596	021/2751108/27511 81	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/0/03. 07.2013
135	Central	ELECTROCENTRALE BUCURESTI- SUCURSALA ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/9343/2000	CUI 13439840	021/2751108/27511 81	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=200bar	DISPR/CR4/K,L/14/2998/0 /07.02.2012
136	Bucuresti	ELECTROCENTRALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/20153	CUI 33636420	0241/585300	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=300mm, pmax=200bar	B/CR4/K/14/2484/0/17.0 3.2015
137	Central	ELECTROCENTRALE BUCURESTI- SUCURSALA ELECTROCENTRALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/1035/2003	CUI 15264655	0241/585300/69391 6	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=150mm, pmax=250bar	DISPR/CR4/K/14/3050/0/ 08.02.2012

138	Sibiu	ELECTROCENTRALE DEVA SA	MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/876/2001	CUI 14348448	0254/236550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/0091/0/13 .10.2010
139	Brasov	ELECTROFARM SRLK	Brasov, Str. Razboieni, nr.18, Jud. Brasov; BRASOV, Calea Feldioarei, nr.24A, Jud. Brasov	J8/699/1998	RO 10660799	0268/440028/ 440029	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dnmax<=50mm	BV/CR4/K,L/14/1049/0/1 0.09.2012
140	Bucuresti	ELECTROPUTERE SA	CRAIOVA, Calea Bucuresti, nr.80, Jud. Dolj	J16/12/1991	CUI 6312800	0251437700/ 437698/ 437730	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	B/CR4/K,L/14/1818/0/09. 09.2013
141	Bucuresti	ELECTROPUTERE AIT SRL	CRAIOVA, Str. Tehnicii, nr.1, Constructia 11C-C1, Jud. Dolj	J16/64/2013	CUI 31098937	0251/437441/ 438740	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/1/28. 08.2014
142	Bucuresti	ELECTROPUTERE AIT SRL	CRAIOVA, Calea Bucuresti, nr.80, Hala Pavilion STM C299, et.3, Jud. Dolj	J16/64/2013	CUI 31098937	0251/437441/ 438740	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/0/09. 05.2013

143	Central	ELECTROPUTERE SA Divizia Aparataj Electric	CRAIOVA, Cal. Bucuresti, nr.80, Jud. Dolj	J16/12/1991	CUI 6312800	0724342848; 0251/438100	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	DISPR/CR4/K,L/14/1193/0 /17.06.2011
144	Central	ELECTROTERM PRODSERV SRL	TURDA, Str. Traian, nr.41A, Jud. Cluj	J12/673/1994	CUI 5337857	0722230147; 0368/414123	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2624/0 /20.12.2011
145	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410; e-mail office@energofor.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/1643/2/11.02.2016
146	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 12826406	0234/545683/562410	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	DISPR/CR4/K/14/3627/0/23.05.2012
147	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/0009/0/28.04.2010
148	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/1994	RO 10698807	0248/290170/290285	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	B/CR4/K,L/14/2916/1/06.10.2016

149	Pitesti	ENERGOMONTAJ GRUP SRL	PITESTI, str.Gh.Lazar, nr.19, Jud.Arges	J03/1966/1994	RO 10698807	0248/290170	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	PT/CR4/K,L/14/0055/0/1 8.06.2010
150	Central	ENERGY BIO CHEMICALS SA	ONESTI, Str. Industriilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/838/2008	CUI 23767569	0234/302600/315510	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=64bar	DISPR/CR4/K,L/14/0511/0 /07.03.2011
151	Bacau	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	CUI 8123890	0237/212400/214110; e-mail office@enetsa.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=64bar	BC/CR4/K,L/14/1803/2/2 7.10.2017
152	Central	ENET SA	FOCSANI, Bd. Bucuresti,nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2042/1 /26.04.2012
153	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	CUI 8123890	0237/214110	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=64bar	DISPR/CR4/K,L/14/2042/0 /22.09.2011

154	Iasi	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/1993	RO 4488770	0232/226380/25339 8	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dn max=200mm	IS/CR4/K,L/14/0118/0/08 .10.2010
155	Central	ETNIS SRL	IASI, Cal. Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	CUI 1956141	0232/236341	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0273/0 /30.03.2010
156	Bucuresti	EU RO INSTALATII SA	BUCURESTI, Intr. Hotarului, nr.1, sector 6	J40/3473/1995	CUI 7306342	021/3172768/ 4300515	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=40bar	B/CR4/K,L/14/0291/0/06. 09.2010
157	Bacau	EURO GALFORM PROFESIONAL SRL	GALAȚI, str. Ing. Anghel Saligny, nr.48, Jud. Galați	J17/1161/2015	CUI 35043004	0236450863, 0756466188, email: eurogalform@gmail. com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤250mm, pmax≤250bar	BC/CR4/K,L/14/1829/2/0 2.11.2020
158	Bacau	EURO GALFORM PROFESIONAL SRL	GALATI, Str. Brandusei, nr. 13, bl. E5, sc. 2, et. 1, ap. 28, Jud. Galati; GALATI, Str. Alunisului, nr. 12, parter, Jud. Galati	J17/1161/2015	CUI 35043004	0236/450863; 0756466188; e-mail eurogalform@gmail. com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤250mm, pmax≤250bar	BC/CR4/K,L/14/1829/1/2 8.07.2020

159	Bacau	EURO GALFORM PROFESIONAL SRL	GALATI, Str. Brandusei, nr. 13, bl. E5, sc. 2, et. 1, ap. 28, Jud. Galati; GALATI, Str. Alunisului, nr. 12, parter, Jud. Galati	J17/1161/2015	CUI 35043004	0236/450863; e-mail eurogalform@gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=250mm, pmax<=250bar	BC/CR4/K,L/14/1829/0/0 2.04.2018
160	Sibiu	EURO SYSTEM SRL	MEDIAS, Sos. Sibiului, nr.48, bl.9, Jud. Sibiu	J32/456/2006	RO 18529021	0269/843545	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=40bar	SB/CR4/K,L/14/1036/0/14 .08.2012
161	Oradea	EURO TREND SERVICE SRL	SATU MARE, str. Careiului, nr. 224, Jud Satu Mare	J30/384/2004	RO16294379	0743120099, email: euro_trend_service@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax≤20bar, Dnmax≤75mm	OR/CR4/K/14/1787/1/03. 11.2020
162	Oradea	EURO TREND SERVICE SRL	PAULESTI, Str. Principala, nr.29, Jud. Satu Mare	J30/384/2004	RO 16294379	0261/757506	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=20bar, Dnmax<=75mm	OR/CR4/K/14/0015/0/28. 05.2010
163	Brasov	EUROHEATING INSTAL SRL	PLOIESTI, str Toporasi, nr 17, Jud Prahova	J29/2341/2008	CUI 24345031	0721256545, email izabela.sandulescu@euroheating.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤25bar, DNmax≤100mm	BV/CR4/K,L/14/1736/2/1 3.04.2020

164	Brasov	EUROHEATING INSTAL SRL	PLOIESTI, Str. Romana, nr. 88, Corp C3, Jud. Prahova	J29/2341/2008	J29/2341/2008	0728918281; e-mail dragosion@euroheat ing.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	BV/CR4/K,L/14/1736/1/2 1.05.2019
165	Brasov	EUROHEATING INSTAL SRL	PLOIESTI, Str. Romana, nr. 88, Corp C3, Jud. Prahova	J29/2341/2008	J29/2341/2008	0728918281	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	BV/CR4/K,L/14/1736/0/3 1.01.2018
166	Oradea	EUROINSTAL TECHNIC SRL	TIMISOARA, Bd. 16 Decembrie 1989, nr. 40, ap. 5, Jud. Timis	J35/2425/2014	CUI 33734720	0356/179713	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=40bar, Dnmax<=150mm	OR/CR4/K,L/14/1680/0/0 8.05.2019
167	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti-Ploiesti, nr. 73- 81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/1656/2008	CUI 17634428	0374200640, 0317/801093; 0356/414883	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/2/2 0.10.2016

168	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, Cladire C, Mezanin, Camera M5, Jud. Timis	J26/1656/2008	CUI 17634428	0374200640, 0317/801093	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/1/2 3.05.2016
169	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures	J26/1656/2008	CUI 17634428	0730769794	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/0/1 8.06.2013
170	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, Str. Vadu Bistritei, nr.2A, Jud. Bacau	J04/696/1997	CUI 9626416	0234/513803/51143 0	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354/0 /06.04.2011
171	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/696/1997	CUI 9626416	0234/513803/51143 0	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354/0 /08.05.2012
172	Brasov	FAURAR SRL	TARGOVISTE, Str. Constantin Brancoveanu, bl. B3, ap. 12, Jud. Dambovita; SINAIA, Str. Ferdinand, nr. 2, et. 3, ap. 10, Jud. Prahova	J15/114/1994	RO 5114685	0245/221002	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=300mm, pmax=140bar	BV/CR4/K,L/14/1412/0/1 6.04.2015

173	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV CURTEA DE ARGES SA	CURTEA DE ARGES, Str. Barajului, nr.1, Jud. Arges	J03/742/2002	RO 14932616	0248/721701/721716; www.hidroservarges.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=90mm, pmax<=100bar	PT/CR4/K,L/14/0143/0/1 5.12.2010
174	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV RAMNICU VALCEA SA	RM. VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477/2002	CUI 14949669	0250/746984/ 732147	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm, pmax<=64bar	PT/CR4/K,L/14/1641/1/1 2.06.2013
175	Brasov	FISE ELECTRICA SERV SRL	BUCURESTI, Str. Stefan cel Mare, nr. 1A, sector 1; PLOIESTI, Str. Mihai Bravu, nr. 19, Jud. Prahova	J40/4454/200	RO 17329505	021/3065002/ 3065004; 0372440441; 0244/334652	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn=20mm	BV/CR4/K,L/14/1588/1/2 2.06.2016
176	Ploiesti	FISE ELECTRICA SERV SA BUCURESTI SISE-ELECTRICA MUNTENIA NORD AISE	PLOIESTI, Str. Andrei Muresanu, nr.58, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.19, Jud. Prahova	J29/904/2005	RO 17492080	0244/405650/ 405564; 0244/405637	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dnmax=20mm	PL/CR4/K,L/14/0119/0/2 7.07.2010
177	Oradea	FLANGA GPL ROMANIA SRL	SALONTA, Str. Ghestului, Jud. Bihor	J05/522/1998	RO 10433729	0259/411780/412967	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	OR/CR4/K/14/0010/0/18. 05.2010

178	Bucuresti	FLI INSTAL SERVICE SRL	BUCURESTI, Str. Elev Stefanescu Stefan, nr.2, sector 2	J40/3308/2013	CUI 31557969	021/2011114/2011115	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1337/0/25.03.2013
179	Oradea	FLORIVAS SRL	CÎMPANI, nr.239, Jud Bihor; ORADEA, str. Czaran Gyula, nr.1A, Jud Bihor	J05/1044/2002	CUI 14964006	0745663576/0259406860	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p≤40bar;Dn≤100mm	OR/CR4/K,L/14/1758/0/18.06.2020
180	București	FMV EINKAUF SRL	București , str Bihor , nr 19, cam nr 2 , ap 1 , sector 1	J40/10447/2015	RO 34927070	0729808691, email office@fmvinstal.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=150mm	B/CR4/K,L/14/3542/0/08.11.2019
181	Central	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307/2010	CUI 26458355	0374007809	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax≤300bar	DISPR/CR4/K,L/14/1983/0/19.09.2011
182	Bucuresti	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307/2010	CUI 26458355	0374007809	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=300bar	B/CR4/K,L/14/1861/0/03.10.2013

183	Iasi	FORPRES SRL	IASI, Str. Strapungerii Silvestru, nr.52, Jud. Iasi	J22/1258/2002	RO 15012143	0232/246135	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=200mm	IS/CR4/K,L/14/0080/0/04 .08.2010
184	Brasov	FULGER SISTEM SRL	FAGARAS, Str. Negoiu, nr. 71, bl. B, sc. A, ap. 12, Jud. Brasov	J08/109/2011	CUI 27967659	0766351431; e-mail fulger.sistem@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=50mm	BV/CR4/K,L/14/1593/0/0 7.07.2016
185	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. MiHAI Bravu, nr. 75-83, bl.C17, sc.B, ap.79, sector 2; BUCURESTI, Str. Biharia, nr.67-77, sector 1	J40/23350/1992	RO 18830	021/2011114/2011115	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1757/0/19.08.2013
186	Central	GA PRO CO CHEMICALS SA	SAVINESTI, Sytr. Uzinei, nr.2, Jud. Neamt	J27/1478/2005	CUI 17728697	0233/280544/281494/281260	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1577/0 /18.07.2011
187	Bucuresti	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/2009	CUI 26065968	0743123828	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/2967/1/06.02.2017

188	Central	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/2009	CUI 26065968	0743123828; 0351/454475	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2354/0/03.11.2011
189	Brasov	GASPECO L&D SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, Jud. Ilfov; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J23/232/2011	CUI 8037897	021/2035100/2035105; e-mail: clientigpl@gaspeco.ro; 0244/401055/401080	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1109/2/3 1.01.2013
190	Brasov	GASPECO L&D SA	BUCURESTI, Cal. Floreasca, nr.28-30, sector 1; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J40/8731/2013	CUI 8037897	021/2035100/2035105; 0244/401083; 0318/280345	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1175/3/2 1.08.2013
191	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/1638/2010	CUI 27856804	0721710420; e-mail: gaval.expert@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, DNmax=150mm	BV/CR4/K,L/14/1304/1/0 7.05.2019
192	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/1638/2010	CUI 27856804	0721710420	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p<=25bar, D<=150mm	BV/CR4/K,L/14/1304/0/2 5.08.2014

193	Sibiu	GAZ CONTOR NORD SRL	MEDIAS, Str. Sondorilor, nr.5, Jud. Sibiu	J32/171/2010	RO 26642993	0269/831974	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8<=DN<=80mm, P<=40bar	SB/CR4/K,L/14/0048/0/09 .07.2010- sudspendare voluntara incepand cu 06.03.2015
194	Bucuresti	GAZTEH CORPORATION SA	Moreni, str Mihai Eminescu, nr 45, Jud Dâmbovița	J15/385/2002	CUI 13986170	0245665508, 0245665699, 0245665721, email office@gazteh.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN≤150mm, pmax=140 bar	B/CR4/K,L/14/3688/0/06. 07.2020
195	Brasov	GRUP FERVIAR ROMAN SRL	BUCURESTI, Cal. Victoriei, nr. 114, sector 1; BRAZI, Linie De Reparatii Vagoane PLOIESTI, Intrarea Macazului, nr. 11, Jud. Prahova	J40/8958/2001	CUI 14256514	021/3183090/3183091; e-mail office@gfr.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, Pmax=25bar	BV/CR4/K,L/14/1706/0/2 0.10.2017
196	Central	GRUP TERMLOC SA	BACAU, Str. George Bacovia, nr.41-43, Jud. Bacau	J04/9570/2002	CUI 14828446	0234/576442/576438	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/1702/0 /05.08.2011
197	Bucuresti	GSP OFFSHORE SRL	CONSTANTA, Incinta Port, Dana 34, Centrul de Tranzit, camera 112, et. 1, Jud. Constanta	J13/2303/2016	RO 36554023	0241555255/0241555257, email office@gspoffshore.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=400mm	B/CR4/K,L/14/3545/1/24. 03.2020

198	Bucuresti	HEAT MAINTENANCE SRL	BUCURESTI, Str. Scortan Ion, nr. 36, sector 2	J40/5605/2015	CUI 34485601	0733683763; 0724196733	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	B/CR4/K,L/14/2602/0/09. 09.2015
199	Pitesti	HIDROSERV RAMNICU VALCEA SA	RAMNICU VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477/2002	RO 14969669	0250/746984/74698 7/ 732147	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN=100mm	PT/CR4/K,L/14/0007/0/1 0.04.2010
200	Central	HIDROSERV SLATINA SA	SLATINA, Str. T. Vladimirescu, nr.153B, Jud. Olt	J28/379/2002	CUI 14949758	0249/418608/42366 7	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=70bar	DISPR/CR4/K,L/14/1965/0 /19.09.2011
201	Oradea	HITECH AUTOMATIZARI SRL	ORADEA, Bd. Decebal, nr.5, bl.P187, ap.47, Jud. Bihor	J05/2680/2006	RO 19671457	0730118691	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=100mm, pmax<=40bar	OR/CR4/K,L/14/1148/13. 05.2013
202	Brasov	HORVATH SERVICE SRL	SF. GHEORGHE, Str. Ciucului, nr. 130, Jud. Covasna	J14/88/1994	RO 5228299	0267/316208; 0372895823	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=12bar	BV/CR4/K,L/14/1528/0/2 9.01.2016

203	Bacau	HORVICA SRL	NEGRESTI, Str. Mihail Kogalniceanu, bl. C4, sc. A, et. 2, ap. 4, Jud. Vaslui	J37/831/2008	CUI 24700672	0743706254	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	BC/CR4/K,L/14/1173/1/1 6.07.2018
204	Bacau	HORVICA SRL	NEGRESTI, Str. Mihail Kogalniceanu, bl. C4, sc. A, et. 2, ap. 4, Jud. Vaslui	J37/831/2008	CUI 24700672	0743706254	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	BC/CR4/K,L/14/1173/0/1 2.06.2017
205	Bucuresti	HUNGARORING SRL	BUCURESTI, Bd. Camil Ressu, nr.57A, bl. Y2B, sc.4, et.8, ap.165, sector 3	J40/6818/2012	CUI 30311599	0742609762; 021/2407191	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K/14/1744/0/25.0 3.2013
206	Bucuresti	IAMSAT MUNTENIA SA	BUCURESTI, Splaiul Unirii, nr.235-237, sector 3	J40/16340/1993	RO 4195703	031/2287100/ 2287111; e-mail secretariat@imsatm un.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=16bar	B/CR4/K,L/14/3184/0/18. 12.2017
207	Central	IASITEX SA	IASI, Str. Primaverii, nr.2, Jud. Iasi	J22/255/1991	CUI 1957058	0232/436760/24606 3	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/1567/0 /18.07.2011-suspendare voluntara incepand cu 04.07.2014

208	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/2009	CUI 26117960	0368/809167	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2692/1/29.12.2011
209	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/2009	CUI 26117960	0368/809167; 0744671652; e-mail: idmscentral@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/1142/2/11.06.2013
210	Brasov	IDMS CENTRAL SRL	BRASOV, Str. G-ral Leonard Mociulschi, nr.18-20, bl.21, sc. B, ap. 11, Jud. Brasov	J08/1447/2009	RO 26117960	0368/809167	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	-	BV/CR4/K,L/14/0075/0/0 2.12.2010
211	Bucuresti	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/2445/2008	CUI 24178510	0241/535543	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm pmax<=50bar	B/CR4/K/14/1015/0/29.0 6.2012
212	Central	INCON SRL	BUCURESTI, Str. Alba, nr.14A, sector 4	J40/5704/1991	CUI 3006245	021/3355646/33735 40	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=32bar	DISPR/CR4/K,L/14/2447/0/04.10.2011

213	Bacau	INDRA PROJECT SRL	CATAMARESTI DEAL, Com. Mihai Eminescu, nr. 42, Jud. Botosani	J7/125/2011`	CUI 28251525	0747850794	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	BC/CR4/K,L/14/1547/0/2 2.04.2015
214	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/2008	CUI 24688935	Tel/fax 0723592204	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50.8mm, pmax=25bar	OR/CR4/K,L/14/1119/1/0 8.02.2016
215	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/2008	CUI 24688935	Tel/fax 0723592204	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar Dn=50.8mm	OR/CR4/K,L/14/1119/0/2 9.03.2013
216	Bacau	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr.19, et.2, cam. 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=25bar	BC/CR4/K,L/14/1865/1/2 7.09.2018
217	Central	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr.19, et.2, cam. 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=25bar	DISPR/CR4/K,L/14/0684/0 /04.05.2011

218	Central	INSTANT INTERNATIONAL SRL	SIMERIA, Str. Avram Iancu, bl.7, parter, Jud. Hunedoara; SIMERIA, Str. 1 Decembrie, nr.29, Jud. Hunedoara	J20/1183/1994	CUI 6325370	0254/263216/263215	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=250bar, fluid incercare apa; pmax<=60bar, Dnmax<=150mm, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0796/0 /12.05.2011
219	Central	INSTAROM SRL	TG. MURES, Str. Pandurilor, nr.56/6, Jud. Mures	J26/630/2002	CUI 14811584	0365/407193	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/3140/0 /21.02.2012
220	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/0891/0 /13.04.2011
221	Bacau	INTER SERV SRL	BACAU, Str. Chimiei, nr.1bis, Jud. Bacau	J04/63/2002	RO 14426880	0234/575406/575415	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=160bar	BC/CR4/K/14/0079/0/30.08.2010- retragere incepand cu 19.07.2019

222	Bucuresti	INVEST CONSTRUCT SRL	GIURGIU, Str. Ancorei, nr.2-2A, camera 1, Jud. Giurgiu; GIURGIU, Sos. Sloboziei, Km 4, corp C10, Jud. Giurgiu	J52/849/2019	CUI 24570424	0723407604; e-mail caldararucristina@y ahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/2813/0/02. 06.2016
223	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str.Cuptoarelor, nr. 4, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707; e- mail office@ipm- partners.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/4/1 5.11.2018
224	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/3/0 6.06.2016
225	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e- mail: office@ipm- partners.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/2/2 0.02.2015
226	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1037/0/1 0.08.2012

227	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=273mm	BV/CR4/K,L/14/1194/1/06.11.2013
228	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164/234701	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1145/0/15.02.2013
229	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164/234701	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1205/1/01.07.2013
230	Bucuresti	I REM CONSTRUCTII GENERALE SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, parter, Spatiu Comercial 6, sector 6	J40/11965/2006	CUI 18876802	0213/132904/122303, 0733774568; e-mail valy.zaharia@iremconstructii.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar, Dmax<=300mm	B/CR4/K,L/14/3175/0/12.12.2017
231	Bucuresti	I REM GENERAL CONTRACTOR SRL	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1	J40/16633/2016	CUI 36853491	0371314720, 0213122303, 0733774568; e-mail office@iremgeneralcontractor.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar, Dmax<=300mm	B/CR4/K,L/14/3316/1/24.06.2019

232	Bucuresti	IREM GENERAL CONTRACTOR SRL	BUCURESTI, Str. Biharia, nr. 26, birou 50, sector 1	J40/16633/2016	CUI 36853491	0371314720, 0213122303, 0733774568; e-mail office@iremgeneralcontractor.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar, Dmax<=300mm	B/CR4/K,L/14/3316/0/05.09.2018
233	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/11709/2014	CUI 33677137	021/3132904/3122303;0732300967	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=150bar, Dnmax=150mm	BC/CR4/K,L/14/1511/2/09.10.2019
234	Bacau	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/11709/2014	CUI 33677137	021/3132904/3122303; e-mail roberto.sapori@iremservicii.ro; 0732660591; e-mail Gheorghe.Babeanu@gsts-asset8.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=150bar, Dnmax=150mm	BC/CR4/K,L/14/1511/1/16.03.2016
235	Bacau	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 7, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/11709/2014	RO 33677137	021/3132904/3122303; e-mail roberto.sapori@iremservicii.ro; 0732660591; e-mail gheorghe.babeanu@gsts-asset8.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=49bar, Dnmax=150mm	BC/CR4/K,L/14/1511/0/04.12.2014

236	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Bustuchini	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1; BUSTUCHINI, Sectia MTN, Jud. Gorj	J40/11709/2014	CUI 33677137	0371314720, 0733774568, 021/3122303; e- mail irembranch. romania@iremspa.it	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar, Dnmax=250mm	B/CR4/K,L/14/2570/1/25. 06.2019
237	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Bustuchini	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; BUSTUCHINI, Sectia MTN, Jud. Gorj	J40/11709/2014	CUI 33677137	021/3132904/ 3122303	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar, Dnmax=250mm	B/CR4/K,L/14/2570/0/12. 06.2015
238	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti, Atelier Central TG. JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/11709/2014	CUI 33677137	0732333411; 0253/223793	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=140bar, Dnmax=300mm	B/CR4/K,L/14/2388/0/15. 12.2014
239	Oradea	IVPROD ST SM PI SRL	TIMISOARA, Bd. 16. Decembrie 1989, nr. 7, et. 1, ap. 7, Jud. Timis	J35/860/2007	CUI 21245305	0356/269748; 0745232593	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	OR/CR4/K,L/14/1469/1/1 4.06.2016- suspendare voluntara incepand cu 03.01.2019
240	Central	IVPROD ST SM PI SRL	TIMISOARA, Str. Stefan cel Mare, nr.47, Jud. Timis	J35/860/2007	CUI 21245305	0256/224150	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, pmax<=40bar, fluid incercare apa; DN<=50mm, pmax<=32bar, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0213/0 /16.03.2011

241	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	RO 21013747	0344/401027/401026; e-mail jcr@christof-group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=200bar	B/CR4/K,L/14/1650/2/29.01.2019
242	Bucuresti	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova; POIANA LACULUI, Str. Dragasani, nr. 587, Jud. Arges	J29/1314/2009	RO 21013747	0344/401027/401026; 0732300940	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=200bar	B/CR4/K,L/14/3102/0/29.08.2017
243	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	RO 21013747	0344/401027/401026; e-mail office.jcr@christof.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=200bar	BV/CR4/K,L/14/1650/1/08.05.2017
244	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	RO 21013747	0344/401027/401026; e-mail office.jcr@christof.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=200mm, pmax=200bar	BV/CR4/K,L/14/1650/0/20.03.2017

245	Bucuresti	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; POIANA LACULUI, Str. Dragasani, nr. 587, Jud. Arges	J29/1097/2008	RO 22866980	0344/401027/401026	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=250mm	B/CR4/K,L/14/1812/0/06.06.2016
246	Brasov	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; VIDELE, Str. Petrolului, nr. 10, Jud. Teleorman	J29/1097/2008	RO 22866980	0344/401027/401026	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=200mm	BV/CR4/K,L/14/1378/1/1 9.02.2015- suspendare voluntara incepand cu 28.07.2017
247	Brasov	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1116/0/1 9.02.2013
248	Bacau	KADATA PREST SRL	HORIA, Str. Campului, nr. 67, Jud. Neamt	J27/2229/1994	RO 6683727	0233/740744	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar, Dn=65mm	BC/CR4/K,L/14/1491/0/2 6.09.2014
249	Ploiesti	KARBOREX SA	PLOIESTI, Str. Caraiman, nr.7, Jud. Prahova	J29/76/1991	RO 1348152	0244/512212/517577	Reglarea si repararea supapelor de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/L/14/0196/0/07.1 0.2010

250	Bucuresti	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	VOLUNTARI, bd Pipera, nr 1B, Cubic Center Office Building, spatiul SB5.04, biroul 4, etaj 5, Jud Ilfov	J23/598/2020	CUI 9816194	0344401997/0344401995, email cristian_chiritoi@dietsmann.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=100mm	B/CR4/K,L/14/3663/3/15.05.2020
251	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor; ABRAMUT, Cladirea Petrom, Jud. Bihor	J29/1153/1997	RO 9816194	0732300819	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/1/06.04.2015
252	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J29/1153/1997	RO 9816194	0732300819	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/0/05.12.2014
253	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/401997; e-mail office@karomkpk.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dnmax=100mm	BV/CR4/K,L/14/1338/2/15.09.2017
254	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/1997	RO 9816194	0344401995/ 401997	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/1/11.01.2017

255	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/ 401997	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/0/1 9.11.2014
256	Brasov	KREMSMULLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr. 23, Jud. Prahova	J29/626/2007	RO 18725133	0728291150; 0720112585	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=300bar, Dnmax=400mm	BV/CR4/K,L/14/1512/0/2 1.12.2015
257	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/2004	CUI 17057184	0265/264436/31188 4	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2553/0 /14.12.2011
258	Bacau	LE LONGBRIDGE SRL	GALATI, Str. 1 Decembrie 1918, nr. 12, bl. S9D, ap. 8, Jud. Galati	J17/50/2018	CUI 38696873	0756429883, E-mail lelongbridge@gmail. com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=250mm, pmax<=400bar	BC/CR4/K,L/14/1930/0/1 1.11.2019
259	Central	LICTECH SRL	IASI, Str. Mihai Voda, nr.7, bl.P1, sc.TR2, et.4, ap.20, Jud. Iasi	J22/2469/2006	CUI 19079995	0232/235060	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0209/0 /22.03.2010

260	Oradea	LINDE GAZ ROMANIA SRL	TIMISOARA, Str. Avram Imbroane, nr. 9, Jud. Timis	J35/1149/1996	CUI 8721959	0256/300700/225608	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dmax=50mm	OR/CR4/K,L/14/1515/1/1 0.01.2020
261	Oradea	LINDE GAZ ROMANIA SRL	TIMISOARA, Str. Avram Imbroane, nr. 9, Jud. Timis	J35/1149/1996	CUI 8721959	0256/300700/225608	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dmax=50mm	OR/CR4/K,L/14/1515/0/2 7.02.2017
262	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252/1998	RO 10358473	0268/549274	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=200bar	DISPR/CR4/K,L/14/3515/0 /02.05.2012
263	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, cladire Mall Forum Center, et. 3, Jud. Neamt	J27/1550/2008	RO 24607639	0233/220430/220431, locativserv.piatra.neamt@gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1515/2/0 5.11.2020
264	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, et. 3, Jud. Neamt	J27/1550/2008	RO 24607639	0233/220430/220431	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1515/1/2 4.02.2020

265	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, et. 3, Jud. Neamt	J27/1550/2008	RO 24607639	0233/220430/220431	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1515/0/1 1.12.2014
266	Central	LOCATO SA	PIATRA NEAMT, Str. Lt. Draganescu, nr.20, et.2, Jud. Neamt	J27/8/2001	RO 13649035	0233/222832/222834	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=10bar	DISPR/CR4/K,L/14/0823/0/17.05.2011- insolventa-retragere incepand cu 06.01.2015
267	Bacau	LOCATO SA	PIATRA NEAMT, Str. Privighetorii, nr.12, bl.B9, demisol, Jud. Neamt	J27/82001	CUI 13649035	0233/222832	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=10bar, Dnmax<=50mm	BC/CR4/K,L/14/1167/1/1 9.02.2013- insolventa-retragere incepand cu 06.01.2015
268	Central	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510/2004	CUI 16514660	0722524688; 0245/232310	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3613/0/21.05.2012
269	Bucuresti	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510/2004	CUI 16514660	0722524688; 0245/232310	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	B/CR4/K,L/14/1762/1/20. 08.2013

270	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/4/12.09.2017
271	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/3/18.03.2016
272	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/2/05.02.2015
273	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/1/01.09.2014
274	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str.Dimbovicului nr.30, sector 4	J40/16179/1991	CUI 393996	021/3316620,021/3301852	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=2 1/2", pmax=15bar	B/CR4/K,L/14/0134/0/26.06.2010

275	Bucuresti	LPV FACILITY & PROPERTY MANAGEMENT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112/2008	RO 24812099	0724288126; 021/3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/0/19.11.2015
276	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr. 3, sector 4	J40/20112/2008	RO 24812099	021/3306200/3316620; e-mail comenzi@lpv.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/5/09.03.2020
277	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr. 3, sector 4	J40/20112/2008	RO 24812099	021/3306200/3316620; e-mail comenzi@lpv.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/4/25.04.2019
278	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr. 3, sector 4	J40/20112/2008	RO 24812099	021/3306200/3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/3/07.06.2018
279	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr. 3, sector 4	J40/20112/2008	RO 24812099	021/3306200/3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/2/13.09.2017

280	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112/2008	RO 24812099	021/3306200/33166 20	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/1/01.08.2016
281	Central	LUANA PREST SERV SRL	BRASOV, Str. Matei Basarab, nr.30A, Jud. Brasov	J08/2840/2008	CUI 24662030	0268/415715	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688/0/05.01.2012
282	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, cam. 2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/415715	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688/1/21.05.2012
283	Central	LUCMAN SRL	SIBIU, Str. W.I. Gheothe, nr.16A, Jud. Sibiu; SIBIU, Str. Gorjului, nr.16A, Jud. Sibiu	J32/996/2002	CUI 15091554	0269/225791	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0429/0/18.04.2011
284	Central	MACARALE SRL	SIBIU, Str. Hategului, nr.1, ap.6, Jud. Sibiu	J32/1096/2005	CUI 17825851	0269/225051	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=120mm, pmax<=60bar	DISPR/CR4/K,L/14/1702/0/05.08.2011

285	Brasov	MADASOR CONSULTING SRL	BRASOV, Bd. Victoriei, nr.6, bl.42, sc. C, ap. 3, Jud. Brasov	J8/63/2014	CUI 32676265	0368/819523	Verificare(la deschidere- inchidere) dispozitive de siguranta	D<=50mm, p<=30bar	BV/CR4/K/14/1429/0/17.06.2015
286	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/3784/1997	RO 6661834	0722259865; 021/4137690	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=500bar	B/CR4/K,L/14/1787/0/13.08.2013
287	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/3784/1997	RO 6661834	021/4137690/4139159	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=500mm, pmax=500bar	B/CR4/K,L/14/1787/1/21.02.2014
288	Central	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/2010	CUI 13404361	021/4673006	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=48bar	DISPR/CR4/K,L/14/1269/0/05.07.2011
289	Bucuresti	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/2010	CUI 13404361	021/4673006/4673008	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=48bar	B/CR4/K,L/14/1269/1/22.11.2012

290	Bacau	MECANIC GRUP SRL	ONESTI, Str. Avantului, nr.21A, Jud. Bacau	J04/961/1998	CUI 11111020	0234/312815/ 302041	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	BC/CR4/K,L/14/1503/1/0 7.11.2014
291	Central	MECANIC GRUP SRL	ONESTI, Bd. Republicii, nr.1, bl.1, sc.D, et.3, ap.49, Jud. Bacau	J04/961/1998	CUI 11111020	0374091815; 0234/312815	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	DISPR/CR4/K,L/14/0553/0 /18.04.2011
292	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/1998	RO 10668237	0269/443401	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1574/0/23 .03.2016
293	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/1998	RO 10668237	0269/443401	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1334/0/30 .06.2014

294	Central	MEGA NET SRL	CONSTANTA, Sos. Mangaliei, nr.61, bl.SM3, sc.B, et.9, ap.82, Jud. Constanta; Constanta, Sos. Mangaliei, nr.74, Jud. Constanta	J13/1190/2000	CUI 13111698	0241/588868	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Supape de siguranta cu arc 15mm<=Dnmax<=150mm, pmax<=16bar; Supape de siguranta cu greutate axiala 50mm<=Dnmax<=250mm, pmax<=40bar;; Supape de siguranta cu parghie si contragreutate 40mm<=Dnmax<=200mm, pmax<=60bar	DISPR/CR4/K/14/2460/0/24.11.2011
295	Central	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/110/1993	RO 3238580	0269/253150	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=100bar	DISPR/CR4/K,L/14/1588/0/26.07.2011
296	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22602/1994	CUI 6520657	021/4132025/4132017	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0859/0/18.05.2011

297	Bucuresti	MEGATERM SERVICII SRL	BUCURESTI, Prelungirea Ghencea, nr.95K, camera 1, sector 6	J40/6828/2014	RO 33255515	0744326773; 021/4132017	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN max=125mm	B/CR4/K/14/2382/0/10.1 2.2014
298	Pitesti	MENTCHIM SA	RAMNICU VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/501/2005	RO 17571575	0250/701501/70150 4	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=100mm	PT/CR4/K,L/14/0043/0/0 8.06.2010- retragere voluntara incepand cu 14.09.2016
299	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989	Verificari tehnice la inchidere -deschidere , repararea si reglarea supapelor de sigurana cu actiune directa cu arc si cu parghie si contragreutate	DN=100mm PN=16bar	SV/CR4/K,L/14/0002/0/2 6.04.2010
300	Bucuresti	MES MARIN SRL	CONSTANTA, Str. Cismelei, nr. 15, bl. 1B, sc. A, et. 5, ap. 22, Jud. Constanta	J13/1922/1999	RO 12317275	0723527752, e-mail mes.marin@gmail.c om	Verificari tehnice la inchidere -deschidere , repararea si reglarea supapelor de sigurana	DNmax=100mm Pmax=40bar	B/CR4/K,L/14/3429/0/07. 06.2019
301	București	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/1998	CUI 10547308	0213273624, fax 0213273626, email patricia.bataila@me sser.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=50bar	B/CR4/K,L/14/1379/3/03. 12.2019

302	Oradea	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, cladirea de birouri A, et. 2-3, sector 2; MINTIA, Com. Vetel, Str. Santierului, nr.1A, Jud. Hunedoara	J40/4298/1998	CUI 10547308	021/3273624/32736 26; 0254/236451/ 236453	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=25mm, Pmax=420bar	OR/CR4/K,L/14/1334/0/1 9.11.2014
303	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, sector 3	J40/4298/1998	CUI 10547308	021/3273624/32736 25/3273626	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=50bar	DISPR/CR4/K,L/14/0291/0 /25.03.2011
304	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Cal. Calarasi, nr.177, bl.45, et.3, ap.7,8,9, sector 3	J40/4298/1998	CUI 10547308	021/3273624/32736 26	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	DISPR/CR4/K,L/14/1115/1 /24.06.2011
305	Bucuresti	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/1998	CUI 10547308	0254/236451/23645 3	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1379/2/04. 01.2018
306	Bucuresti	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/1998	CUI 10547308	021/3273624/32736 26	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1379/1/21. 05.2013

307	Bucuresti	METROINSTAL SRL	CALAFAT, Sat Basarabi, Cal. Craiovei, nr. 165, Jud. Dolj	J16/230/2011	RO 28042332	0740055200	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	B/CR4/K,L/14/2580/0/06. 08.2015
308	Central	MEVA SA	DR. TN. SEVERIN, Str. Dunarii, nr.3, Jud. Mehedinti	J25/135/1991	CUI 1605779	0252/308439/31513 9	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=10bar	DISPR/CR4/K,L/14/2412/0 /15.11.2011
309	Central	MEXGAZ SERVICE SRL	SLATIOARA, Str. Rasritului, nr.5, Jud. Olt	J28/592/2009	CUI 26136244	0249/416717; 0729019996; 0729019997; 0349/816233; 0249416717	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=18bar	DISPR/CR4/K,L/14/3252/0 /15.03.2012
310	Oradea	MICORA VALVES SRL	ORADEA, Str. Molidului, nr. 22, Jud. Bihor	J05/2628/2018	RO 40102670	0731371092	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=40bar	OR/CR4/K,L/14/1659/0/2 1.01.2019
311	Oradea	MILEVI RSVTI SRL	ANINA, Str. Morii, nr. 11, Jud. Caras Severin	J11/70/2014	CUI 32775811	0770515736, 0743603882; 0355/ 410699	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	OR/CR4/K,L/14/1558/0/2 5.08.2017

312	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Urzicii, nr.48A, Jud. Tulcea	J36/79/2007	CUI 21062162	0745644904	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	B/CR4/K/14/2101/2/07.1 1.2014
313	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Isaccei, nr.4, Km 3, Jud. Tulcea	J36/79/2007	CUI 21062162	0745644904	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax<=250mm, pmax<=40bar	B/CR4/K/14/2101/1/15.0 4.2014
314	Central	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea	J36/79/2007	CUI 21062162	0745644904	Verificarea(la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	DISPR/CR4/K/14/1619/0/ 03.08.2011
315	Bacau	MODERN CALOR SA	BOTOSANI, Str. Pacea, nr. 43, Jud. Botosani	J07/05/2010	RO 26892574	0231/537100/ 516446	Verificarea(la deschidere- inchidere) dispozitive de siguranta	Dnmax=150mm, pmax=25bar	BC/CR4/K/14/1537/0/30. 03.2015
316	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/21058 9	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	BC/CR4/K,L/14/1485/1/1 2.09.2014
317	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/21058 9	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	DISPR/CR4/K,L/14/3572/0 /16.05.2012

318	Central	MT ALWAYS PREMIUM SRL	ARAD, Str. Mircea Stanescu, nr.2, ap.12, Jud. Arad	J02/1075/2008	CUI 24051818	0257/212102	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=64bar, fluid incercare apa; Dnmax<=50mm, pmax<=32bar, fluid incercare Gaz neutru	DISPR/CR4/K,L/14/2349/0 /10.11.2011
319	Sibiu	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	SB/CR4/K,L/14/1423/2/17 .12.2014
320	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=250bar	DISPR/CR4/K,L/14/1820/0 /31.08.2011
321	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	DISPR/CR4/K,L/14/1177/1 /24.05.2013
322	Bacau	MURANIS SERV INSTAL SRL	BRAILA, Str. Ghiocailor, nr. 14, bl. A57, sc. 2, et. 1, ap. 25, Jud. Braila	J09/636/2010	RO 27794531	0729070715; e-mail muranisserv@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=40bar	BC/CR4/K,L/14/1599/0/2 9.09.2015

323	Sibiu	NEMESIS WORKS SRL	BISTRITA< Str. Caraiman, nr. 19, Jud. Bistrita Nasaud	J06/177/2013	RO 31394010	0743584925, 0722437164; e-mail office@nmsworks.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=60bar	SB/CR4/K,L/14/1878/0/29 .10.2018
324	Central	NIPOSERV SRL	BRAILA, Cartier Hipodrom, Str. Pietatii, nr.20, bl.C1, sc.2, et.2, ap.24, Jud. Braila	J09/1031/2005	CUI 18103602	0239/670201	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=150bar	DISPR/CR4/K,L/14/2249/0 /25.10.2011
325	Central	NITROPOROS SRL	FAGARAS, Sos. Combinatului, nr.14, Jud. Brasov	J08/574/2008	CUI 23415082	0268/206501/21611 1	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	DISPR/CR4/K,L/14/3086/0 /20.02.2012
326	Sibiu	NM & C SRL	CLUJ NAPOCA, Str. Muresului, nr.46, ap. 5, Jud. Cluj	J12/269/2005	RO 17170697	0364/806878	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K/14/1058/0/18.0 9.2012
327	Central	NUCLEAR ELECTRICA SA- FCN PITESTI	BUCURESTI, Str. Polona, nr.65, sector 1; MIOVENI, Str. Cimpului, nr.1, Jud. Arges	J40/7403/1998	CUI 10874881	0248/207700/26249 9	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/1860/0 /19.08.2011

328	Central	NUCLEARELECTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/7403/1998; J13/3442/2007	RO 10874881; CUI 22554619	021/2038200/3169804; 0241/239340/239266	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=420bar, Dmax=600mm	DISPR/CR4/K,L/14/0006/0 /17.03.2010
329	Oradea	OK TEHNIC CONSULT SRL	ARAD, Str. 9 Mai, nr. 3, et. 1, Jud. Arad	J02/199/2007	RO 20872640	0371/117117, 0372251251; e-mail rsvtioktc@gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=20bar, fluid apa sau gaz	OR/CR4/K,L/14/1612/1/2 0.06.2018
330	Central	OK TEHNIC CONSULT SRL	ARAD, Bd. General Vasile Milea, nr.1, sc.3, et.2, ap.11, Jud. Arad	J02/199/2007	RO 20872640	0257/227084	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=20bar	DISPR/CR4/K,L/14/3353/0 /20.03.2012
331	Central	OLDT EXPERT SRL	GALATI, Str. Avram Iancu, nr.20, camera1, Jud. Galati	J17/1133/2010	CUI 27782898	0236/450863	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2989/0 /13.02.2012
332	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/8302/1997	CUI 1590082	732130747	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	DISPR/CR4/K,L/14/0438/0 /19.04.2011

333	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr.239, sector 1; EPS ASSET 5 MOESIA NORD DEPARTAMENT MANTENANTA POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/8302/1997	CUI 1590082	021/4060104; 0372868544	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=49bar	DISPR/CR4/K,L/14/1837/1 /06.09.2011
334	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; CALACEA, Jud. Timis	J40/8302/1997	CUI 1590082	021/2125001/ 3155166; 0256/379617	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0319/0/02.08.2010
335	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; PECICA, Jud. Arad	J40/8302/1997	CUI 1590082	021/2125001/ 3155166; 0372/428455	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0320/0/03.08.2010
336	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J40/8302/1997	CUI 1590082	021/2125001/ 3155166	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K/14/0321/0/09.09.2010
337	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/8302/1997	CUI 1590082	021/4060040/ 4060420	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm, pmax=64bar	B/CR4/K/14/0321/1/12.02.2013

338	Ploiesti	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/8302/1997	RO 1590082	021/2125001/3155166	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=100mm	PL/CR4/K,L/14/0198/1/0 6.12.2010
339	Pitesti	OMV PETROM SA	BUCURESTI, Calea Dorobantilor, nr.239, sector 1; POIANA LACULUI	J40/8302/1997	RO 1590082	0372160737; 0372868544; 0732410654	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=200mm, pmax<=140bar	PT/CR4/K,L/14/0089/0/1 6.09.2010
340	Ploiesti	OMV PETROM SA- ASSET IX Moldova Sud	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOLDOVA SIUD, Service Center BERCA, Jud. Buzau	J40/8302/1997	RO 1590082	021/2647467	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, Pmax=80bar	PL/CR4/K,L/14/0159/0/0 6.09.2010
341	Ploiesti	OMV PETROM SA BOLDESTI SCAIENI	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/8302/1997	RO 1590082	021/2125001; 021/3155166	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=64bar	PL/CR4/K,L/14/0198/0/0 8.09.2010
342	Bucuresti	OMV PETROM SA E&P, MTN&LOG ASSET 2 OLTENIA - PL BUSTUCHINI	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J40/8302/1997	RO 1590082	0249/414040	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, Pmax<=250bar	B/CR4/K,L/14/1161/0/09. 10.2012

343	Bucuresti	OMV PETROM SA-EP - ASSET 5 - MOESIA NORD DEPARTAMENT MENTENANTA	BUCURESTI, sector1, Str. Coralilor, nr.22; POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/8302/1997	CUI 1590082	021/4060040/4060420	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=49bar	B/CR4/K/14/0469/1/12.02.2013
344	Central	OMV PETROM SA-EP MENTENANTA & LOGISTICA ASSET 10 GAP TG. JIU	BUCURESTI, Str. Coralilor, nr.22, sector 1; TG. JIU, Str. Ecaterina Teodoroiu, nr.46, Jud. Gorj	J40/8302/1997	CUI 1590082	0732333411; 0253/223793	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=140bar	DISPR/CR4/K,L/14/1437/0/26.07.2011
345	Central	OMV PETROM SA-EPS	BUCURESTI, Cal. Dorobantilor, nr.239,, sector 1; Departament Mentenanta Asset 6 Muntenia- Central Atelier Toolmen- MORENI, Str. A. I. Cuza, nr.9, Jud. Dambovita	J40/8302/1997	CUI 1590082	03721600737; 0372868544	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/0519/0/08.04.2011
346	Bucuresti	OMV PETROM SA	BUCURESTI, Str. Coralilor, nr.22, sector 1; Asset 6 UA MTN & LOG, MORENI, Str. A. I. Cuza, nr.7, Jud. Dambovita	J40/8302/1997	CUI 1590082	021/4060040/4060420	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=140bar	B/CR4/K,L/14/0519/1/25.02.2014

347	Central	OMV PETROM SA- EPS DEPARTAMENTUL MENTENANTA ASSET VIII MOLDOVA NORD	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOINESTI, Str, Schelei, , nr. Cadastral 1992, sectia 1, Jud. Bacau	J40/8302/1997	CUI 1590082	0732410517; 0372428353, 0372484552	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=49bar	DISPR/CR4/K,L/14/0210/0 /24.03.2010
348	Central	OMV PETROM SA- EPS MENTENANTA & LOGISTICA ASSET 2 OLTENIA	BUCURESTI, Str. Coralilor, nr.22, sector 1; STATIE COMPRESOARE, BULBUCENI, CAPRENI, Str. Bratesti, Jud. Gorj	J40/8302/1997	CUI 1590082	03721600737; 0372868544	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=400bar	DISPR/CR4/K,L/14/1195/0 /20.06.2011
349	Bucuresti	OMV PETROM SA UNITATEA DE AFACERI MENTENANTA SI LOGISTICA GAP TARGU JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr.60, Jud. Gorj	J40/8302/1997	RO 1590082	0253/223793; 0732333411	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, Pmax<=140bar	B/CR4/K,L/14/1163/1/24. 10.2012
350	Central	OPTIM SIG INSTAL SRL	DEVA, Str. Al. Patriei, nr.2, bl.D1, et.3, ap.39, Jud. Hunedoara	J20/5/2000	CUI 12550113	0254/220020	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=80mm, pmax<=30bar	DISPR/CR4/K,L/14/0278/0 /31.03.2011
351	Central	ORDEA PRODCOM SRL	TG. MURES, Str. Mioritei, nr.15, Jud. Mures	J26/826/1997	CUI 9991233	0265/269256/26167 8	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/0754/0 /04.05.2011

352	Central	OVITIN CND AG SRL	PITESTI, Str. Depozitelor, nr.27, Corp C1, camera BP1, Jud. Arges	J03/711/2011	CUI 28472224	0744124082; 0248/217965	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=280bar	DISPR/CR4/K,L/14/2006/0 /20.09.2011
353	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214; e-mail: sc_paulus_srl@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/2/1 0.06.2016
354	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/1/1 0.07.2012
355	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, Jud. Prahova	J29/1233/1993	RO 4000500	0244/513214/595763	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=25bar	PL/CR4/K,L/14/0123/0/0 2.08.2010
356	Central	PENAIVIPROD SRL	VASLUI, Str. Bucuresti, bl.400, sc.B, ap.6, Jud. Vaslui	J37/352/2011	CUI 29128378	0335/401565; 0235/319076	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	BC/CR4/K,L/14/1813/1/0 4.12.2017

357	Central	PENAIVIPROD SRL	VASLUI, Str. Bucuresti, bl.400, sc.B, ap.6, Jud. Vaslui	J37/352/2011	CUI 29128378	0335/401565; 0235/319076	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/3096/0 /21.02.2012
358	Central	PETINSTAL SRL	MARGHITA, Calea Republicii, nr.82A, ap.4, Jud. Bihor	J05/1661/2007	RO 22004062	0728881382; 0359/448197	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/3498/0/ 01.03.2012
359	Brasov	PETROGAZ SA	BRASOV, Str. Fanului, nr. 57G, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	BV/CR4/K,L/14/1596/1/0 8.08.2016
360	Central	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	DISPR/CR4/K,L/14/0690/0 /10.05.2011
361	Brasov	PETROGAZ INSPECT SRL	BRASOV, Str. Fanului, nr.57D, Jud. Brasov	J08/489/2009	RO 25294734	0368/459043; e-mail ionita.rsvti.petrogaz@gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	BV/CR4/K,L/14/1575/0/1 6.05.2016

362	Central	PETROM LPG SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, et.2, Jud. Ilfov; Com. BRAZI, Sat NEGOIESTI, Jud. Prahova	J23/232/2011	CUI 8037897	021/2035100/2035105	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=32mm, pmax=25bar	DISPR/CR4/K,L/14/0026/1/16.03.2011
363	Ploiesti	PETROM LPG SA	BUCURESTI, Bd. Ion Ionescu de la Brad, nr.2B, parter, et.4, sector 1; BRAZI, Sat Negoiesti, Jud. Prahova	J40/272/1996	RO 8037897	021/2035100/2035105; 0244/401055/401080	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dnmax=32mm	PL/CR4/K,L/14/0026/0/05.05.2010
364	Oradea	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/2010	RO 26889099	0372572423; 0257/252315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	OR/CR4/K,L/14/1218/3/19.04.2019
365	Oradea	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/2010	RO 26889099	0372572423; 0257/252315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	OR/CR4/K,L/14/1218/2/22.08.2017
366	Oradea	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/2010	RO 26889099	0372572425; 0257/252315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	OR/CR4/K,L/14/1218/1/16.10.2013

367	Central	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/2010	RO 26889099	0372572425; 0257/252315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	DISPR/CR4/K,L/14/1177/0 /20.06.2011
368	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/1991	CUI 401517	021/4104600/ 4100638; e-mail office@pifati.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/1/20.05.2016 retragere voluntară începând cu data de 05.03.2020
369	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/1991	CUI 401517	021/4106645/ 4100638	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/0/09.07.2010
370	Oradea	PITYU TERMOERVICE S.R.L.	PETROSANI, Str. Aviatorilor, bl. 54A, sc. 3, parter, ap. 30, Jud. Hunedoara	J20/123/2007	CUI 20744536	0254/541510	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/1/14.09.2015
371	Oradea	PITYU TERMOERVICE S.R.L.	PETROSANI, Str. 1 Decembrie 1918, bl.101, sc.1, et.3, ap.22, Jud. Hunedoara	J20/123/2007	CUI 20744536	0254/541510	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/0/23.05.2013

372	Bacau	PLUS EXPERT SSO SRL	LISAURA, Com. Ipotesti, Str. Gheorghe Mihuta, nr. 15A, Jud. Suceava; SUCEAVA, str Bistriței, nr.8A, cam 109, jud/sect. Suceava	J33/661/2011	CUI 134991191	0330803911, 0330803910	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	BC/CR4/K,L/14/1752/1/1 3.04.2020
373	Bacau	PLUS EXPERT SSO SRL	LISAURA, Com. Ipotesti, Str. Gheorghe Mihuta, nr. 15A, Jud. Suceava; LISAURA, Str. Slatioarei, nr. 4A, et. 3, camera 2, Jud. Suceava	J33/661/2011	RO 28829484	0743171782; e-mail plus_expert@yahoo.com; 0330/803911/803910	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	BC/CR4/K,L/14/1752/0/1 2.04.2017
374	Bacau	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl. I 11, parter, ap. 1, Jud. Vrancea	J39/335/2014	RO 33335452	0763261641; e-mail verificaritehnice@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=250mm, pmax<=25bar	BC/CR4/K,L/14/1769/0/1 2.06.2017
375	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678/2003	RO 15818661	0744635244; e-mail: verificaritehnice@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Verificari tehnice , reglare : pmax=100bar, Dnmax=250mm; Reparare : pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/2/2 3.09.2013

376	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea	J39/678/2003	RO 15818661	0744635244	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/1/2 0.09.2012
377	Galati	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, Jud. Vrancea	J39/678/2003	RO 15818661	0237/225019	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=50bar	GL/CR4/K,L/14/0125/0/1 7.12.2010
378	Central	POLTISAN SRL	BRASOV, Str. Anghel Saligny, nr.3, Jud. Brasov	J08/1145/2004	CUI 16446841	0268/416440	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=40bar	DISPR/CR4/K,L/14/0648/0 /08.04.2011
379	Oradea	PRECADIS SRL	TIMISOARA, Str. Simion Barnutiu, nr. 61, Jud. Timis	J35/185/1994	CUI 5187253	0256/206567, 0744616873	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	OR/CR4/K,L/14/1702/0/2 8.06.2019
380	Oradea	PRECOTTI SRL	TIMISOARA, str. Memorandului, nr.1, etaj P, SAD nr.2, Jud Timiș	J35/511/2005	CUI 17250621	0356459350, 0722209279/035645 9350	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, DNmax=150mm	OR/CR4/K,L/14/1766/0/0 7.08.2020

381	Cluj	PRESTAREA SCM	SIMLEU SILVANIEI, Str. Gradinilor, nr.2, Jud. Salaj	C31/38/2005	RO 687541	0260/678934	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=100mm, Pmax=25bar	CJ/CR4/K/14/0069/0/26.08.2010
382	Bucuresti	01 PROCONSTRUCTO TOP SERVICES GROUP SRL	BUCURESTI, Str. Drumeagului, nr. 10, sector 3	J40/8614/2015	CUI 34774030	031/4241586; e-mail office@proconstructo.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=200mm, pmax=200bar	B/CR4/K,L/14/3240/0/27.04.2018
383	Cluj	PROGAZ INSTAL SRL	BISTRITA, Str. N. Titulescu, nr.21, ap.4, Jud. Bistrita Nasaud	J06/263/2000	RO 13374422	0263/233713	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=60bar	CJ/CR4/K,L/14/0121/0/18.11.2010
384	Central	PROIMSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/1558/1992	CUI 2989104	0250/733390; 0250/730231; 0350/401697	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=50mm, pmax=16bar	DISPR/CR4/K,L/14/2166/0/12.10.2011- retragere voluntara incepand cu 03.08.2017
385	Central	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Cal. Tg. Jiului, Km 7, Jud. Mehedinti	J25/282/1998	CUI 10882725	0252/311250/317908	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1094/0/09.06.2011

386	Bucuresti	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; Com. Izvoru Barzii, Sat Rascolesti, Cal. Tg. Jiu, Km 7, Jud. Mehedinti	J25/282/1998; J25/300/1998	CUI 10882752; CUI 12611350	0252/323666/ 323066; 0252/311250/ 317908	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	B/CR4/K,L/14/1975/1/20. 01.2014
387	Ploiesti	RAFINARIA STEAUA ROMANA SA	CIMPINA, Cal. Doftanei, nr.15, Jud. Prahova	J29/148/1991	RO 1322632	0244/336151/33734 1	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/K,L/14/0233/0/1 8.11.2010
388	Bacau	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/ 315640	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=250mm	BC/CR4/K,L/14/0077/1/2 5.04.2013
389	Brasov	RAIL LOGISTIC SRL	BRAZI, Sat Negoiesti, Str. Piatra Craiului, nr. 13, Jud. Prahova	J40/11417/2014	CUI 18647191	0373550080; 0373550073; e-mail office@rail- logistic.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=219mm	BV/CR4/K,L/14/1628/1/1 6.10.2017
390	Brasov	RAIL LOGISTIC SRL	BUCURESTI, Sos. Mihai Bravu, nr. 296, sc. B, et. 8, ap. 68, sector 3; BRAZI, Sat Negoiesti, Str. Piatra Craiului, nr. 13, Jud. Prahova	J40/11417/2014	CUI 18647191	0373550080; 0373550073; e-mail office@rail- logistic.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=219mm	BV/CR4/K,L/14/1628/0/2 2.12.2016

391	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	BC/CR4/K,L/14/1669/1/18.05.2016
392	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808739	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	DISPR/CR4/K,L/14/0681/0/05.05.2011
393	Central	REAL INSTAL SRL	JILAVA, Sos. Giurgiului, nr.169, camera 2, Jud. Ilfov	J23/2900/2007	CUI 22664298	0746255688; 0318/167308	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=50bar	DISPR/CR4/K,L/14/0801/0/18.05.2011
394	Sibiu	TERMOFICARE NAPOCA SA (fost REGIA AUTONOMA DE TERMOFICARE)	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj	J12/338/1991	CUI 201330	0264/503703/503722; e-mail rat@ratcj.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	SB/CR4/K,L/14/1989/3/27.08.2019
395	Sibiu	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj	J12/338/1991	CUI 201330	0264/503703/503722, 0734220835; e-mail rat@ratcj.ro, ioan.duca@ratcj.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	SB/CR4/K,L/14/1775/2/14.12.2017

396	Sibiu	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338/1991	CUI 201330	0264/503703/503722; e-mail rat@ratcj.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	SB/CR4/K,L/14/1482/1/23.07.2015
397	Central	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338/1991	CUI 201330	0264/503703/503722	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/0740/0/20.04.2011
398	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/8215/1991	CUI 1594483	021/2246634; 021/2029285, email office@regioimpex.ro	Verificare (la deschidere-inchidere) la dispozitive de siguranta	DNmax=300mm, pmax=200bar	B/CR4/K/14/0425/2/21.10.2020
399	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/8215/1991	CUI 1594483	021/2246634; 021/2029285	Verificare (la deschidere-inchidere) la dispozitive de siguranta	DNmax=32mm, pmax=40bar	B/CR4/K/14/0425/1/16.06.2014
400	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0722612696, 0744204754, 315, 0244/ 546031; e-mail: office@remero.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	BV/CR4/K,L/14/1327/2/06.09.2019

401	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546229; 0244/546031; e- mail: remero@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	BV/CR4/K,L/14/1327/1/2 1.10.2014
402	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546224; interior 310; 315; 0244/546031	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	DISPR/CR4/K,L/14/2008/0 /24.04.2012
403	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546221/54603 1	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K,L/14/2008/1 /12.12.2011
404	Central	REMERO FIL SA	Com. BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546221/54603 1	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K/14/2008/0/ 23.09.2011
405	Brasov	REVAG SRL	PLOIESTI, Str. Industriei, nr.4, Jud. Prahova	J29/687/2001	CUI 14071494	0244/572777	Verificari tehnice la inchidere -deschidere , reglarea si repararea supapelor de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1115/0/2 8.02.2013

406	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6	J40/25661/1994	RO 6645189	021/2503074/2508870; e-mail office@revicomoil.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/2/27.05.2019
407	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6	J40/25661/1994	RO 6645189	021/2503074/2508870; e-mail office@revicomoil.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/1/04.11.2016
408	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6; BUCURESTI, Str. Fantanica, nr.41, sector 2	J40/25661/1994	RO 6645189	021/2503074/2508870	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/0/16.09.2014
409	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu, nr.4-6, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=250bar	B/CR4/K,L/14/1770/4/21.01.2019- Suspendare voluntara incepand cu 24.07.2019
410	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=250bar	B/CR4/K,L/14/1770/3/20.07.2018- Suspendare voluntara incepand cu 24.07.2019

411	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/2/04.02.2015- Suspendare voluntara incepand cu 24.07.2019
412	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/1/27.08.2013- Suspendare voluntara incepand cu 24.07.2019
413	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448; 0722681690	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=150bar	DISPR/CR4/K,L/14/2989/0/13.02.2012- Suspendare voluntara incepand cu 24.07.2019
414	Iasi	RIGAB SRL	IASI, Bd. T. Vladimirescu, nr.105, sc.A, ap.4, Jud. Iasi	J22/758/2004	RO 16333338	0332/800709/800708	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=420bar, Dn max=600mm	IS/CR4/K,L/14/0151/0/08.12.2010
415	Bacau	RIGAB SERVICE SRL	IASI, B-dul Tudor Vladimirescu , nr. 105, sc. A, parter, ap. 4, Jud. Iasi	J22/1054/2012	CUI 30361449	0332/800709, 800708	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=600bar, Dn max=600mm	BC/CR4/K,L/14/1456/0/13.06.2014

416	Brasov	RO STEAM IT SRL	BRASOV, Str. Neagoe Basarab. Nr. 37, Jud. Brasov	J08/1863/2017	RO 37880680	0368/414123; e-mail rosteamit@gmail.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar, Dn max=250mm	BV/CR4/K,L/14/1694/0/1 3.09.2017
417	Oradea	ROAMBRA COMPANY SRL	TIMISOARA, Str. Simion Barnutiu, bl.81, et.1, ap.2, Jud. Timis	J35/1120/1999	CUI 12493930	0356/179990	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar, Dn max3600mm	OR/CR4/K,L/14/1225/0/0 1.11.2013
418	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, subsol+parter+1,2, nr. 30-34, et.4, sector 1	J40/7601/1994	CUI 5541546	021/4057500/23313 13	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=16bar	DISPR/CR4/K/14/0711/0/06.05.2011- suspendare voluntara incepand cu 05.12.2019
419	Ploiesti	ROC ROMANIAN OIL COMPANY SRL	PLOIESTI, Str. Carpati, bl.33H, ap.21, Jud. Prahova	J29/2721/1993	RO 4891861	0244/591811	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=150mm	PL/CR4/K,L/14/0223/0/0 2.11.2010
420	Bucuresti	ROHRER OILFIELD SERVICES SRL	CONSTANTA, B-dul Regina Elisabeta, nr 2B, Zona Poarta 1, etaj 4, Jud Constanța	J13/3280/2019	RO 41202155	034145621/0341456 376, email office.ros@rohrer-grp.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=250bar	B/CR4/K,L/14/3458/1/12. 03.2020

421	Bucuresti	ROHRER OILFIELD SERVICES SRL	BUCURESTI, Str. Tablitei, nr. 1, parter, camera 1, sector 1; CONSTANTA, Bd. Aurel Vlaicu, nr. 4-6, Jud. Constanta	J40/7171/2019	CUI 41202155	021/4110053/4100946	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=250bar	B/CR4/K,L/14/3458/0/19.07.2019
422	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere,nr. 3-5, cladire City Gate Northern Tower, et. 3, sector 1; NAVODARI, Bd. Navodari, nr. 1-283, Jud. Constanta	J40/8331/2001	RO 14208851	021/2723660; 021/3140897; e-mail office@rominserv.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=3500bar, Dmax=400mm	B/CR4/K,L/14/1325/1/30.03.2018
423	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	0744686811	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=64bar, Dmax=150mm	DISPR/CR4/K,L/14/0223/0/22.03.2010
424	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, Bd. Navodari, Km 23, Jud. Constanta	J40/8331/2001	RO 14208851	021/2723660/3140897	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=400mm, pmax<=3500bar	DISPR/CR4/K,L/14/3482/0/19.04.2012

425	Sibiu	ROS LEVY SRL	CLUJ-NAPOCA, str. Aleea Borsa, nr.3, ap.39, jud. Cluj; COM. FELEACU, sat Gheorghieni, nr.448, Jud. Cluj	J12/282/2009	CUI 25084120	0722456649, email: ioan.nyerges@gmail.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=63mm, pmax=15bar	SB/CR4/K,L/14/2100/0/09.09.2020
426	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/276655/276666	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=30bar	BC/CR4/K,L/14/1597/2/04.02.2020
427	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/276655/276666	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=30bar	BC/CR4/K,L/14/1597/1/14.12.2016
428	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/276655	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=30bar	BC/CR4/K,L/14/1597/0/22.09.2015
429	Bucuresti	ROVEM INSPECT RSVTI SRL	PITESTI, Str. Marasesti, nr. 7, bl. 6, sc. A, ap. 13, Jud. Arges	J3/683/2012	CUI 30219682	0740807872, e-mail marian_vilculescu@yahoo.com	Verificare la inchidere -deschidere a supapelor de siguranta	P<=30bar, DN<=100mm	B/CR4/K/14/3533/0/27.08.2019

430	Brasov	RSVTI BOB SRL	BRASOV, Str. De Mijloc, nr. 84, Birou 2, Jud. Brasov	J08/122/2010	CUI 26467043	0733011080, e-mail rsvti.brasov@yahoo.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=60bar	OR/CR4/K,L/1837/0/02.10.2019
431	Bucuresti	RSVTI CONCEPT SRL	BUCURESTI, Str. Baiculesti, nr. 25, bl. E 13, sc. A, et. 1, sector 1	J40/8448/2009	CUI 25835180	0766575321, e-mail rsvticoncept2010@gmail.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax<=40bar	B/CR4/K,L/14/3495/0/20.08.2019
432	Central	RSVTI CONCEPT SRL	BUCURESTI, Str. Ioan Caragea Voda, nr.14, camere 1,2, sector 1	J40/8448/2009	CUI 25835180	031/1078370	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax<=40bar	DISPR/CR4/K,L/14/0177/0/14.03.2011
433	Central	RUS MIRS SRL	TIMISOARA, Str. Ana Ipatescu, nr.6, sc.C, ap.1, Jud. Timis	J35/403/2008	RO 23222006	0356/426045	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/1012/0/01.06.2011
434	Ploiesti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424/2009	RO 25670839	0245/206114/206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	PL/CR4/K/14/0003/0/13.04.2010

435	Bucuresti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424/2009	RO 25670839	0245/206114/206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	B/CR4/K,L/14/1723/1/30.07.2013
436	Central	SAGIO IMPEX SRL	PIATRA NEAMT, Aleea Margaretelor, nr.17, sc.A, et.2, ap.10, Jud. Neamt	J27/578/1995	RO 7539356	0233/211142; 0744697050	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=10bar	DISPR/CR4/K,L/14/3322/0/21.03.2012
437	Sibiu	SAGUNTO IMPEX SRL	CLUJ NAPOCA, Str. Streiului, nr. 1, bl. A14, ap. 24, Jud. Cluj; CLUJ NAPOCA, Str. Nirajului, nr. 9, bl. P5, Garaj nr. 2, Jud. Cluj	J12/230/2002	RO 14434979	0744706585; 0264/412409; e-mail saguntocluj@yahoo.com	Verificare la inchidere -deschidere a supapelor de siguranta	Pmax=15bar, DNmax=100mm	SB/CR4/K/14/1476/0/02.07.2015
438	Oradea	SAMGEC SRL	SATU MARE, Str. Lucian Blaga, nr. 85A, Jud. Satu Mare	J30/1757/1994	CUI 6593861	0746237923; 0261/760080	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=250mm, pmax<=25bar	OR/CR4/K/14/1528/1/04.04.2017
439	Central	SAMGEC SRL	SATU MARE, Str. Petru Maior, nr.32, Jud. Satu Mare; SATU MARE, Str. Lucian Blaga, nr.85A, Jud. Satu Mare	J30/1757/1994	CUI 6593861	746237923; 0261/760080	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=250mm, pmax<=25bar	DISPR/CR4/K/14/0485/0/07.04.2011
440	Oradea	SC LINDE GAZ ROMÂNIA SRL	TIMIȘOARA, str Avram Imbroane, nr 9, Jud Timiș	J35/1149/1996	CUI 8721959	0256300700, fax 0256225608	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=100bar	OR/CR4/K,L/14/1515/1/10.01.2020

441	Brasov	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0723276995, 0372/000403	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dn<=200mm	BV/CR4/K,L/14/1684/1/0 2.08.2017
442	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0244/544707/51964 8	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dn<=200mm	PL/CR4/K,L/14/0260/0/0 6.12.2010
443	Central	SERCOP AND SRL	CAMPULUNG , Str. Fratii Golesti, nr.72, Jud. Arges	J03/2132/1994	RO 6749864	0248/510628	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=100bar	DISPR/CR4/K,L/14/0994/0 /16.06.2011
444	Central	SERVICII ELECTROMECHANICE SRL	CRAIOVA, Cal. Bucuresti, nr.166, Jud. Dolj	J16/1427/2005	CUI 17762109	0251/437033; 0745378660	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	DISPR/CR4/K,L/14/1527/0 /08.07.2011
445	Bucuresti	SERVICII ELECTROMECHANICE SRL	GHERCESTI, Str. Aviatorilor, nr.10, Jud. Dolj	J16/1427/2005	RO 17762109	0745378660; 0251/437033	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, Pmax<=100bar	B/CR4/K,L/14/1253/1/14. 01.2013

446	Central	SERVINSTAL SRL	TG. MURES, Str. 22 Decembrie 1989. nr. 51/7, Jud. Mures	J26/1177/2003	CUI 15742741	0265/259259	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=25bar	DISPR/CR4/K,L/14/2439/0 /21.11.2011
447	Bucuresti	SERVINSTAL ENGINEERING SRL	VOLUNTARI, Str. George Bacovia, nr. 21A, Jud. Ilfov	J23/683/2012	RO 27792271	0723361758; e-mail office@serveng.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=65bar	B/CR4/K,L/14/2001/0/07. 10.2016
448	Central	SIMPRESS SRL	SIBIU, Str. Lemnelor, nr.3, Jud. Sibiu	J32/1830/1991	CUI 789630	0269/206748	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/2056/0 /28.09.2011
449	Bacau	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior,nr.458, Jud. Neamt	J27/1223/2006	CUI 19121739	0745343098; e-mail office@siontech.ro	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=100mm, pmax<=65bar	BC/CR4/K/14/1696/1/09. 09.2016
450	Central	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior,nr.458, Jud. Neamt	J27/1223/2006	CUI 19121739	0233/256492	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=60mm, pmax<=60bar	DISPR/CR4/K/14/0446/0/ 14.04.2011
451	Central	SIR CONSTRUCT SRL	AIUD, Str. Faget, nr.5A, Jud. Alba	J01/85/2000	CUI 12837243	0757677015; 0258/860891	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/1414/0/ 11.07.2011

452	Oradea	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr.10, Jud. Timis	J35/3109/1994	CUI 6470320	0256/496393	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=25bar	OR/CR4/K,L/14/1154/1/2 8.05.2013
453	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/1999	CUI 11438007	0250/701501/ 701504	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dnmax=450mm, pmax=400bar	B/CR4/K/14/1946/0/10.1 2.2013
454	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056826	0265/471333/ 471388	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=150bar	SB/CR4/K,L/14/1296/0/17 .04.2014
455	Bucuresti	SSH HIDROSERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/2013	RO 32097794	0372479400, 0372479498; e-mail office@hidroserv.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/2/29. 05.2019
456	Bucuresti	SOCIETATEA DE SERVICII HIDROENERGETICE HIDROSERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/2013	RO32097794	021/3110612	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/1/20. 11.2014

457	Bucuresti	SOCIETATEA ELECTROCENTRALE CONSTANTA SA	CONSTANTA, bd Aurel Vlaicu, nr 123, Jud Constanta	J13/23/2015	CUI 33636420	0241585300/0241693916	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤200bar; DNmax≤300mm	B/CR4/K/14/2484/1/25.11.2020
458	Bucuresti	SOCIETATEA HIDROELECTRICA SERV SA	BUCUREȘTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/2013	RO32097794	021/3110612	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/0/13.11.2013
459	București	SOCIETATEA NAȚIONALĂ NUCLEARELECTRICA SA	BUCUREȘTI, str Polonă, nr 65, sector 1; MIOVENI, Str. Cimpului, nr.1, Jud. Arges	J40/7403/1998	CUI 10874881	-	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤200mm, pmax≤40bar	B/CR4/K,L/14/1860/1/11.12.2019
460	Bucuresti	SOF INSTAL PROIECT SRL	POPEȘTI LEORDENI, Str. Astrelor, nr. 12, parter, Jud. Ilfov	J23/27/2015	CUI 33942730	0773791207; 031/4315156	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2409/0/19.01.2015
461	Central	SOLINVEST SRL	GALATI, Str. Alunusului, nr.12, Jud. Galati	J17/1274/1992	CUI 1630667	0336/802549; 0236/456134	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0609/0/22.04.2011

462	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2260/1994	CUI 6446054	0238/720038; 0338/111540	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/2542/0 /20.12.2011
463	Bucuresti	STANDARD CSL SRL	Comuna CHIRNOGI, Str. Peluzei, nr.7, Jud. Calarasi	J51/736/2005	RO 18180877	0242/524223; 0727856273	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=60mm, pmax=22bar	B/CR4/K,L/14/2133/0/30. 04.2014
464	Central	STAVAS CONSULTING SRL	SLOBOZIA, Varianta Bucuresti - Constanta, Km 66, Corp C3, Jud. Ialomita	J21/468/2007	CUI 22210224	0243/221184	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2856/0 /25.01.2012
465	Bucuresti	TEHNIC SERV SRL	GIURGIU, Sos. Sloboziei, Km 4, Jud. Giurgiu	J52/355/2003	CUI 15804550	0246/217863/ 217209	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/0047/0/03. 06.2010
466	Central	TEHNITES SRL	BOTOSANI, Aleea Curcubeului, nr.15, sc.E, et.1, ap.4, Jud. Botosani; BOTOSANI, Str. Pacea, nr.49, Jud. Botosani	J07/147/2000	CUI 13197304	0231/584964	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/2888/0 /31.01.2012

467	Central	TEHNITES SRL	BOTOSANI, Aleea Constantin Piliuta, nr.1B, cam.1, Jud. Botosani	J07/147/2000	CUI 13197304	0231/584964	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	BC/CR4/K,L/14/1265/1/1 3.06.2013
468	Bucuresti	TEHNO MOD GRUP SRL	MANGALIA, Str. Muncelului, nr.1, Jud. Constanta	J13/3263/2007	CUI 22476081	0241/759970	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	B/CR4/K,L/14/2095/0/09. 04.2014
469	Central	TEHNOTERM SRL	IASI, Sos. Pacurari. Nr.26, bl.T4, parter, Jud. Iasi	J22/3107/1994	CUI 6788022	0232/259596	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	DISPR/CR4/K,L/14/0557/0 /20.04.2011
470	Bacau	TEHNOTERM SRL	IASI, Bd. Chimiei, nr. 14, Jud. Iasi	J22/3107/1994	CUI 6788022	0232/259596	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	BC/CR4/K,L/14/1388/1/1 1.03.2014
471	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/2587/2007	CUI 22547417	0244/546228; e-mail Teodan_instal@yahoo.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	BV/CR4/K,L/14/1352/1/1 1.12.2014

472	Ploiesti	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, Bl.13B2, et.2, ap.6, Jud. Prahova	J29/2587/2007	RO 22547417	0244/514500	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	PL/CR4/K,L/14/0258/0/0 6.12.2010
473	Brasov	TERCONFINSTAL SERVICII SRL	BRASOV, Str. Poienelor, nr. 5, intrarea 1, Birou, Jud. Brasov	J08/1761/2009	RO 26360224	0730636711; 0721296039; terconfinstalservicii@yahoo.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=30bar, Dnmax=50mm	BV/CR4/K,L/14/1708/0/3 1.10.2017
474	Sibiu	TERM INSTAL GROUP SRL	DEJ, Str. Florilor, nr.8, Jud. Cluj	J12/720/1999	RO 11833600	0264/212273	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K,L/14/1032/0/27 .07.2012
475	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010; e-mail office@termabacau.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=6bar	BC/CR4/K,L/14/1760/1/0 3.05.2017
476	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=6bar	DISPR/CR4/K,L/14/0552/0 /15.04.2011

477	Central	TERMAEXIM SA	GALATI, Str. Petru Groza, nr.23, Jud. Galati	J17/1221/1991	CUI 1631352	0236/470870/47066 9	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=160bar	DISPR/CR4/K,L/14/0029/0 /23.02.2011
478	Central	TERMICA SA	SUCEAVA, Str. Energeticianului, nr.1, Jud. Suceava	J33/310/2002	CUI 14682110	0230/257066/25766 3	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=64bar	DISPR/CR4/K,L/14/0854/0 /11.05.2011
479	Brasov	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J8/184/1998	RO 10253388	0268/416830	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p<=40bar, D<=250mm	BV/CR4/K,L/14/1099/0/1 4.01.2013
480	Sibiu	TERMOCONSULTING SRL	ALBA IULIA- MICESTI, Str. Carpati, nr.26, Jud. Alba	J01/463/2004	RO 16358630	0258/832409	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8mm<=DN<=250m m, 0bar<= Pn<250bar	SB/CR4/K,L/14/0069/0/16 .08.2010
481	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	0740044941; 031/8081274	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=70bar	DISPR/CR4/K,L/14/2102/0 /03.10.2011

482	Oradea	TERMODINAMIC SRL	ARAD, Str. Stan Dragu, nr.1, Jud. Arad	J02/1114/1994	CUI 6111857	0257/256502/250310	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=10bar, fluid aer; Dnmax=250mm, pmax=250bar, fluid azot	OR/CR4/K,L/14/1673/1/1 9.04.2019
483	Central	TERMODINAMIC SRL	ARAD, Str. Stan Dragu, nr.1, Jud. Arad	J02/1114/1994	CUI 6111857	0257/256502/250310	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=10bar, fluid aer; Dnmax=250mm, pmax=250bar, fluid azot	DISPR/CR4/K,L/14/2566/0 /08.12.2011
484	Craiova	TERMOINSTALATII CONSULT SRL	CRAIOVA, Piata Unirii, bl.N, ap.43, Jud. Dolj	J16/651/2010	RO 27027768	0251/462565	Verificare (la deschidere- inchidere) dispozitive de siguranta	DN=300mm, Pmax=450bar	CR/CR4/K,L/14/0039/0/0 2.07.2010
485	Central	TERMOINVEST SRL	FETESTI, Str. M. Sadoveanu, nr.3, Jud. Ialomita	J21/31/1994	CUI 5168146	0243/365108	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0880/0 /18.05.2011
486	Brasov	TERMOKLIMA SRL	BUZAU, Str. Veteranilor, nr. 5, Jud. Buzau	J10/215/2000	CUI 13038090	0238/719786, 0728202050; e-mail cana_petrica@yahoo.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=700bar, DN=400mm	BV/CR4/K,L/14/1720/3/0 6.12.2018

487	Brasov	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215/2000	RO 13038090	0238/723499, 0728202050; e-mail termoklimasrl@yahoo.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=700bar, DN=400mm	BV/CR4/K,L/14/1720/2/1 7.04.2018
488	Brasov	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215/2000	RO 13038090	0238/723499	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=250bar, DN=400mm	BV/CR4/K,L/14/1720/1/0 8.11.2017
489	Ploiesti	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215/2000	RO 13038090	0238/722274	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax<=250bar, DN<=400mm	PL/CR4/K,L/14/0264/0/0 6.12.2010
490	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/3927/1994	CUI 6589364	0264/431587	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1079/0 /01.06.2011
491	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576/1991	CUI 1469332	0250/737308/737302; 0744549436	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=100bar	DISPR/CR4/K,L/14/2165/0 /11.10.2011

492	Sibiu	TERMOTEH WORK SRL	VALCELE, Com. Feleacu, nr. 7D, Jud. Cluj; CLUJ NAPOCA, Str. Traian Vuia, nr. 232, corp A, et. 1, cam. 10, Jud. Cluj	J12/774/2018	CUI 38954930	0746106196	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=250mm, pmax<=63bar	SB/CR4/K,L/14/1827/0/20.06.2018
493	Bucuresti	TESTOCLIMA SRL	CRAIOVA, Str. Girlesti, Nr. 118P, Jud. Dolj	J16/220/2013	RO 31197221	0767584888, 0769111752, 0351/881221	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=40mm, pmax<=30bar	B/CR4/K,L/14/3420/0/20.05.2019
494	Oradea	THETA SIM SRL	PERICEI, nr. 613B, Jud. Salaj	J31/9/2010	CUI 2640870	0742818700; e-mail thetasim2010@yahoo.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=150mm, pmax=100bar	OR/CR4/K/14/1559/0/14.09.2017
495	Central	TIMPROD SRL	SUCEAVA, Al. Dumbravii, nr.12D, Jud. Suceava	J33/764/1995	CUI 7537380	0230/517230	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2115/0/07.10.2011
496	Central	TMK ARTROM SA	SLATINA, Str. Draganesti, nr.30, Jud. Olt	J28/9/1991	CUI 1510210	0372498148, 0721240759, 0249/431144	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K/14/1170/0/21.06.2011

497	Bucuresti	TOP OIL INTER SRL	CONSTANTA, Str. Lt. Gheorghe Hanes, cladire Club CFR, birou nr.1, Jud. Constanta	J13/2253/2010	RO 27796281	0241/620844/ 51555	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	B/CR4/K,L/14/1769/0/26.08.2013
498	Ploiesti	TOTAL CERT SRL	BUZAU, Str. Unirii, bl.E7A, et.8, ap.24, camera 1, Jud. Buzau	J10/500/2005	RO 17475438	0238/723330	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=170mm, PN<=170bar	PL/CR4/K/14/0084/0/21.06.2010
499	Bacau	TOTALGAZ INDUSTRIE SRL	IASI,Sos. Pacurari, nr. 128, Jud. Iasi	J22/3277/1994	RO 6658553	0232/216391/ 215983	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=600mm, pmax=450bar	BC/CR4/K,L/14/1432/0/13.06.2014
500	Brasov	TRISERV INSTAL SRL	AZUGA, Str. Gospodariei, nr.33, Jud. Prahova	J29/1477/2006	RO 18827885	0244/326328	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=40bar, Dnmax<=150mm	BV/CR4/K,L/14/1058/0/02.10.2012
501	Sibiu	TUBEX SRL- Sucursala DANES	Sat DANES, Str. Garii, nr.1, Jud. Mures	J26/1223/2003	RO 15778389	0265/761703	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=300mm; pmax<=400bar	SB/CR4/K,L/14/1034/0/16.08.2012

502	Oradea	UCM RESITA SA	BUCURESTI, Piata Montreal, nr.10, cladirea WTC, intrarea F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/13628/2011	CUI 1056654	0255/217111/ 223082	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar Dnmax=80mm	OR/CR4/K,L/14/1094/2/1 1.10.2018
503	Oradea	UCM RESITA SA	BUCURESTI, Piata Montreal, nr.10, cladirea WTC, intrarea F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/13628/2011	CUI 1056654	Telex 74215; 5/217111/ 223082	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar Dnmax=80mm	OR/CR4/K,L/14/1094/1/1 7.01.2013
504	Timisoara	UCM RESITA SA	BUCURESTI, P-ta Montreal, nr.10, Cladire World Trade Center, intrare F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/13628/2011	CUI 1056654	0255/217211/22308 2	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=80mm, Pn=25bar	TM/CR4/K,L/14/0074/0/1 4.09.2010
505	Bucuresti	UM 02550 L	BUCURESTI, Str. Teascului, nr.2, sector 4	-	CIF 4283716	021/3341030/33213 89	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=50bar	B/CR4/K,L/14/1038/0/18. 09.2012

506	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Simion Barnutiu, nr.2, Jud. Salaj	J31/13/2002	RO 14397920	0260/662103/662101	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/1/2 3.12.2015- retragere voluntara incepand cu 18.10.2017
507	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitei, nr. 2, Jud. Salaj	J31/13/2002	RO 14397920	0260/662103/662101; e-mail cet@uezalau.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/0/0 9.07.2015
508	Oradea	VALFRAT PREST SRL	RESITA, Calea Timisoarei, bl.29, sc.3, ap.3, Jud. Caras Severin	J11/221/1997	CUI 9745220	0255/225824, 0740526165/0255225824	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1266/1/2 2.04.2020
509	Oradea	VALFRAT PREST SRL	RESITA, Str. Timisoarei, bl.29, sc.3, ap.3, Jud. Caras Severin	J11/221/1997	CUI 9745220	0255/225824	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1266/0/0 7.03.2014
510	Bacau	VENTILE, ARMATURI, SUPAPE SERVICE SRL	ROMAN, Str. Stefan cel Mare, nr. 279, Jud. Neamt	J27/339/2015	CUI 34571362	0745050306	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	BC/CR4/K,L/14/1560/0/0 1.07.2015

511	Bacau	VEOLIA ENERGIE IASI SA	IASI, Cal. Chisinaului, nr.25, et. 2, camera 1, Jud. Iasi	J22/1399/2012	RO 30570461	0232/232360/233918; e-mail secretariat@veolia.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=400bar	BC/CR4/K,L/14/1122/3/1 4.06.2019
512	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/1399/2012	RO 30570461	0232/232360/233918	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=400bar	BC/CR4/K,L/14/1122/2/1 3.06.2017
513	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/1399/2012	RO 30570461	0232/232360/233918	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=400bar	BC/CR4/K,L/14/1122/1/1 1.05.2015
514	Cluj	VER INS TRAD SRL	BAIA MARE, Str. Tamplarilor, nr.15, Jud. Maramures	J24/752/2006	CUI 18649862	0766247388; 0362/402065	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=64bar	CJ/CR4/K,L/14/0133/0/0 2.12.2010
515	Bacau	VIDMAC EXPERT SRL	BRAILA, Str. Apollo, nr. 23, bl. A7, ap. 14, Jud. Braila	J09/456/2013	CUI 32001721	0728894202	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, Pmax<=25bar	BC/CR4/K,L/14/1601/0/0 6.10.2015

516	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/2011	CUI 28003325	0744492688	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/4/16.03.2020
517	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/2011	CUI 28003325	031/8083752	Verificare (la deschidere-inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/3/29.05.2015
518	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/2011	CUI 28003325	031/8083752	Verificare (la deschidere-inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/2/11.04.2014
519	Central	VIDOMAC CONS-SERV SRL	BUCURESTI, Al. Petrachesti, nr.24, bl.1, sc.A, et.1, ap. 112, camera 1, sector 6	J40/1271/2011	CUI 28003325	031/8083752	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=125mm, pmax=16bar	DISPR/CR4/K,L/14/3206/1/08.03.2012
520	Bucuresti	VILO SRL	BUCURESTI, Bd. Camil Ressu, nr.15, bl. 57, sc.4, et.2, ap.141, sector 3; CATELU, Com. Glina, Str. Drumul intre Tarlale, nr. 5, Jud. Ilfov	J40/9378/2002	RO 14899420	021/6488064/3253592	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=75mm, pmax=12bar	B/CR4/K,L/14/2317/1/04.05.2018

521	Bucuresti	VILO SRL	BUCURESTI, Bd. Camil Ressu, nr.15, bl.57, sc.4, et.2, ap. 141, sector 3	J40/9378/2002	RO 14899420	021/6488064/ 3253592	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=75mm, pmax=12bar	B/CR4/K,L/14/2317/0/21. 10.2014
522	Sibiu	VIMED COM SRL	ALBA IULIA, B-dul Incoronării, nr.7, Jud Alba	J01/1619/1994	RO 6892804	0258817988, email: office@vimed.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax≤100mm, pmax≤15bar	SB/CR4/K,L/14/2112/0/09 .10.2020
523	Bucuresti	VIOSIL INSTAL CONSTRUCT SRL	BUCURESTI, Str. Cozieni, nr.33, constructii C1, C2, C3, sector 5	J40/112961/200 2	RO 15000467	021/3357795/ 3367010	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=80mm, pmax=16bar	B/CR4/K,L/14/1183/0/16. 11.2012
524	Bucuresti	VIRGILIUS PROD COM SL	SLOBOZIA, Str. Vanatori, bl.D1, sc.A, ap.3, Jud. Ialomita	J21/878/1992	CUI 20790871	0243/221129	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=50bar	B/CR4/K,L/14/1236/0/11. 12.2012
525	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340/1991	CUI 1126350	0268/241120/24180 0	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax≤100bar	DISPR/CR4/K,L/14/1629/0 /19.07.2011

526	Bucuresti	VISION TEHNIC CONCEPT SRL	STEFANESTI, Sat Valea Mare Podgoria, Str. Liviu Rebreanu, nr. 16B, Jud. Arges	J3/1667/2018	CUI 39793300	0766557723; e-mail visiontehniconcept @yahoo.com	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dnmax=200mm, pmax<=100bar	B/CR4/K/14/3337/0/18.0 9.2018
527	Central	VITAL TERMO CONSTRUCT SRL	BUCURESTI, Str. Anastasiu Panu, nr.8, bl.A 12, sc.2, et. 3, ap.40, sector 3	J40/5594/1997	CUI 9617000	021/3237773	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=100mm, pmax<=40bar	DISPR/CR4/K/14/0712/0/ 05.05.2011
528	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO 1454846	0237/640800/64172 0	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	BC/CR4/K,L/14/1430/1/1 6.06.2014
529	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO 1454846	0237/640800/64172 0	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	DISPR/CR4/K,L/14/3067/0 /23.02.2012
530	Sibiu	VTP SERVING SRL	CLUJ NAPOCA, Str. Aurel Vlaicu, nr. 52, ap.66, Jud. Cluj; CLUJ NAPOCA, Str. Henri Barbusse, nr. 59-61, Jud. Cluj	J12/1540/2005	CUI 17518105	0264/456440/55264 6, 0723166786; E- mail vtpserving@gmail.c om	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	SB/CR4/K,L/14/1793/1/12 .03.2018

531	Central	VTP SERVING SRL	CLUJ NAPOCA, Str. Godeanu, nr.2, ap.17, Jud. Cluj; CLUJ NAPOCA, Str. Henri Barbusse, nr. 59-61, Jud. Cluj	J12/1540/2005	CUI 17518105	0264/552646	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0807/0 /04.05.2011
532	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256/2013	RO 31156795	0264/431587/596750	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=250bar	SB/CR4/K,L/14/1500/0/13 .08.2015
533	Central	YIT ROMANIA SRL	SIBIU, Com. SELIMBAR, Str. Sibiului, nr.2, camera 403, Jud. Sibiu	J32/1103/2008	CUI 16962540	0369/408917/408918	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K/14/1667/0/ 10.08.2011

|